

Artemisia tridentata subsp. vaseyana (mountain big sagebrush)

www.nrfirescience.org/resource/16200

Mountain big sagebrush is a widely distributed shrub native to the western United States. Mountain big sagebrush ecosystems support hundreds of plant and animal species, including several sagebrush obligates. The distribution of mountain big sagebrush has been reduced since European-American settlement, and is likely to be further...

Author(s): Robin J. Innes

Year Published: 2017

Type: Document

Synthesis

Quaking aspen in the Northern Rockies: retention and restoration

www.nrfirescience.org/resource/15373

Specific objectives of this review are to address the current status and future outlook of aspen across a range of ecosystems in the US Northern Rockies. Specifically, we aim to answer the following questions: Is aspen declining in the Northern Rockies, and if so what are the underlying causes? Where should aspen...

Author(s): Camille Stevens-Rumann, Penelope Morgan, Eva K. Strand, Diane Abendroth

Year Published: 2017

Type: Document

Synthesis

Fire history and fire-climate interactions in high elevation whitebark pine dominated forest

www.nrfirescience.org/resource/15767

The objectives of this study were to identify whitebark pine fire-climate interactions, and tree establishment and mortality patterns in a landscape context. Specific objectives were to : 1) develop a whitebark pine tree-ring chronology to date fire scar samples and reconstruct climate from tree rings; 2) identify fire climate...

Author(s): Alan H. Taylor, Catherine Airey Lauvaux

Year Published: 2017

Type: Document

Technical Report or White Paper

Quantifying the effect of elevation and aspect on fire return intervals in the Canadian Rocky Mountains

www.nrfirescience.org/resource/15032

The effect of topography on wildfire distribution in the Canadian Rockies has been the subject of debate. We suspect the size of the study area, and the assumption fire return intervals are distributed as a Weibull distribution used in many previous studies may have obscured the real effect of topography on these fire-regulated...

Author(s): Marie-Pierre Rogeau, Glen W. Armstrong

Year Published: 2017

Type: Document

Book or Chapter or Journal Article

Reburns and fire-on-fire interactions in the U.S. northern Rockies forests 1900-2014

www.nrfirescience.org/resource/15307

The interactions of fire on the landscape between 1900 and 2014 are explored in this master's thesis. A description of its content is not yet available from University of Idaho.

Author(s): Justin Barton Lauer

Year Published: 2017

Type: Document
Dissertation or Thesis

Tamm Review: Shifting global fire regimes: Lessons from reburns and research needs

www.nrfirescience.org/resource/15305

Across the globe, rising temperatures and altered precipitation patterns have caused persistent regional droughts, lengthened fire seasons, and increased the number of weather-driven extreme fire events. Because wildfires currently impact an increasing proportion of the total area burned, land managers need to better understand...

Author(s): Susan J. Prichard, Camille Stevens-Rumann, Paul F. Hessburg

Year Published: 2017

Type: Document

Book or Chapter or Journal Article

Fire-regime variability impacts forest carbon dynamics for centuries to millennia

www.nrfirescience.org/resource/15548

Wildfire is a dominant disturbance agent in forest ecosystems, shaping important biogeochemical processes including net carbon (C) balance. Long-term monitoring and chronosequence studies highlight a resilience of biogeochemical properties to large, stand-replacing, high-severity fire events. In contrast, the consequences of...

Author(s): Tara W. Hudiberg, Philip E. Higuera, Jeffrey A. Hicke

Year Published: 2017

Type: Document

Book or Chapter or Journal Article

Climatic influences on interannual variability in regional burn severity across western US forests

www.nrfirescience.org/resource/15202

Interannual variability in burn severity is assessed across forested ecoregions of the western United States to understand how it is influenced by variations in area burned and climate during 1984–2014. Strong correlations ($|r| > 0.6$) between annual area burned and climate metrics were found across many of the studied...

Author(s): John T. Abatzoglou, Crystal A. Kolden, A. Park Williams, James A. Lutz, Alistair M. S. Smith

Year Published: 2017

Type: Document

Book or Chapter or Journal Article

Deciphering the complexity of historical fire regimes: diversity among forests of western North America

www.nrfirescience.org/resource/16313

Wildfire is a key disturbance agent in forests worldwide, but recent large and costly fires have raised urgent questions about how different current fire regimes are from those of the past. Dendroecological reconstructions of historical fire frequency, severity, spatial variability, and extent, corroborated by other lines of...

Author(s): Lori D. Daniels, Larissa L. Yocom Kent, Rosemary L. Sherriff, Emily K. Heyerdahl

Year Published: 2017

Type: Document

Book or Chapter or Journal Article

Multidecadal trends in area burned with high severity in the Selway-Bitterroot Wilderness Area

1880-2012

www.nrfirescience.org/resource/16279

Multidecadal trends in areas burned with high severity shape ecological effects of fires, but most assessments are limited to ,30 years of satellite data. We analysed the proportion of area burned with high severity, the annual area burned with high severity, the probability areas burned with high severity and also the area reburned...

Author(s): Penelope Morgan, Andrew T. Hudak, Ashley Wells, Sean A. Parks, Scott L. Baggett, Benjamin C. Bright, Patricia Green

Year Published: 2017

Type: Document

Book or Chapter or Journal Article

Human-started wildfires expand the fire niche across the United States

www.nrfirescience.org/resource/15122

The economic and ecological costs of wildfire in the United States have risen substantially in recent decades. Although climate change has likely enabled a portion of the increase in wildfire activity, the direct role of people in increasing wildfire activity has been largely overlooked. We evaluate over 1.5 million government...

Author(s): Jennifer Balch, Bethany A. Bradley, John T. Abatzoglou, R. Chelsea Nagy, Emily J. Fusco, Adam L. Mahood

Year Published: 2017

Type: Document

Book or Chapter or Journal Article

Evaluating a new method for reconstructing forest conditions from General Land Office survey records

www.nrfirescience.org/resource/16132

Historical forest conditions are often used to inform contemporary management goals because historical forests are considered to be resilient to ecological disturbances. The General Land Office (GLO) surveys of the late 19th and early 20th centuries provide regionally quasi-contiguous data sets of historical forests across much of...

Author(s): Carrie R. Levine, Charles V. Cogbill, Brandon M. Collins, Andrew J. Larson, James A. Lutz, Malcolm P. North, Christina M. Restaino, Hugh Safford, Scott L. Stephens, John J. Battles

Year Published: 2017

Type: Document

Book or Chapter or Journal Article

Spatially varying constraints of human-caused fire occurrence in British Columbia, Canada

www.nrfirescience.org/resource/15088

Human-caused wildfires are controlled by human and natural influences, and determining their key drivers is critical for understanding spatial patterns of wildfire and implementing effective fire management. We examined an array of explanatory variables that account for spatial controls of human-caused fire occurrence from 1990 to...

Author(s): Philip E. Camp, Meg A. Krawchuk

Year Published: 2017

Type: Document

Book or Chapter or Journal Article

Sustainability and wildland fire: The origins of Forest Service Wildland Fire Research

www.nrfirescience.org/resource/15768

On June 1, 2015, the Forest Service, an agency of the U.S. Department of Agriculture (USDA),

celebrated the 100th anniversary of the Branch of Research. Established in 1915 to centralize and elevate the pursuit of research throughout the agency, the Branch of Research focused on everything from silvicultural investigations conducted...

Author(s): Diane M. Smith

Year Published: 2017

Type: Document

Book or Chapter or Journal Article

Indicators of burn severity at extended temporal scales: A decade of ecosystem response in mixed conifer forests of western Montana

www.nrfirescience.org/resource/15315

We collected field and remotely sensed data spanning 10 years after three 2003 Montana wildfires to monitor ecological change across multiple temporal and spatial scales. Multiple endmember spectral mixture analysis was used to create post-fire maps of: char, soil, green (GV) and non-photosynthetic (NPV) vegetation from high-...

Author(s): Sarah A. Lewis, Andrew T. Hudak, Peter R. Robichaud, Penelope Morgan, K.L. Satterberg, Eva K. Strand, Alistair M. S. Smith, J Zamudio, Leigh B. Lentile

Year Published: 2017

Type: Document

Book or Chapter or Journal Article

Spatial interpolation and mean fire interval analyses quantify historical mixed-severity fire regimes

www.nrfirescience.org/resource/15005

Tree-age data in combination with fire scars improved inverse-distance-weighted spatial modelling of historical fire boundaries and intervals for the Darkwoods, British Columbia, Canada. Fire-scarred trees provided direct evidence of fire. The presence of fire-sensitive trees at sites with no fire scars indicated fire-free periods...

Author(s): Gregory A. Greene, Lori D. Daniels

Year Published: 2017

Type: Document

Book or Chapter or Journal Article

An empirical machine learning method for predicting potential fire control locations for pre-fire planning and operational fire management

www.nrfirescience.org/resource/15490

During active fire incidents, decisions regarding where and how to safely and effectively deploy resources to meet management objectives are often made under rapidly evolving conditions, with limited time to assess management strategies or for development of backup plans if initial efforts prove unsuccessful. Under all but the most...

Author(s): Christopher D. O'Connor, David E. Calkin, Matthew P. Thompson

Year Published: 2017

Type: Document

Book or Chapter or Journal Article

Tree regeneration spatial patterns in ponderosa pine forests following stand-replacing fire: Influence of topography and neighbors

www.nrfirescience.org/resource/16295

Shifting fire regimes alter forest structure assembly in ponderosa pine forests and may produce structural heterogeneity following stand-replacing fire due, in part, to fine-scale variability in growing environments. We mapped tree regeneration in eighteen plots 11 to 15 years after stand-replacing fire

in Colorado and South Dakota...

Author(s): Justin P. Ziegler, Chad M. Hoffman, Paula J. Fornwalt, Carolyn Hull Sieg, Michael A. Battaglia, Marin Chambers, Jose M. Iniguez

Year Published: 2017

Type: Document

Book or Chapter or Journal Article

Toward a more ecologically informed view of severe forest fires

www.nrfirescience.org/resource/14023

We use the historical presence of high-severity fire patches in mixed-conifer forests of the western United States to make several points that we hope will encourage development of a more ecologically informed view of severe wildland fire effects. First, many plant and animal species use, and have sometimes evolved to depend on,...

Author(s): Richard L. Hutto, Robert E. Keane, Rosemary L. Sherriff, Christopher T. Rota, Lisa A. Eby, Victoria A. Saab

Year Published: 2016

Type: Document

Book or Chapter or Journal Article, Synthesis

Fire-proneness as a prerequisite for the evolution of fire-adapted traits

www.nrfirescience.org/resource/15050

Fire as a major evolutionary force has been disputed because it is considered to lack supporting evidence. If a trait has evolved in response to selection by fire then the environment of the plant must have been fire-prone before the appearance of that trait. Using outcomes of trait assignments applied to molecular phylogenies for...

Author(s): Byron B. Lamont, Tianhua He

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

Avian relationships with wildfire at two dry forest locations with different historical fire regimes

www.nrfirescience.org/resource/14479

Wildfire is a key factor influencing bird community composition in western North American forests. We need to understand species and community responses to wildfire and how responses vary regionally to effectively manage dry conifer forests for maintaining biodiversity. We compared avian relationships with wildfire burn severity...

Author(s): Quresh Latif, Jamie Sanderlin, Victoria A. Saab, William M. Block, Jonathan G. Dudley

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

Quantifying the human influence on fire ignition across the western USA

www.nrfirescience.org/resource/14896

Humans have a profound effect on fire regimes by increasing the frequency of ignitions. Although ignition is an integral component of understanding and predicting fire, to date fire models have not been able to isolate the ignition location, leading to inconsistent use of anthropogenic ignition proxies. Here, we identified fire...

Author(s): Emily J. Fusco, John T. Abatzoglou, Jennifer Balch, John T. Finn, Bethany A. Bradley

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

Macroanatomy and compartmentalization of recent fire scars in three North American conifers

www.nrfirescience.org/resource/14329

Fire scars are initiated by cambial necrosis caused by localized lethal heating of the tree stem. Scars develop as part of the linked survival processes of compartmentalization and wound closure. The position of scars within dated tree ring series is the basis for dendrochronological reconstruction of fire history. Macroanatomical...

Author(s): Kevin T. Smith, Estelle Arbella, Donald A. Falk, Elaine Kennedy Sutherland

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

Influence of fire disturbance and biophysical heterogeneity on pre-settlement ponderosa pine and mixed conifer forests

www.nrfirescience.org/resource/14847

Fire frequency is assumed to have exerted a strong influence on historical forest communities in the inland Pacific Northwest. This study reconstructs forest structure and composition in the year 1890 and fire frequency from 1760 to 1890 at 10 sites spanning a broad productivity gradient in the southern Blue Mountains of eastern...

Author(s): James D. Johnston, John D. Bailey, Christopher J. Dunn

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

Quaking aspen in Utah: integrating recent science with management

www.nrfirescience.org/resource/15175

Quaking aspen is widely regarded as a key resource for humans, livestock, and wildlife with these values often competing with each other, leading to overuse of aspen in some locations and declines. We review trends in aspen science and management, particularly in Utah. Historically, research conducted here holds a prestigious place...

Author(s): Paul C. Rogers, Sam St. Clair

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

Anthropogenic influence on wildfire activity in Alberta, Canada

www.nrfirescience.org/resource/14702

The boreal forest of Alberta, Canada, is under pressure from a rapid expansion of the wildland-human interface driven by natural resources exploitation. The specific impact of these changes on area burned remains poorly understood. We addressed this issue by modelling area burned for the 1980-2010 period using variables...

Author(s): Francois-Nicolas Robinne, Marc-Andre Parisien, Michael D. Flannigan

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

The spatially varying influence of humans on fire probability in North America

www.nrfirescience.org/resource/14693

Humans affect fire regimes by providing ignition sources in some cases, suppressing wildfires in others, and altering natural vegetation in ways that may either promote or limit fire. In North America, several

studies have evaluated the effects of society on fire activity; however, most studies have been regional or subcontinental...

Author(s): Marc-Andre Parisien, Carol Miller, Sean A. Parks, Evan R. DeLancey, Francois-Nicolas Robinne, Michael D. Flannigan

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

Centrocercus minimus, Centrocercus urophasianus (Gunnison sage-grouse, greater sage-grouse)

www.nrfirescience.org/resource/10784

This FEIS species review synthesizes information on the relationship of Centrocercus minimus, Centrocercus urophasianus (Gunnison sage-grouse, greater sage-grouse) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided...

Author(s): Robin J. Innes

Year Published: 2016

Type: Document

Synthesis

Fire regimes of Northern Rocky Mountain ponderosa pine communities

www.nrfirescience.org/resource/14602

Hundreds of articles are published about wildland fires in Northern Rocky Mountain ponderosa pine communities. The author of this FEIS synthesis reviewed over 300 publications on historical and contemporary fuel loads, stand structure, and fire regimes in ponderosa pine communities. Most studies found that prior to fire exclusion,...

Author(s): Janet L. Fryer

Year Published: 2016

Type: Document

Synthesis, Technical Report or White Paper

A 14,000-year record of fire, climate, and vegetation from the Bear River Range, southeast Idaho, USA

www.nrfirescience.org/resource/14481

The vegetation and fire history of the Bear River Range (BRR), Southeast Idaho has been reconstructed from pollen, plant macrofossils, and macroscopic charcoal from lacustrine sediments. Overall, the BRR record shows independent responses of vegetation and fire regime to climate variation. The reconstructions suggest strong seasonal...

Author(s): Zachary J. Lundeen, Andrea R. Brunelle

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

A 350-million-year legacy of fire adaptation among conifers

www.nrfirescience.org/resource/14017

Current phylogenetic evidence shows that fire began shaping the evolution of land plants 125 Ma, although the fossil charcoal record indicates that fire has a much longer history (>350 Ma). Serotiny (on-plant seed storage) is generally accepted as an adaptation to fire among woody plants. We developed a conceptual model of the...

Author(s): Tianhua He, Claire M. Belcher, Byron B. Lamont, Sim L. Lim

Year Published: 2016

Type: Document
Book or Chapter or Journal Article

Flammability as an ecological and evolutionary driver

www.nrfirescience.org/resource/15049

We live on a flammable planet yet there is little consensus on the origin and evolution of flammability in our flora. We argue that part of the problem lies in the concept of flammability, which should not be viewed as a single quantitative trait or metric. Rather, we propose that flammability has three major dimensions that are not...

Author(s): Juli G. Pausas, Jon E. Keeley, Dylan W. Schwillk

Year Published: 2016

Type: Document
Book or Chapter or Journal Article

Average stand age from forest inventory plots does not describe historical fire regimes in ponderosa pine and mixed-conifer forests of western North America

www.nrfirescience.org/resource/14438

Quantifying historical fire regimes provides important information for managing contemporary forests. Historical fire frequency and severity can be estimated using several methods; each method has strengths and weaknesses and presents challenges for interpretation and verification. Recent efforts to quantify the timing of historical...

Author(s): Jens T. Stevens, Hugh Safford, Malcolm P. North, Jeremy S. Fried, Andrew N. Gray, Peter M. Brown, Christopher R. Dolanc, Solomon Z. Dobrowski, Donald A. Falk, Calvin A. Farris, Jerry F. Franklin, Peter Z. Fule, R. Keala Hagmann, Eric E. Knapp, Alan H. Taylor, Jay D. Miller, Douglas F. Smith, Thomas W. Swetnam

Year Published: 2016

Type: Document
Book or Chapter or Journal Article

Tamm Review: Management of mixed-severity fire regime forests in Oregon, Washington, and Northern California

www.nrfirescience.org/resource/13976

Increasingly, objectives for forests with moderate- or mixed-severity fire regimes are to restore successional diversity landscapes that are resistant and resilient to current and future stressors. Maintaining native species and characteristic processes requires this successional diversity, but methods to achieve it are poorly...

Author(s): Paul F. Hessburg, Thomas A. Spies, David A. Perry, Carl N. Skinner, Alan H. Taylor, Peter M. Brown, Scott L. Stephens, Andrew J. Larson, Derek J. Churchill, Nicholas A. Povak, Peter H. Singleton, Brenda McComb, William J. Zielinski, Brandon M. Collins, R. Brion Salter, Jerry F. Franklin, Gregg M. Riegel

Year Published: 2016

Type: Document
Book or Chapter or Journal Article, Synthesis

Prior wildfires influence burn severity of subsequent fires

www.nrfirescience.org/resource/15306

With longer and more severe fire seasons predicted, the incidence and extent of fires are expected to increase in western North America. As more area is burned, past wildfires may influence the spread and burn severity of subsequent fires, with implications for ecosystem resilience and fire management. We examined how previous burn...

Author(s): Camille Stevens-Rumann, Susan J. Prichard, Eva K. Strand, Penelope Morgan

Year Published: 2016
Type: Document
Book or Chapter or Journal Article

Wildland fire: nature's fuel treatment

www.nrfirescience.org/resource/14887

Every year wildland fires affect much more acreage in the United States compared to controlled burns. Like controlled burns, wildland fire can help promote biological diversity and healthy ecosystems. But despite these facts, wildland fire is not often considered as a fuel treatment in the United States.

Scientists working with the...

Author(s): Brian Cooke

Year Published: 2016

Type: Document

Research Brief or Fact Sheet

The passing of the Lolo Trail, with an introduction by Andrew J. Larson

www.nrfirescience.org/resource/14325

In 1935, Elers Koch argued in a Journal of Forestry article that a minimum fire protection model should be implemented in the backcountry areas of national forests in Idaho, USA. As a USDA Forest Service Supervisor and Assistant Regional Forester, Koch had led many major fire-fighting campaigns in the region, beginning with...

Author(s): Elers Koch

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

Wildland fire limits subsequent fire occurrence

www.nrfirescience.org/resource/15303

Several aspects of wildland fire are moderated by site- and landscape-level vegetation changes caused by previous fire, thereby creating a dynamic where one fire exerts a regulatory control on subsequent fire. For example, wildland fire has been shown to regulate the size and severity of subsequent fire.

However, wildland fire has...

Author(s): Sean A. Parks, Carol Miller, Lisa M. Holsinger, Scott L. Baggett, Benjamin J. Bird

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

Sensitivity of reconstructed fire histories to detection criteria in mixed-severity landscapes

www.nrfirescience.org/resource/14818

In heterogeneous forest landscapes prone to wildfires, accurate classification of the fire regime beyond direct observations and records is difficult. This is in part due to the methods used to reconstruct historical fires in complex, heterogeneous landscapes with varying fire severities. Mixed-severity fire regimes, defined as...

Author(s): Vanessa Stretch, Ze'ev Gedalof, Jacklyn Cockburn, Michael F. Pisaric

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

Altered mixed-severity fire regime has homogenised montane forests of Jasper National Park

www.nrfirescience.org/resource/14201

Fire suppression has altered the historical mixed-severity fire regime and homogenised forest structures in Jasper National Park, Canada. We used dendrochronology to reconstruct fire history and assess forest dynamics at 29 sites in the montane forests. Based on fire scars and even-aged post-fire cohorts, we determined 18 sites had...

Author(s): Raphael D. Chavardes, Lori D. Daniels

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

Spatial and temporal variations of fire regimes in the Canadian Rocky mountains and foothills of southern Alberta

www.nrfirescience.org/resource/14701

Like many fire-adapted ecosystems, decades of fire exclusion policy in the Rocky Mountains and Foothills natural regions of southern Alberta, Canada are raising concern over the loss of ecological integrity. Departure from historical conditions is evaluated using median fire return intervals (MdFRI) based on fire history data from...

Author(s): Michael D. Flannigan, Brad C. Hawkes, Marc-Andre Parisien, Marie-Pierre Rogeau, Rick Arthur

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

Yellowstone fire history and fire ecology - Insights 27 years after the 1988 fires

www.nrfirescience.org/resource/14651

In 1988, fires burned 36% (about 800,000 acres) of Yellowstone National Park (YNP). At the time, the size and severity of these fires was greater than scientists and land managers were used to and they were attributed to excessive fuel loadings that were a result of past fire suppression. However, fire history and fire ecology...

Author(s): Corey L. Gucker

Year Published: 2016

Type: Document

Research Brief or Fact Sheet

A state-and-transition simulation modeling approach for estimating the historical range of variability

www.nrfirescience.org/resource/13078

Reference ecological conditions offer important context for land managers as they assess the condition of their landscapes and provide benchmarks for desired future conditions. State-and-transition simulation models (STSMs) are commonly used to estimate reference conditions that can be used to evaluate current ecosystem conditions...

Author(s): Kori Blankenship, Leonardo Frid, James L. Smith

Year Published: 2015

Type: Document

Book or Chapter or Journal Article

American Fire History, 1960-2013

www.nrfirescience.org/resource/15567

With support from the U.S. Forest Service, Department of the Interior, and Joint Fire Science Program, I have written a fire history of America from 1960 to 2013. The project will result in two books. Between Two Fires: A Fire History of Contemporary America relates the basic narrative. To the Last Smoke assembles anthologies of...

Author(s): Stephen Pyne, Heidi Neeley
Year Published: 2015
Type: Document
Technical Report or White Paper

Wildland fire deficit and surplus in the western United States, 1984-2012

www.nrfirescience.org/resource/13740

Wildland fire is an important disturbance agent in the western US and globally. However, the natural role of fire has been disrupted in many regions due to the influence of human activities, which have the potential to either exclude or promote fire, resulting in a "fire deficit" or "fire surplus", respectively. In this study, we...

Author(s): Sean A. Parks, Carol Miller, Marc-Andre Parisien, Lisa M. Holsinger, Solomon Z. Dobrowski, John T. Abatzoglou
Year Published: 2015
Type: Document
Book or Chapter or Journal Article

Collaborative fuels reduction and restoration - Experiences from the Southwestern Crown of the Continent

www.nrfirescience.org/resource/13064

Forests that historically burned in mixed-severity fire regimes prove difficult to manage, especially when they border homes and prized recreation areas. This management challenge was the focus of the Fuels Reduction and Restoration in Mixed-Conifer Forests of the Southwestern Crown of the Continent field trip, following the May...

Author(s): Corey L. Gucker
Year Published: 2015
Type: Document
Research Brief or Fact Sheet

Sources and implications of bias and uncertainty in a century of US wildfire activity data

www.nrfirescience.org/resource/13302

Analyses to identify and relate trends in wildfire activity to factors such as climate, population, land use or land cover and wildland fire policy are increasingly popular in the United States. There is a wealth of US wildfire activity data available for such analyses, but users must be aware of inherent reporting biases,...

Author(s): Karen C. Short
Year Published: 2015
Type: Document
Book or Chapter or Journal Article

Using bird ecology to learn about the benefits of severe fire

www.nrfirescience.org/resource/15556

In this chapter in the book "The Ecological Importance of Mixed Severity Fires: Nature's Phoenix, the authors do not provide an encyclopedic review of the more than 450 published papers that describe some kind of effect of fire on birds. Instead, they chose to highlight underappreciated principles or lessons that emerge from...

Author(s): Richard L. Hutto, Monica L. Bond, Dominick A. DellaSala
Year Published: 2015
Type: Document
Book or Chapter or Journal Article

Wildland fire as a self-regulating mechanism: the role of previous burns and weather in limiting fire progression

www.nrfirescience.org/resource/12770

Theory suggests that natural fire regimes can result in landscapes that are both self-regulating and resilient to fire. For example, because fires consume fuel, they may create barriers to the spread of future fires, thereby regulating fire size. Top-down controls such as weather, however, can weaken this effect. While empirical...

Author(s): Sean A. Parks, Lisa M. Holsinger, Carol Miller, Cara R. Nelson

Year Published: 2015

Type: Document

Book or Chapter or Journal Article

Are high-severity fires burning at much higher rates recently than historically in dry-forest landscapes of the western USA?

www.nrfirescience.org/resource/13487

Dry forests at low elevations in temperate-zone mountains are commonly hypothesized to be at risk of exceptional rates of severe fire from climatic change and land-use effects. Their setting is fire-prone, they have been altered by land-uses, and fire severity may be increasing. However, where fires were excluded, increased fire...

Author(s): William L. Baker

Year Published: 2015

Type: Document

Book or Chapter or Journal Article

Postfire shrub cover dynamics: A 70-year fire chronosequence in mountain big sagebrush communities

www.nrfirescience.org/resource/15422

Fire is natural in sagebrush (*Artemisia* L.) communities. In this study, we quantify effects of time since last burn (TSLB) on shrub cover over a 70-year (yr) fire chronosequence. We sampled mountain big sagebrush communities with very large-scale aerial (VLSA) imagery and measured sagebrush, antelope bitterbrush (*Purshia tridentata*...

Author(s): Corey A. Moffet, J. Bret Taylor, D. Terrance Booth

Year Published: 2015

Type: Document

Book or Chapter or Journal Article

Historical spatial patterns and contemporary tree mortality in dry mixed-conifer forests

www.nrfirescience.org/resource/13649

Management and restoration of the dry, frequent-fire forests of the North American west depend on sound information about both historical and contemporary conditions to adequately address repercussions of fire suppression and changing climate. The purpose of this study is to quantify historical tree spatial patterns and assess...

Author(s): Kate A. Clyatt, Justin S. Croteau, Michael S. Schaedel, Haley L. Wiggins, Harold Kelley, Derek J. Churchill, Andrew J. Larson

Year Published: 2015

Type: Document

Book or Chapter or Journal Article

Regional projections of the likelihood of very large wildland fires under a changing climate in the contiguous western United States

www.nrfirescience.org/resource/13006

Seasonal changes in the climatic potential for very large wildfires (VLWF > or = 50,000 ac ~20,234 ha) across the western contiguous United States are projected over the 21st century using generalized linear models and downscaled climate projections for two representative concentration pathways (RCPs). Significant ($p < \text{or} = 0.05$)...

Author(s): E. Natasha Stavros, John T. Abatzoglou, Donald McKenzie, Narasimhan K. Larkin

Year Published: 2014

Type: Document

Book or Chapter or Journal Article

A spatial database of wildfires in the United States, 1992-2011

www.nrfirescience.org/resource/13303

The statistical analysis of wildfire activity is a critical component of national wildfire planning, operations, and research in the United States (US). However, there are multiple federal, state, and local entities with wildfire protection and reporting responsibilities in the US, and no single, unified system of wildfire record...

Author(s): Karen C. Short

Year Published: 2014

Type: Document

Book or Chapter or Journal Article

Large wildfire trends in the western United States, 1984-2011

www.nrfirescience.org/resource/12971

We used a database capturing large wildfires (> 405 ha) in the western U.S. to document regional trends in fire occurrence, total fire area, fire size, and day of year of ignition for 1984-2011. Over the western U.S. and in a majority of ecoregions, we found significant, increasing trends in the number of large fires and/or total...

Author(s): Philip E. Dennison, Simon C. Brewer, James D. Arnold, Max A. Moritz

Year Published: 2014

Type: Document

Book or Chapter or Journal Article

Northern Rockies pyrogeography: an example of fire atlas utility

www.nrfirescience.org/resource/12923

We demonstrated the utility of digital fire atlases by analyzing forest fire extent across cold, dry, and mesic forests, within and outside federally designated wilderness areas during three different fire management periods: 1900 to 1934, 1935 to 1973, and 1974 to 2008. We updated an existing atlas with a 12,070,086 ha recording...

Author(s): Penelope Morgan, Emily K. Heyerdahl, Carol Miller, Aaron M. Wilson, Carly E. Gibson

Year Published: 2014

Type: Document

Book or Chapter or Journal Article

40 years of wilderness fire in the Selway-Bitterroot and Frank Church-River of No Return

www.nrfirescience.org/resource/12777

Wilderness fire, its history, challenges, teachings, and future management were the focus of discussions and presentations during the 40 Years of Wilderness Fire in the Selway-Bitterroot field trip at the May 2014 Large Wildland Fires Conference. The trip took participants to observe recent fire patterns in the region between the...

Author(s): Corey L. Gucker

Year Published: 2014

Type: Document
Research Brief or Fact Sheet

High-severity fire corroborated in historical dry forests of the western United States: response to Fule et al.

www.nrfirescience.org/resource/13490

Accurate assessment of changing fire regimes is important, since climatic change and people may be promoting more wildfires. Government wildland fire policies and restoration programmes in dry western US forests are based on the hypothesis that high-severity fire was rare in historical fire regimes, modern fire severity is...

Author(s): Mark A. Williams, William L. Baker

Year Published: 2014

Type: Document

Book or Chapter or Journal Article

Restoration fuels treatments in old-growth- Visiting research plots in western larch and ponderosa pine forests

www.nrfirescience.org/resource/12674

Mick Harrington and Steve Arno, retired research foresters with the USFS Rocky Mountain Research Station, took participants of the May 2014 Large Wildland Fires Conference through a 300-year-old stand of ponderosa pine (*Pinus ponderosa*) and western larch (*Larix occidentalis*). While there, they discussed their research, which...

Author(s): Corey L. Gucker

Year Published: 2014

Type: Document

Research Brief or Fact Sheet

The effects of previous wildfires on subsequent wildfire behavior and post-wildfire recovery

www.nrfirescience.org/resource/12650

Over the past several decades, size and extent of wildfires have been increasing in the western United States (Westerling et al. 2006; Littell et al. 2009). As the number and size of recent wildfires increases across landscapes, fire managers are questioning how past wildfires may influence the spread and effects of subsequent...

Author(s): Camille Stevens-Rumann, Susan J. Prichard, Penelope Morgan

Year Published: 2014

Type: Document

Synthesis

Previous fires moderate burn severity of subsequent wildland fires in two large western US wilderness areas

www.nrfirescience.org/resource/12051

Wildland fire is an important natural process in many ecosystems. However, fire exclusion has reduced frequency of fire and area burned in many dry forest types, which may affect vegetation structure and composition, and potential fire behavior. In forests of the western U.S., these effects pose a challenge for fire and land...

Author(s): Sean A. Parks, Carol Miller, Cara R. Nelson, Zachary A. Holden

Year Published: 2014

Type: Document

Book or Chapter or Journal Article

Briefing: climate and wildfire in western U.S. forests

www.nrfirescience.org/resource/12991

Wildfire in western U.S. federally managed forests has increased substantially in recent decades, with large (>1000 acre) fires in the decade through 2012 over five times as frequent (450 percent increase) and burned area over ten times as great (930 percent increase) as the 1970s and early 1980s. These changes are closely linked...

Author(s): Anthony L. Westerling, Timothy J. Brown, Tania L. Schoennagel, Thomas W. Swetnam, Monica G. Turner, Thomas T. Veblen

Year Published: 2014

Type: Document

Technical Report or White Paper

Examining historical and current mixed-severity fire regimes in ponderosa pine and mixed-conifer forests of western north America

www.nrfirescience.org/resource/12904

There is widespread concern that fire exclusion has led to an unprecedented threat of uncharacteristically severe fires in ponderosa pine (*Pinus ponderosa* Dougl. ex. Laws) and mixed-conifer forests of western North America. These extensive montane forests are considered to be adapted to a low/moderate-severity fire regime that...

Author(s): Dennis C. Odion, Chad T. Hanson, Andre Arsenault, William L. Baker, Dominick A. DellaSala, Richard L. Hutto, Walt Klenner, Max A. Moritz, Rosemary L. Sherriff, Thomas T. Veblen, Mark A. Williams

Year Published: 2014

Type: Document

Book or Chapter or Journal Article

The Bitterroot Valley fires of 2000 - Revisiting experiences and fire effects 13 years later

www.nrfirescience.org/resource/12673

During the Fires of 2000 field trip, held as part of the May 2014 Large Wildland Fires Conference, researchers, managers, residents, and stakeholders shared their experiences around the unprecedented number and size of fires that burned in the Bitterroot Valley in the summer of 2000. Topics discussed included fire history, fire...

Author(s): Corey L. Gucker

Year Published: 2014

Type: Document

Research Brief or Fact Sheet

Historical fire regimes, reconstructed from land-survey data, led to complexity and fluctuation in sagebrush landscapes

www.nrfirescience.org/resource/11972

Sagebrush landscapes provide habitat for Sage-Grouse and other sagebrush obligates, yet historical fire regimes and the structure of historical sagebrush landscapes are poorly known, hampering ecological restoration and management. To remedy this, General Land Office Survey (GLO) survey notes were used to reconstruct over two...

Author(s): Beth E. Bukowski, William L. Baker

Year Published: 2013

Type: Document

Book or Chapter or Journal Article

Landscape-scale eco-evolutionary dynamics: selection by seed predators and fire determine a major reproductive strategy

www.nrfirescience.org/resource/11982

Recent work in model systems has demonstrated significant effects of rapid evolutionary change on ecological processes (eco-evolutionary dynamics). Fewer studies have addressed whether eco-evolutionary dynamics structure natural ecosystems. We investigated variation in the frequency of serotiny in lodgepole pine (*Pinus contorta*), a...

Author(s): Matt V. Talluto, Craig W. Benkman

Year Published: 2013

Type: Document

Book or Chapter or Journal Article

Aboriginal precedent for active management of sagebrush-perennial grass communities in the Great Basin

www.nrfirescience.org/resource/12146

Until recently, most contemporary ecologists have ignored or diminished anecdotal historical accounts and anthropologists' reports about aboriginal fire in the Great Basin. Literature review shows that Indians practiced regular use of fire for many purposes, including the obvious reasons of increasing the availability of desired...

Author(s): Kent J. McAdoo, Brad W. Schultz, Sherman R. Swanson

Year Published: 2013

Type: Document

Book or Chapter or Journal Article

Yellowstone National Park and the summer of fire

www.nrfirescience.org/resource/11997

Because of their close relationships with fires, western forest ecosystems are considered fire dependent. If we hope to sustain the communities of trees, plants, and animals that characterize these wildland forests, we need to understand the natural role of fire, changes brought about by suppressing fire, and alternatives for...

Author(s): Diane M. Smith

Year Published: 2013

Type: Document

Book or Chapter or Journal Article

Fire regimes of quaking aspen in the mountain west

www.nrfirescience.org/resource/11975

Quaking aspen (*Populus tremuloides* Michx.) is the most widespread tree species in North America, and it is found throughout much of the Mountain West (MW) across a broad range of bioclimatic regions. Aspen typically regenerates asexually and prolifically after fire, and due to its seral status in many western conifer forests, aspen...

Author(s): Douglas J. Shinneman, William L. Baker, Paul C. Rogers, Dominik Kulakowski

Year Published: 2013

Type: Document

Book or Chapter or Journal Article

Climate and vegetation change during the late-glacial/early Holocene transition inferred from multiple proxy records from Blacktail Pond, Yellowstone National Park, USA

www.nrfirescience.org/resource/13523

A series of environmental changes from late-glacial ice recession through the early Holocene are revealed in a 7000-yr-long record of pollen, charcoal, geochemistry, and stable isotopes from Blacktail Pond, a closed-basin lake in Yellowstone National Park. Prior to 11,500 cal yr BP, cool conditions dominated, fire activity was low,...

Author(s): Teresa R. Krause, Cathy L. Whitlock
Year Published: 2013
Type: Document
Book or Chapter or Journal Article

Health, reproduction, and fuels in whitebark pine in the Frank Church River of No Return Wilderness Area in central Idaho (Project INT-F-05-02)

www.nrfirescience.org/resource/12010

Whitebark pine (*Pinus albicaulis* Engelm.) is in serious decline across its range, largely due to the combined effects of *Cronartium ribicola* J. C. Fisch (an introduced fungal pathogen that causes white pine blister rust), replacement by late successional species, and widespread infestation of mountain pine beetle (*Dendroctonus*...

Author(s): Lauren Fins, Ben Hoppus
Year Published: 2013
Type: Document
Technical Report or White Paper

Wilderness shapes contemporary fire size distributions across landscapes of the western United States

www.nrfirescience.org/resource/12682

In many U.S. federally designated wilderness areas, wildfires are likely to burn of their own accord due to favorable management policies and remote location. Previous research suggested that limitations on fire size can result from the evolution of natural fire regimes, specifically in places where fuels were...

Author(s): Sandra L. Haire, Kevin McGarigal, Carol Miller
Year Published: 2013
Type: Document
Book or Chapter or Journal Article

***Odocoileus hemionus* (mule deer)**

www.nrfirescience.org/resource/10521

This FEIS species review synthesizes information on the relationship of *Odocoileus hemionus* (mule deer) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Robin J. Innes
Year Published: 2012
Type: Document
Synthesis

***Ranunculus glaberrimus* (sagebrush buttercup)**

www.nrfirescience.org/resource/10794

This FEIS species review synthesizes information on the relationship of *Ranunculus glaberrimus* (sagebrush buttercup) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Rachelle Meyer
Year Published: 2012
Type: Document
Synthesis

Holocene seasonal variability inferred from multiple proxy records from Crevice Lake, Yellowstone National Park, USA

www.nrfirescience.org/resource/13531

A 9400-yr-old record from Crevice Lake, a semi-closed alkaline lake in northern Yellowstone National Park, was analyzed for pollen, charcoal, geochemistry, mineralogy, diatoms, and stable isotopes to develop a nuanced understanding of Holocene environmental history in a region of northern Rocky Mountains that receives both summer...

Author(s): Cathy L. Whitlock, Walter E. Dean, Sherilyn C. Fritz, Lora R. Stevens, Jeffery R. Stone, Mitchell J. Power, Joseph R. Rosenbaum, Kenneth L. Pierce, Brandi B. Bracht-Flyr

Year Published: 2012

Type: Document

Book or Chapter or Journal Article

Climate change, forests, fire, water, and fish: building resilient landscapes, streams, and managers

www.nrfirescience.org/resource/11270

Fire will play an important role in shaping forest and stream ecosystems as the climate changes. Historic observations show increased dryness accompanying more widespread fire and forest die-off. These events punctuate gradual changes to ecosystems and sometimes generate stepwise changes in ecosystems. Climate vulnerability...

Author(s): Charles H. Luce, Penelope Morgan, Kathleen A. Dwire, Daniel J. Isaak, Zachary A. Holden, Bruce E. Rieman

Year Published: 2012

Type: Document

Technical Report or White Paper

Rubus parviflorus (thimbleberry)

www.nrfirescience.org/resource/10676

This FEIS species review synthesizes information on the relationship of *Rubus parviflorus* (thimbleberry) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Corey L. Gucker

Year Published: 2012

Type: Document

Synthesis

Changing growth response to wildfire in old-growth ponderosa pine trees in montane forests of north central Idaho

www.nrfirescience.org/resource/8323

North American fire-adapted forests are experiencing changes in fire frequency and climate. These novel conditions may alter post-wildfire responses of fire-adapted trees that survive fires, a topic that has received little attention. Historical, frequent, low-intensity wildfire in many fire-adapted forests is generally thought to...

Author(s): Eric G. Keeling, Anna Sala

Year Published: 2012

Type: Document

Book or Chapter or Journal Article

Does proxy uncertainty affect the relations inferred between the Pacific Decadal Oscillation and wildfire activity in the western United States?

www.nrfirescience.org/resource/8310

We examined a set of five proxy reconstructions of the Pacific Decadal Oscillation (PDO) to test whether the choice of reconstruction affected the association between the PDO and widespread forest fires in the western United States. Exact binomial tests suggest the PDO has little direct impact on wildfires, with a statistically-...

Author(s): Kurt F. Kipfmüller, Evan R. Larson, Scott St. George

Year Published: 2012

Type: Document

Book or Chapter or Journal Article

Spatially extensive reconstructions show variable-severity fire and heterogeneous structure in historical western United States dry forests

www.nrfirescience.org/resource/13484

Aim: Wildfire is often considered more severe now than historically in dry forests of the western United States. Tree-ring reconstructions, which suggest that historical dry forests were park-like with large, old trees maintained by low-severity fires, are from small, scattered studies. To overcome this limitation, we developed...

Author(s): William L. Baker, Mark A. Williams

Year Published: 2012

Type: Document

Book or Chapter or Journal Article

Fire as a dimension of historical ecology: a response to Bowman et al. (2011)

www.nrfirescience.org/resource/193

Bowman et al. (Journal of Biogeography, 2011, 38, 2223–2236) attempt a synthesis of the current status of study into human use of fire as an ecosystem management tool and provide a framework for guiding research on the human dimensions of global fire. While we applaud this ambitious effort, we believe the proposed 'pyric phase...

Author(s): Michael R. Coughlan, Aaron M. Petty

Year Published: 2012

Type: Document

Book or Chapter or Journal Article

Salix amygdaloides (peachleaf willow)

www.nrfirescience.org/resource/10658

This FEIS species review synthesizes information on the relationship of *Salix amygdaloides* (peachleaf willow) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Janet L. Fryer

Year Published: 2012

Type: Document

Synthesis

Chapter 2: Fire behavior and effects: principles for archaeologists

www.nrfirescience.org/resource/12590

Fire is a natural component of earth's ecosystems. Fire has impacted most landscapes of the Americas, having left evidence of its passing in trees, soils, fossils, and cultural artifacts (Andreae 1991; Benton and Reardon 2006; Biswell 1989; Bowman and others 2009; Boyd and others 2005; Cochrane and others 1999; DeBano and others...

Author(s): Kevin C. Ryan, Cassandra L. Koerner

Year Published: 2012
Type: Document
Synthesis, Technical Report or White Paper

Cornus canadensis (bunchberry)

www.nrfirescience.org/resource/10680

This FEIS species review synthesizes information on the relationship of *Cornus canadensis* (bunchberry) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Corey L. Gucker

Year Published: 2012

Type: Document

Synthesis

Characterizing fire-on-fire interactions in three large wilderness areas

www.nrfirescience.org/resource/8339

The interaction of fires, where one fire burns into another recently burned area, is receiving increased attention from scientists and land managers wishing to describe the role of fire scars in affecting landscape pattern and future fire spread. Here, we quantify fire-on-fire interactions in terms of frequency, size, and time-since...

Author(s): Casey Teske, Carl A. Seielstad, Lloyd P. Queen

Year Published: 2012

Type: Document

Book or Chapter or Journal Article

Toxicodendron radicans, Toxicodendron rydbergii (eastern poison-ivy, western poison-ivy)

www.nrfirescience.org/resource/10525

This FEIS species review synthesizes information on the relationship of *Toxicodendron radicans*, *Toxicodendron rydbergii* (eastern poison-ivy, western poison-ivy) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on...

Author(s): Robin J. Innes

Year Published: 2012

Type: Document

Synthesis

Long-term perspective on wildfires in the western USA

www.nrfirescience.org/resource/8309

Understanding the causes and consequences of wildfires in forests of the western United States requires integrated information about fire, climate changes, and human activity on multiple temporal scales. We use sedimentary charcoal accumulation rates to construct long-term variations in fire during the past 3,000 y in the American...

Author(s): Jennifer R. Marlon, Patrick J. Bartlein, Daniel G. Gavin, Colin J. Long, R. Scott Anderson, Christy E. Briles, Kendrick J. Brown, Daniele Colombaroli, Douglas J. Hallett, Mitchell J. Power, Elizabeth A. Scharf, Megan K. Walsh

Year Published: 2012

Type: Document

Book or Chapter or Journal Article

Landscape composition in aspen woodlands under various modeled fire regimes

www.nrfirescience.org/resource/12114

Quaking aspen (*Populus tremuloides*) is declining across the western United States. Aspen habitats are diverse plant communities in this region and loss of these habitats can cause shifts in biodiversity, productivity, and hydrology across spatial scales. Western aspen occurs on the majority of sites seral to conifer species, and...

Author(s): Eva K. Strand, Stephen C. Bunting, Lee A. Vierling

Year Published: 2012

Type: Document

Conference Proceedings

Oreamnos americanus (mountain goat)

www.nrfirescience.org/resource/10522

This FEIS species review synthesizes information on the relationship of *Oreamnos americanus* (mountain goat) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Robin J. Innes

Year Published: 2011

Type: Document

Synthesis

Multi-scale controls of historical forest-fire regimes: new insights from fire-scar networks

www.nrfirescience.org/resource/8298

Anticipating future forest-fire regimes under changing climate requires that scientists and natural resource managers understand the factors that control fire across space and time. Fire scars-proxy records of fires, formed in the growth rings of long-lived trees-provide an annually accurate window into past low-severity fire...

Author(s): Donald A. Falk, Emily K. Heyerdahl, Peter M. Brown, Calvin A. Farris, Peter Z. Fule, Donald McKenzie, Thomas W. Swetnam, Alan H. Taylor, Megan L. Van Horne

Year Published: 2011

Type: Document

Book or Chapter or Journal Article, Synthesis

Hieracium caespitosum (meadow hawkweed)

www.nrfirescience.org/resource/10473

This FEIS species review synthesizes information on the relationship of *Hieracium caespitosum* (meadow hawkweed) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species'...

Author(s): Katharine R. Stone

Year Published: 2011

Type: Document

Synthesis

Variation in aboveground cover influences soil nitrogen availability at fine spatial scales following severe fire in subalpine conifer forests

www.nrfirescience.org/resource/12031

Following fire, fine-scale variation in early successional vegetation and soil nutrients may influence development of ecosystem structure and function. We studied conifer forests burned by stand-replacing wildfire in Greater Yellowstone (Wyoming, USA) to address two questions: (1) How do the variability

and spatial structure of...

Author(s): Monica G. Turner, William H. Romme, Erica A. H. Smithwick, Daniel B. Tinker, Jun Zhu

Year Published: 2011

Type: Document

Book or Chapter or Journal Article

Alnus incana, Alnus incana subsp. rugosa, Alnus incana subsp. tenuifolia (gray alder, speckled alder, thinleaf alder)

www.nrfirescience.org/resource/10660

This FEIS species review synthesizes information on the relationship of *Alnus incana*, *Alnus incana* subsp. *rugosa*, *Alnus incana* subsp. *tenuifolia* (gray alder, speckled alder, thinleaf alder) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations....

Author(s): Janet L. Fryer

Year Published: 2011

Type: Document

Synthesis

Bonasa umbellus (ruffed grouse)

www.nrfirescience.org/resource/10793

This FEIS species review synthesizes information on the relationship of *Bonasa umbellus* (ruffed grouse) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Rachelle Meyer

Year Published: 2011

Type: Document

Synthesis

Amorpha canescens (leadplant)

www.nrfirescience.org/resource/10659

This FEIS species review synthesizes information on the relationship of *Amorpha canescens* (leadplant) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Janet L. Fryer

Year Published: 2011

Type: Document

Synthesis

Picoides arcticus (black-backed woodpecker)

www.nrfirescience.org/resource/10857

This FEIS species review synthesizes information on the relationship of *Picoides arcticus* (black-backed woodpecker) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Katharine R. Stone

Year Published: 2011

Type: Document

Synthesis

Disturbance ecology of high-elevation five-needle pine ecosystems in western North America

www.nrfirescience.org/resource/11896

This paper synthesizes existing information about the disturbance ecology of high-elevation five-needle pine ecosystems, describing disturbances regimes, how they are changing or are expected to change, and the implications for ecosystem persistence. As it provides the context for ecosystem conservation/restoration programs, we...

Author(s): Elizabeth M. Campbell, Robert E. Keane, Evan R. Larson, Michael P. Murray, Anna W. Schoettle, Carmen Wong

Year Published: 2011

Type: Document

Conference Proceedings, Synthesis

Muhlenbergia racemosa (green muhly)

www.nrfirescience.org/resource/10939

This FEIS species review synthesizes information on the relationship of *Muhlenbergia racemosa* (green muhly) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Kristin L. Zouhar

Year Published: 2011

Type: Document

Synthesis

Lack of fire has limited physiological impact on old-growth ponderosa pine in dry montane forests of north-central Idaho

www.nrfirescience.org/resource/8299

Reduced frequency of fire in historically fire-adapted ecosystems may have adverse effects on ecosystem structure, function, and resilience. Lack of fire increases stand density and promotes successional replacement of seral dominant trees by late-successional, more shade-tolerant species. These changes are thought to increase...

Author(s): Eric G. Keeling, Anna Sala, Thomas H. DeLuca

Year Published: 2011

Type: Document

Book or Chapter or Journal Article

Linking tree-ring and sediment-charcoal records to reconstruct fire occurrence and area burned in subalpine forests of Yellowstone National Park, USA

www.nrfirescience.org/resource/13602

Reconstructing specific fire-history metrics with charcoal records has been difficult, in part because calibration data sets are rare. We calibrated charcoal accumulation in sediments from three medium (14-19 ha) and one large (4250 ha) lake with a 300 yr tree-ring-based fire-history reconstruction from central Yellowstone National...

Author(s): Philip E. Higuera, Cathy L. Whitlock, Josh A. Gage

Year Published: 2011

Type: Document

Book or Chapter or Journal Article

Comprehensive fuels treatment practices guide for mixed conifer forests: California, central and southern Rockies, and the Southwest

www.nrfirescience.org/resource/12630

The goal of this guide is to provide a resource for managers of mixed conifer forests of the Southwestern plateaus and uplands, the Central and Southern Rocky Mountains, the Sierra Nevada, and the Transverse and Peninsular Ranges in Southern California. Mixed conifer forests have different species, structures, and spatial patterns...

Author(s): Alexander M. Evans, Rick G. Everett, Scott L. Stephens, James A. Youtz

Year Published: 2011

Type: Document

Synthesis, Technical Report or White Paper

Euphorbia esula (leafy spurge)

www.nrfirescience.org/resource/10451

This FEIS species review synthesizes information on the relationship of *Euphorbia esula* (leafy spurge) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Corey L. Gucker

Year Published: 2011

Type: Document

Synthesis

The ecology of mixed severity fire regimes in Washington, Oregon, and Northern California

www.nrfirescience.org/resource/13580

Forests characterized by mixed-severity fires occupy a broad moisture gradient between lower elevation forests typified by low-severity fires and higher elevation forests in which high-severity, stand replacing fires are the norm. Mixed-severity forest types are poorly documented and little understood but likely occupy significant...

Author(s): David A. Perry, Paul F. Hessburg, Carl N. Skinner, Thomas A. Spies, Scott L. Stephens, Alan H. Taylor, Jerry F. Franklin, Brenda McComb, Gregg M. Riegel

Year Published: 2011

Type: Document

Book or Chapter or Journal Article

Cervus elaphus (elk)

www.nrfirescience.org/resource/10523

This FEIS species review synthesizes information on the relationship of *Cervus elaphus* (elk) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general...

Author(s): Robin J. Innes

Year Published: 2011

Type: Document

Synthesis

The magnificent high-elevation five-needle white pines: ecological roles and future outlook

www.nrfirescience.org/resource/11895

The High Five symposium is devoted to exchanging information about a small group of pines with little commercial value but great importance to the ecology of high-mountain ecosystems of the West. These High Five pines include the subalpine and treeline species--whitebark (*Pinus albicaulis*), Rocky Mountain bristlecone (*P. aristata*),...

Author(s): Diana F. Tomback, Peter Achuff, Anna W. Schoettle, John W. Schwandt, Ron J. Mastrogiuseppe

Year Published: 2011
Type: Document
Conference Proceedings, Synthesis

Quercus macrocarpa (bur oak)

www.nrfirescience.org/resource/10669

This FEIS species review synthesizes information on the relationship of *Quercus macrocarpa* (bur oak) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Corey L. Gucker

Year Published: 2011

Type: Document

Synthesis

Synthesis of knowledge: fire history and climate change

www.nrfirescience.org/resource/12582

This report synthesizes available fire history and climate change scientific knowledge to aid managers with fire decisions in the face of ongoing 21st Century climate change. Fire history and climate change (FHCC) have been ongoing for over 400 million years of Earth history, but increasing human influences during the Holocene epoch...

Author(s): William T. Sommers, Stanley G. Coloff, Susan G. Conard

Year Published: 2011

Type: Document

Synthesis, Technical Report or White Paper

Antennaria parvifolia (littleleaf pussytoes)

www.nrfirescience.org/resource/10657

This FEIS species review synthesizes information on the relationship of *Antennaria parvifolia* (littleleaf pussytoes) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Janet L. Fryer

Year Published: 2011

Type: Document

Synthesis

The human dimension of fire regimes on Earth

www.nrfirescience.org/resource/190

Humans and their ancestors are unique in being a fire-making species, but 'natural' (i.e. independent of humans) fires have an ancient, geological history on Earth. Natural fires have influenced biological evolution and global biogeochemical cycles, making fire integral to the functioning of some biomes. Globally, debate rages...

Author(s): David M. J. S. Bowman

Year Published: 2011

Type: Document

Book or Chapter or Journal Article

Hieracium aurantiacum (orange hawkweed)

www.nrfirescience.org/resource/10474

This FEIS species review synthesizes information on the relationship of *Hieracium aurantiacum* (orange hawkweed) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species'...

Author(s): Katharine R. Stone

Year Published: 2010

Type: Document

Synthesis

Mitigating old tree mortality in long-unburned, fire-dependent forests: a synthesis

www.nrfirescience.org/resource/12618

This report synthesizes the literature and current state of knowledge pertaining to reintroducing fire in stands where it has been excluded for long periods and the impact of these introductory fires on overstory tree injury and mortality. Only forested ecosystems in the United States that are adapted to survive frequent fire are...

Author(s): Sharon M. Hood

Year Published: 2010

Type: Document

Synthesis, Technical Report or White Paper

***Populus alba*, *Populus x canescens*, *Populus x heimburgeri*, *Populus x rouleauiana*, *Populus x tomentosa* (white poplar, gray poplar, Heimburger's poplar, Roulwau's poplar, Chinese white poplar)**

www.nrfirescience.org/resource/10457

This FEIS species review synthesizes information on the relationship of *Populus alba*, *Populus x canescens*, *Populus x heimburgeri*, *Populus x rouleauiana*, *Populus x tomentosa* (white poplar, gray poplar, Heimburger's poplar, Roulwau's poplar, Chinese white poplar) to fire--how fire affects the species and its habitat, invasiveness of...

Author(s): Corey L. Gucker

Year Published: 2010

Type: Document

Synthesis

***Linanthus pungens* (granite prickly-phlox)**

www.nrfirescience.org/resource/10520

This FEIS species review synthesizes information on the relationship of *Linanthus pungens* (granite prickly-phlox) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Robin J. Innes

Year Published: 2010

Type: Document

Synthesis

***Polygonum aviculare* (prostrate knotweed)**

www.nrfirescience.org/resource/10471

This FEIS species review synthesizes information on the relationship of *Polygonum aviculare* (prostrate knotweed) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species'...

Author(s): Katharine R. Stone

Year Published: 2010

Type: Document

Synthesis

Holodiscus discolor (oceanspray)

www.nrfirescience.org/resource/10653

This FEIS species review synthesizes information on the relationship of *Holodiscus discolor* (oceanspray) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Janet L. Fryer

Year Published: 2010

Type: Document

Synthesis

Melilotus alba, Melilotus officinalis (white sweetclover, yellow sweetclover)

www.nrfirescience.org/resource/10456

This FEIS species review synthesizes information on the relationship of *Melilotus alba*, *Melilotus officinalis* (white sweetclover, yellow sweetclover) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is...

Author(s): Corey L. Gucker

Year Published: 2010

Type: Document

Synthesis

Holodiscus dumosus (rockspirea)

www.nrfirescience.org/resource/10648

This FEIS species review synthesizes information on the relationship of *Holodiscus dumosus* (rockspirea) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Janet L. Fryer

Year Published: 2010

Type: Document

Synthesis

Alces americanus (moose)

www.nrfirescience.org/resource/10524

This FEIS species review synthesizes information on the relationship of *Alces americanus* (moose) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general...

Author(s): Robin J. Innes

Year Published: 2010

Type: Document

Synthesis

Late-Holocene relationships among fire, climate and vegetation in a forest-sagebrush ecotone of southwestern Idaho, USA

www.nrfirescience.org/resource/11466

The forest-sagebrush ecotone is characterized by a more arid climate than forested regions; therefore, establishing fire histories using traditional methods (e.g. fire-scars from trees, charcoal in lake sediments) is problematic. This study uses radiocarbon dating of charcoal preserved in alluvial deposits to reconstruct a record of...

Author(s): Nathan A. Nelson, Jennifer L. Pierce

Year Published: 2010

Type: Document

Book or Chapter or Journal Article

Euphorbia cyparissias (cypress spruce)

www.nrfirescience.org/resource/10455

This FEIS species review synthesizes information on the relationship of Euphorbia cyparissias (cypress spruce) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy...

Author(s): Corey L. Gucker

Year Published: 2010

Type: Document

Synthesis

Prunus americana (American plum)

www.nrfirescience.org/resource/10661

This FEIS species review synthesizes information on the relationship of Prunus americana (American plum) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Janet L. Fryer

Year Published: 2010

Type: Document

Synthesis

Ailanthus altissima (tree-of-heaven)

www.nrfirescience.org/resource/10450

This FEIS species review synthesizes information on the relationship of Ailanthus altissima (tree-of-heaven) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Janet L. Fryer

Year Published: 2010

Type: Document

Synthesis

Schedonorus pratensis (meadow fescue)

www.nrfirescience.org/resource/10472

This FEIS species review synthesizes information on the relationship of Schedonorus pratensis (meadow fescue) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy...

Author(s): Katharine R. Stone

Year Published: 2010

Type: Document
Synthesis

Fire-climate interactions in the American west since 1400 CE

www.nrfirescience.org/resource/11992

Despite a strong anthropogenic fingerprint on 20th Century wildland fire activity in the American West, climate remains a main driver. A better understanding of the spatiotemporal variability in fire-climate interactions is therefore crucial for fire management. Here, we present annually resolved, tree-ring based fire records for...

Author(s): Valerie Trouet, Alan H. Taylor, Eugene R. Wahl, Carl N. Skinner

Year Published: 2010

Type: Document

Book or Chapter or Journal Article

Coronilla varia (crownvetch)

www.nrfirescience.org/resource/10452

This FEIS species review synthesizes information on the relationship of *Coronilla varia* (crownvetch) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Corey L. Gucker

Year Published: 2010

Type: Document

Synthesis

Martes americana (American marten)

www.nrfirescience.org/resource/10856

This FEIS species review synthesizes information on the relationship of *Martes americana* (American marten) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Katharine R. Stone

Year Published: 2010

Type: Document

Synthesis

Falco peregrinus (peregrine falcon)

www.nrfirescience.org/resource/10748

This FEIS species review synthesizes information on the relationship of *Falco peregrinus* (peregrine falcon) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Peggy Luensmann

Year Published: 2010

Type: Document

Synthesis

Fire and climate variation in western North America from fire-scar and tree-ring networks

www.nrfirescience.org/resource/8221

Fire regimes (i.e., the pattern, frequency and intensity of fire in a region) reflect a complex interplay of

bottom-up and top-down controls (Lertzman et al., 1998; McKenzie et al., in press). Bottom-up controls include local variations in topographic, fuel and weather factors at the time of a burn (e.g., fuel moisture and...

Author(s): Donald A. Falk, Emily K. Heyerdahl, Peter M. Brown, Thomas W. Swetnam, Elaine Kennedy Sutherland, Ze'ev Gedalof, Larissa L. Yocom, Timothy J. Brown

Year Published: 2010

Type: Document

Book or Chapter or Journal Article, Synthesis

Management guide to ecosystem restoration treatments: whitebark pine forests of the Northern Rocky Mountains, U.S.A.

www.nrfirescience.org/resource/11143

Whitebark pine is declining across much of its range in North America because of the combined effects of mountain pine beetle epidemics, fire exclusion policies, and widespread exotic blister rust infections. This management guide summarizes the extensive data collected at whitebark pine treatment sites for three periods: (1) pre-...

Author(s): Robert E. Keane, Russell A. Parsons

Year Published: 2010

Type: Document

Technical Report or White Paper

Fire ecology in Rocky Mountain landscapes

www.nrfirescience.org/resource/15378

Fire Ecology in Rocky Mountain Landscapes brings a century of scientific research to bear on improving the relationship between people and fire. In recent years, some scientists have argued that current patterns of fire are significantly different from historical patterns, and that landscapes should be managed with an eye toward...

Author(s): William L. Baker

Year Published: 2009

Type: Document

Book or Chapter or Journal Article

Climate and fire in the northern Rockies: past, present, and future

www.nrfirescience.org/resource/11080

The Northern Rocky Mountains have sustained wildfire for centuries. Fires are widespread throughout the region during certain years, most recently in 2000, 2003, 2006, and 2007. However, until very recently there was little understanding of whether such years of widespread fire occurred prior to the 20th century or of the role of...

Author(s): Rachel Clark

Year Published: 2009

Type: Document

Research Brief or Fact Sheet

Grus canadensis, Grus canadensis canadensis, Grus canadensis nesiototes, Grus canadensis pratensis, Grus canadensis pulla, Grus canadensis rowani, Grus canadensis tabida (sandhill crane species)

www.nrfirescience.org/resource/10855

[Full Title: Grus canadensis, Grus canadensis canadensis, Grus canadensis nesiototes, Grus canadensis pratensis, Grus canadensis pulla, Grus canadensis rowani, Grus canadensis tabida (sandhill crane, lesser sandhill crane, Cuban sandhill crane, Florida sandhill crane, Mississippi sandhill crane, Canadian sandhill crane, greater...

Author(s): Katharine R. Stone
Year Published: 2009
Type: Document
Synthesis

Festuca thurberi (Thurber fescue)

www.nrfirescience.org/resource/10797

This FEIS species review synthesizes information on the relationship of *Festuca thurberi* (Thurber fescue) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Rachelle Meyer
Year Published: 2009
Type: Document
Synthesis

Tanacetum vulgare (common tansy)

www.nrfirescience.org/resource/10453

This FEIS species review synthesizes information on the relationship of *Tanacetum vulgare* (common tansy) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Corey L. Gucker
Year Published: 2009
Type: Document
Synthesis

Holocene vegetation-fire-climate linkages in Northern Yellowstone National Park, USA

www.nrfirescience.org/resource/13519

Yellowstone National Park has been an important location for paleoecologic studies that focus on the use of charcoal data to reconstruct past fire activity and on the role of climate variations in shaping past vegetation and fire regimes. One hypothesis, which has been explored in other parts of the western U.S., is the idea that...

Author(s): Mariana A. Huerta, Cathy L. Whitlock, Jason Yale
Year Published: 2009
Type: Document
Book or Chapter or Journal Article

Potentilla hippiana (woolly cinquefoil)

www.nrfirescience.org/resource/10792

This FEIS species review synthesizes information on the relationship of *Potentilla hippiana* (woolly cinquefoil) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Rachelle Meyer
Year Published: 2009
Type: Document
Synthesis

Carex inops subsp. heliophila, Carex inops subsp. inops (sun sedge, long-stolon sedge)

www.nrfirescience.org/resource/10649

This FEIS species review synthesizes information on the relationship of *Carex inops* subsp. *heliophila*, *Carex inops* subsp. *inops* (sun sedge, long-stolon sedge) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations.

Information is also provided on...

Author(s): Janet L. Fryer

Year Published: 2009

Type: Document

Synthesis

Berberis vulgaris (common barberry)

www.nrfirescience.org/resource/10454

This FEIS species review synthesizes information on the relationship of *Berberis vulgaris* (common barberry) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Corey L. Gucker

Year Published: 2009

Type: Document

Synthesis

Ecological effects of prescribed fire season: a literature review and synthesis for managers

www.nrfirescience.org/resource/12616

This synthesis project on season of prescribed burning is to summarize results from studies to date in order to provide managers a resource for predicting fire effects and understanding what variables drive these fire effects in different areas of the country with varying fire regimes. A secondary objective will be to identify key...

Author(s): Eric E. Knapp, Becky L. Estes, Carl N. Skinner

Year Published: 2009

Type: Document

Synthesis, Technical Report or White Paper

Isatis tinctoria (dyer's woad)

www.nrfirescience.org/resource/10498

This FEIS species review synthesizes information on the relationship of *Isatis tinctoria* (dyer's woad) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Kristin L. Zouhar

Year Published: 2009

Type: Document

Synthesis

Artemisia papposa (Owyhee sagebrush)

www.nrfirescience.org/resource/10799

This FEIS species review synthesizes information on the relationship of *Artemisia papposa* (Owyhee sagebrush) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Rachelle Meyer

Year Published: 2009

Type: Document
Synthesis

Artemisia nova (black sagebrush)

www.nrfirescience.org/resource/10650

This FEIS species review synthesizes information on the relationship of Artemisia nova (black sagebrush) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Janet L. Fryer

Year Published: 2009

Type: Document

Synthesis

Muhlenbergia cuspidata (stonyhills muhly)

www.nrfirescience.org/resource/10652

This FEIS species review synthesizes information on the relationship of Muhlenbergia cuspidata (stonyhills muhly) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Janet L. Fryer

Year Published: 2009

Type: Document

Synthesis

Widespread increase of tree mortality rates in the western United States

www.nrfirescience.org/resource/8321

Persistent changes in tree mortality rates can alter forest structure, composition, and ecosystem services such as carbon sequestration. Our analyses of longitudinal data from unmanaged old forests in the western United States showed that background (noncatastrophic) mortality rates have increased rapidly in recent decades, with...

Author(s): Phillip J. van Mantgem, Nathan L. Stephenson, John C. Byrne, Lori D. Daniels, Jerry F. Franklin, Peter Z. Fule, Mark E. Harmon, Andrew J. Larson, Jeremy M. Smith, Alan H. Taylor, Thomas T. Veblen

Year Published: 2009

Type: Document

Book or Chapter or Journal Article

Crossdated fire histories (1650-1900) from ponderosa pine-dominated forests of Idaho and western Montana

www.nrfirescience.org/resource/11124

For a broader study of the climate drivers of regional-fire years in the Northern Rockies, we reconstructed a history of surface fires at 21 sites in Idaho and western Montana. We targeted sites that historically sustained frequent surface fires and were dominated or codominated by ponderosa pine (*Pinus ponderosa* P....

Author(s): Emily K. Heyerdahl, Penelope Morgan, James P. Riser

Year Published: 2008

Type: Document

Technical Report or White Paper

Large fire locations by Fire Regime Condition Classes 2 and 3 for all historical natural fire regimes

www.nrfirescience.org/resource/11510

A map of large fires across the western United States.

Author(s): Wendel J. Hann

Year Published: 2008

Type: Document

Research Brief or Fact Sheet

Arctostaphylos rubra (red fruit bearberry)

www.nrfirescience.org/resource/10655

This FEIS species review synthesizes information on the relationship of *Arctostaphylos rubra* (red fruit bearberry) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Janet L. Fryer

Year Published: 2008

Type: Document

Synthesis

Multi-season climate synchronized forest fires throughout the 20th century, Northern Rockies, USA

www.nrfirescience.org/resource/8163

We inferred climate drivers of 20th-century years with regionally synchronous forest fires in the U.S. northern Rockies. We derived annual fire extent from an existing fire atlas that includes 5,038 fire polygons recorded from 12,070,086 ha, or 71% of the forested land in Idaho and Montana west of the Continental Divide. The 11...

Author(s): Penelope Morgan, Emily K. Heyerdahl, Carly E. Gibson

Year Published: 2008

Type: Document

Book or Chapter or Journal Article

Aulacomnium palustre (ribbed bog moss)

www.nrfirescience.org/resource/10646

This FEIS species review synthesizes information on the relationship of *Aulacomnium palustre* (ribbed bog moss) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Janet L. Fryer

Year Published: 2008

Type: Document

Synthesis

Living artifacts: the ancient ponderosa pines of the West

www.nrfirescience.org/resource/8160

Until late in the nineteenth century, magnificent ponderosa pine forests blanketed much of the inland West. They covered perhaps 30 million acres, an area the size of New York state, spreading across the mountains of New Mexico, Arizona, and California and flourishing throughout the eastern Cascades, the intermountain Pacific...

Author(s): Stephen F. Arno, Lars Ostlund, Robert E. Keane

Year Published: 2008

Type: Document
Book or Chapter or Journal Article

Sambucus racemosa (red elderberry)

www.nrfirescience.org/resource/10654

This FEIS species review synthesizes information on the relationship of *Sambucus racemosa* (red elderberry) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Janet L. Fryer

Year Published: 2008

Type: Document

Synthesis

Carex rostrata, Carex utriculata (swollen beaked sedge, Northwest Territory sedge)

www.nrfirescience.org/resource/10595

This FEIS species review synthesizes information on the relationship of *Carex rostrata*, *Carex utriculata* (swollen beaked sedge, Northwest Territory sedge) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the...

Author(s): Michelle B. Anderson

Year Published: 2008

Type: Document

Synthesis

Carex rossii (Ross's sedge)

www.nrfirescience.org/resource/10594

This FEIS species review synthesizes information on the relationship of *Carex rossii* (Ross's sedge) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Michelle B. Anderson

Year Published: 2008

Type: Document

Synthesis

Sanguisorba minor (small burnet)

www.nrfirescience.org/resource/10656

This FEIS species review synthesizes information on the relationship of *Sanguisorba minor* (small burnet) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Janet L. Fryer

Year Published: 2008

Type: Document

Synthesis

Dryopteris campyloptera, Dryopteris carthusiana, Dryopteris expansa, Dryopteris intermedia (mountain woodfern, spinulose woodfern, spreading woodfern, fancy fern)

www.nrfirescience.org/resource/10803

This FEIS species review synthesizes information on the relationship of *Dryopteris campyloptera*, *Dryopteris carthusiana*, *Dryopteris expansa*, *Dryopteris intermedia* (mountain woodfern, spinulose woodfern, spreading woodfern, fancy fern) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire...

Author(s): Gregory T. Munger

Year Published: 2008

Type: Document

Synthesis

A 2000-year environmental history of Jackson Hole, Wyoming, inferred from lake-sediment records

www.nrfirescience.org/resource/15402

Little is known about the disturbance history of low-elevation forest and steppe vegetation in the western United States, nor about the relative importance of climate and human activity in shaping present-day plant communities. We analyzed pollen and high-resolution macroscopic charcoal records spanning the last 2100, 1000, and 550...

Author(s): Karen Jacobs, Cathy L. Whitlock

Year Published: 2008

Type: Document

Book or Chapter or Journal Article

Long-term relations among fire, fuel, and climate in the north-western US based on lake-sediment studies

www.nrfirescience.org/resource/8202

Pollen and high-resolution charcoal records from the north-western USA provide an opportunity to examine the linkages among fire, climate, and fuels on multiple temporal and spatial scales. The data suggest that general charcoal levels were low in the late-glacial period and increased steadily through the last 11 000 years with...

Author(s): Cathy L. Whitlock, Jennifer R. Marlon, Christy E. Briles, Andrea R. Brunelle, Colin J. Long, Patrick J. Bartlein

Year Published: 2008

Type: Document

Book or Chapter or Journal Article

***Polytrichum juniperinum* (juniper haircap moss)**

www.nrfirescience.org/resource/10647

This FEIS species review synthesizes information on the relationship of *Polytrichum juniperinum* (juniper haircap moss) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Janet L. Fryer

Year Published: 2008

Type: Document

Synthesis

Climate change effects on historical range and variability of two large landscapes in western Montana, USA

www.nrfirescience.org/resource/8162

Quantifying the historical range and variability of landscape composition and structure using simulation modeling is becoming an important means of assessing current landscape condition and prioritizing landscapes for ecosystem restoration. However, most simulated time series are generated using static

climate conditions which fail...

Author(s): Robert E. Keane, Lisa M. Holsinger, Russell A. Parsons, Kathy L. Gray

Year Published: 2008

Type: Document

Book or Chapter or Journal Article

Multi-season climate synchronized historical fires in dry forests (1650-1900), Northern Rockies, USA

www.nrfirescience.org/resource/8388

Our objective was to infer the climate drivers of regionally synchronous fire years in dry forests of the U.S. northern Rockies in Idaho and western Montana. During our analysis period (1650-1900), we reconstructed fires from 9245 fire scars on 576 trees (mostly ponderosa pine, *Pinus ponderosa* P....

Author(s): Emily K. Heyerdahl, Penelope Morgan, James P. Riser

Year Published: 2008

Type: Document

Book or Chapter or Journal Article

Potentilla glandulosa (sticky cinquefoil)

www.nrfirescience.org/resource/10822

This FEIS species review synthesizes information on the relationship of *Potentilla glandulosa* (sticky cinquefoil) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Sonja L. Reeves

Year Published: 2008

Type: Document

Synthesis

Gulo gulo (wolverine)

www.nrfirescience.org/resource/10747

This FEIS species review synthesizes information on the relationship of *Gulo gulo* (wolverine) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general...

Author(s): Peggy Luensmann

Year Published: 2008

Type: Document

Synthesis

Holocene records of Dendroctonus bark beetles in high elevation pine forests of Idaho and Montana, USA

www.nrfirescience.org/resource/8224

Paleoecological reconstructions from two lakes in the U.S. northern Rocky Mountain region of Idaho and Montana revealed the presence of bark beetle elytra and head capsules (cf. *Dendroctonus* spp., most likely *D. ponderosae*, mountain pine beetle). Occurrence of these macrofossils during the period of time associated with the 1920/...

Author(s): Andrea R. Brunelle, Gerald E. Rehfeldt, Barbara J. Bentz, A. Steven Munson

Year Published: 2008

Type: Document

Book or Chapter or Journal Article

Nucifraga columbiana (Clark's nutcracker)

www.nrfirescience.org/resource/10782

This FEIS species review synthesizes information on the relationship of *Nucifraga columbiana* (Clark's nutcracker) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Nancy E. McMurray

Year Published: 2008

Type: Document

Synthesis

Zuckia brandegeei (siltbush)

www.nrfirescience.org/resource/10667

This FEIS species review synthesizes information on the relationship of *Zuckia brandegeei* (siltbush) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Corey L. Gucker

Year Published: 2008

Type: Document

Synthesis

Long-term fire history from alluvial fan sediments: the role of drought and climate variability, and implications for management of Rocky Mountain forests

www.nrfirescience.org/resource/8203

Alluvial fan deposits are widespread and preserve millennial-length records of fire. We used these records to examine changes in fire regimes over the last 2000 years in Yellowstone National Park mixed-conifer forests and drier central Idaho ponderosa pine forests. In Idaho, frequent, small, fire-related erosional events occurred...

Author(s): Jennifer L. Pierce, Grant A. Meyer

Year Published: 2008

Type: Document

Book or Chapter or Journal Article

Cladonia arbuscula, Cladonia mitis, Cladonia rangiferia, Cladonia stellaris (shrubby reindeer lichen, green reindeer lichen, gray reindeer lichen, alpine reindeer lichen)

www.nrfirescience.org/resource/10800

This FEIS species review synthesizes information on the relationship of *Cladonia arbuscula*, *Cladonia mitis*, *Cladonia rangiferia*, *Cladonia stellaris* (shrubby reindeer lichen, green reindeer lichen, gray reindeer lichen, alpine reindeer lichen) to fire--how fire affects the species and its habitat, effects of the species on fuels and...

Author(s): Gregory T. Munger

Year Published: 2008

Type: Document

Synthesis

Arctostaphylos patula (greenleaf manzanita)

www.nrfirescience.org/resource/10705

This FEIS species review synthesizes information on the relationship of *Arctostaphylos patula* (greenleaf manzanita) to fire--how fire affects the species and its habitat, effects of the species on fuels

and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Alan S. Hauser

Year Published: 2007

Type: Document

Synthesis

Hieracium albiflorum (white hawkweed)

www.nrfirescience.org/resource/10816

This FEIS species review synthesizes information on the relationship of Hieracium albiflorum (white hawkweed) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Sonja L. Reeves

Year Published: 2007

Type: Document

Synthesis

CCE fire regimes and their management

www.nrfirescience.org/resource/8369

A spectacular forest in the center of the Crown of the Continent Ecosystem (CCE) cuts a 15- by 5-km swath along the Flathead River's South Fork around Big Prairie in the middle of the Bob Marshall Wilderness Area in Montana (Figure 13- 1). This wide valley bottom, which contains two patches (of about 1,000 ha each) of the last...

Author(s): Robert E. Keane, Carl H. Key

Year Published: 2007

Type: Document

Book or Chapter or Journal Article

Forest fire and climate change in western North America: insights from sediment charcoal records

www.nrfirescience.org/resource/7930

Millennial-scale records of forest fire provide important baseline information for ecosystem management, especially in regions with too few recent fires to describe the historical range of variability. Charcoal records from lake sediments and soil profiles are well suited for reconstructing the incidence of past fire and its...

Author(s): Daniel G. Gavin, Douglas J. Hallett, Feng S. Hu, Kenneth P. Lertzman, Susan J. Prichard, Kendrick J. Brown, Jason A. Lynch, Patrick J. Bartlein, David L. Peterson

Year Published: 2007

Type: Document

Book or Chapter or Journal Article, Synthesis

Strix nebulosa (great gray owl)

www.nrfirescience.org/resource/10900

This FEIS species review synthesizes information on the relationship of Strix nebulosa (great gray owl) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Elena D. Ulev

Year Published: 2007

Type: Document

Synthesis

Linum lewisii (Lewis flax)

www.nrfirescience.org/resource/10815

This FEIS species review synthesizes information on the relationship of *Linum lewisii* (Lewis flax) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Sonja L. Reeves

Year Published: 2007

Type: Document

Synthesis

Lynx canadensis (Canada lynx)

www.nrfirescience.org/resource/10897

This FEIS species review synthesizes information on the relationship of *Lynx canadensis* (Canada lynx) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Elena D. Ulev

Year Published: 2007

Type: Document

Synthesis

Rangifer tarandus (caribou)

www.nrfirescience.org/resource/10746

This FEIS species review synthesizes information on the relationship of *Rangifer tarandus* (caribou) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Peggy Luensmann

Year Published: 2007

Type: Document

Synthesis

Fire, fuels and restoration of ponderosa pine-Douglas fir forests in the Rocky Mountains, USA

www.nrfirescience.org/resource/8223

Forest restoration in ponderosa pine and mixed ponderosa pine-Douglas fir forests in the US Rocky Mountains has been highly influenced by a historical model of frequent, low-severity surface fires developed for the ponderosa pine forests of the Southwestern USA. A restoration model, based on this low-severity fire model, focuses on...

Author(s): William L. Baker, Thomas T. Veblen, Rosemary L. Sherriff

Year Published: 2007

Type: Document

Book or Chapter or Journal Article

Sphaeralcea grossulariifolia (gooseberryleaf globemallow)

www.nrfirescience.org/resource/10894

This FEIS species review synthesizes information on the relationship of *Sphaeralcea grossulariifolia* (gooseberryleaf globemallow) to fire--how fire affects the species and its habitat, effects of the species

on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Jennifer E. Tollefson

Year Published: 2007

Type: Document

Synthesis

Betula glandulosa (bog birch)

www.nrfirescience.org/resource/10740

This FEIS species review synthesizes information on the relationship of *Betula glandulosa* (bog birch) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Jennifer E. Tollefson

Year Published: 2007

Type: Document

Synthesis

Hedysarum alpinum (alpine sweetvetch)

www.nrfirescience.org/resource/10672

This FEIS species review synthesizes information on the relationship of *Hedysarum alpinum* (alpine sweetvetch) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Corey L. Gucker

Year Published: 2007

Type: Document

Synthesis

Martes pennanti (fisher)

www.nrfirescience.org/resource/10796

This FEIS species review synthesizes information on the relationship of *Martes pennanti* (fisher) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general...

Author(s): Rachelle Meyer

Year Published: 2007

Type: Document

Synthesis

Mertensia paniculata (tall bluebells)

www.nrfirescience.org/resource/10821

This FEIS species review synthesizes information on the relationship of *Mertensia paniculata* (tall bluebells) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Sonja L. Reeves

Year Published: 2007

Type: Document

Synthesis

Cross-scale analysis of fire regimes

www.nrfirescience.org/resource/11415

Cross-scale spatial and temporal perspectives are important for studying contagious landscape disturbances such as fire, which are controlled by myriad processes operating at different scales. We examine fire regimes in forests of western North America, focusing on how observed patterns of fire frequency change across spatial scales...

Author(s): Donald A. Falk, Carol Miller, Donald McKenzie, Anne E. Black

Year Published: 2007

Type: Document

Book or Chapter or Journal Article

Fragaria vesca (woodland strawberry)

www.nrfirescience.org/resource/10802

This FEIS species review synthesizes information on the relationship of *Fragaria vesca* (woodland strawberry) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Gregory T. Munger

Year Published: 2007

Type: Document

Synthesis

Comparison of fire scars, fire atlases, and satellite data in the northwestern United States

www.nrfirescience.org/resource/11427

We evaluated agreement in the location and occurrence of 20th century fires recorded in digital fire atlases with those inferred from fire scars that we collected systematically at one site in Idaho and from existing fire-scar reconstructions at four sites in Washington. Fire perimeters were similar for two of three 20th century...

Author(s): Lauren B. Shapiro, Emily K. Heyerdahl, Penelope Morgan

Year Published: 2007

Type: Document

Book or Chapter or Journal Article

Contingent pacific-atlantic ocean influence on multicentury wildfire synchrony over western North America

www.nrfirescience.org/resource/8293

Widespread synchronous wildfires driven by climatic variation, such as those that swept western North America during 1996, 2000, and 2002, can result in major environmental and societal impacts.

Understanding relationships between continental-scale patterns of drought and modes of sea surface temperatures (SSTs) such as El Niño-...

Author(s): Thomas Kitzberger, Peter M. Brown, Emily K. Heyerdahl, Thomas W. Swetnam, Thomas T. Veblen

Year Published: 2007

Type: Document

Book or Chapter or Journal Article

Mustela nigripes (black-footed ferret)

www.nrfirescience.org/resource/10903

This FEIS species review synthesizes information on the relationship of *Mustela nigripes* (black-footed ferret) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire

regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Elena D. Ulev

Year Published: 2007

Type: Document

Synthesis

Recovery of big sagebrush following fire in southwest Montana

www.nrfirescience.org/resource/8279

Fire plays a large role in structuring sagebrush ecosystems; however, we have little knowledge of how vegetation changes with time as succession proceeds from immediate postfire to mature stands. We sampled at 38 sites in southwest Montana dominated by 3 subspecies of big sagebrush (*Artemisia tridentata* Nutt.). At each site we...

Author(s): Peter Lesica, Stephen V. Cooper, Greg Kudray

Year Published: 2007

Type: Document

Book or Chapter or Journal Article

Artemisia campestris (field sagewort)

www.nrfirescience.org/resource/10675

This FEIS species review synthesizes information on the relationship of *Artemisia campestris* (field sagewort) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Corey L. Gucker

Year Published: 2007

Type: Document

Synthesis

Geranium bicknellii (Bicknell's geranium)

www.nrfirescience.org/resource/10817

This FEIS species review synthesizes information on the relationship of *Geranium bicknellii* (Bicknell's geranium) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Sonja L. Reeves

Year Published: 2007

Type: Document

Synthesis

Pyrola asarifolia (pink wintergreen)

www.nrfirescience.org/resource/10668

This FEIS species review synthesizes information on the relationship of *Pyrola asarifolia* (pink wintergreen) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Corey L. Gucker

Year Published: 2007

Type: Document

Synthesis

Symphoricarpos occidentalis (western snowberry)

www.nrfirescience.org/resource/10698

This FEIS species review synthesizes information on the relationship of *Symphoricarpos occidentalis* (western snowberry) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution,...

Author(s): Alan S. Hauser

Year Published: 2007

Type: Document

Synthesis

Cynomys ludovicianus (black-tailed prairie dog)

www.nrfirescience.org/resource/10898

This FEIS species review synthesizes information on the relationship of *Cynomys ludovicianus* (black-tailed prairie dog) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution,...

Author(s): Elena D. Ulev

Year Published: 2007

Type: Document

Synthesis

Salix discolor (pussy willow)

www.nrfirescience.org/resource/10679

This FEIS species review synthesizes information on the relationship of *Salix discolor* (pussy willow) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Corey L. Gucker

Year Published: 2007

Type: Document

Synthesis

The fire-climate connection

www.nrfirescience.org/resource/11985

JFSP-funded research is exploring and quantifying relationships among the large-scale drivers of climate and the occurrence and extent of wildfire in the various regions of the western United States.

Author(s): Gail Wells

Year Published: 2007

Type: Document

Research Brief or Fact Sheet

Neotoma cinerea (bushy-tailed woodrat)

www.nrfirescience.org/resource/10902

This FEIS species review synthesizes information on the relationship of *Neotoma cinerea* (bushy-tailed woodrat) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Elena D. Ulev

Year Published: 2007

Type: Document
Synthesis

Poa bulbosa (bulbous bluegrass)

www.nrfirescience.org/resource/10682

This FEIS species review synthesizes information on the relationship of *Poa bulbosa* (bulbous bluegrass) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Corey L. Gucker

Year Published: 2007

Type: Document

Synthesis

The complexity of managing fire-dependent ecosystems in wilderness: relict ponderosa pine in the Bob Marshall Wilderness

www.nrfirescience.org/resource/7953

Isolated wilderness ecosystems with a history of frequent, low-severity fires have been altered due to many decades of fire exclusion and, as a result, are difficult to restore for philosophical and logistical reasons. In this paper, we describe the successional conditions of ponderosa pine (*Pinus ponderosa*) communities along the...

Author(s): Robert E. Keane, Stephen F. Arno, Laura J. Dickinson

Year Published: 2006

Type: Document

Book or Chapter or Journal Article

Ledum groenlandicum (bog Labrador tea)

www.nrfirescience.org/resource/10670

This FEIS species review synthesizes information on the relationship of *Ledum groenlandicum* (bog Labrador tea) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Corey L. Gucker

Year Published: 2006

Type: Document

Synthesis

Acer grandidentatum (bigtooth maple)

www.nrfirescience.org/resource/10895

This FEIS species review synthesizes information on the relationship of *Acer grandidentatum* (bigtooth maple) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Jennifer E. Tollefson

Year Published: 2006

Type: Document

Synthesis

Cercocarpus ledifolius (curlleaf mountain-mahogany)

www.nrfirescience.org/resource/10678

This FEIS species review synthesizes information on the relationship of *Cercocarpus ledifolius* (curlleaf mountain-mahogany) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution,...

Author(s): Corey L. Gucker

Year Published: 2006

Type: Document

Synthesis

Rosa woodsii (Wood's rose)

www.nrfirescience.org/resource/10700

This FEIS species review synthesizes information on the relationship of *Rosa woodsii* (Wood's rose) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Alan S. Hauser

Year Published: 2006

Type: Document

Synthesis

Calamagrostis montanensis (plains reedgrass)

www.nrfirescience.org/resource/10702

This FEIS species review synthesizes information on the relationship of *Calamagrostis montanensis* (plains reedgrass) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Alan S. Hauser

Year Published: 2006

Type: Document

Synthesis

Vulpia microstachys (small sixweeks grass)

www.nrfirescience.org/resource/10709

This FEIS species review synthesizes information on the relationship of *Vulpia microstachys* (small sixweeks grass) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Janet L. Howard

Year Published: 2006

Type: Document

Synthesis

Rosa arkansana (prairie rose)

www.nrfirescience.org/resource/10699

This FEIS species review synthesizes information on the relationship of *Rosa arkansana* (prairie rose) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Alan S. Hauser

Year Published: 2006

Type: Document

The use of silviculture and prescribed fire to manage stand structure and fuel profiles in a multi-aged lodgepole pine forest

www.nrfirescience.org/resource/10964

This paper presents several components of a multi-disciplinary project designed to evaluate the ecological and biological effects of two innovative silvicultural treatments coupled with prescribed fire in an attempt to both manage fuel profiles and create two-aged stand structures in lodgepole pine. Two shelterwood silvicultural...

Author(s): Colin C. Hardy, Helen Y. Smith, Ward W. McCaughey

Year Published: 2006

Type: Document

Conference Proceedings

Fire exclusion and nitrogen mineralization in low elevation forests of western Montana

www.nrfirescience.org/resource/8291

Little is known regarding how fire exclusion influences nitrogen (N) cycling in low elevation forests of western Montana. Nor is it clear how the change in fire frequency that has resulted from forest management has influenced ecosystem function in terms of plant-soil-microbe interactions. A fire chronosequence approach was used to...

Author(s): M. Derek MacKenzie, Thomas H. DeLuca, Anna Sala

Year Published: 2006

Type: Document

Book or Chapter or Journal Article

Eleocharis palustris (common spikerush)

www.nrfirescience.org/resource/10694

This FEIS species review synthesizes information on the relationship of *Eleocharis palustris* (common spikerush) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Alan S. Hauser

Year Published: 2006

Type: Document

Synthesis

Carex aquatilis (leafy tussock sedge)

www.nrfirescience.org/resource/10693

This FEIS species review synthesizes information on the relationship of *Carex aquatilis* (leafy tussock sedge) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Alan S. Hauser

Year Published: 2006

Type: Document

Synthesis

Complex interactions shaping aspen dynamics in the Greater Yellowstone Ecosystem

www.nrfirescience.org/resource/7906

Loss of aspen (*Populus tremuloides*) has generated concern for aspen persistence across much of the

western United States. However, most studies of aspen change have been at local scales and our understanding of aspen dynamics at broader scales is limited. At local scales, aspen loss has been attributed to fire exclusion, ungulate...

Author(s): K. Brown, Andrew J. Hansen, Robert E. Keane, Lisa Graumlich

Year Published: 2006

Type: Document

Book or Chapter or Journal Article

Prunus pumila (sand cherry)

www.nrfirescience.org/resource/10868

This FEIS species review synthesizes information on the relationship of *Prunus pumila* (sand cherry) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Jane E. Taylor

Year Published: 2006

Type: Document

Synthesis

Piranga ludoviciana (western tanager)

www.nrfirescience.org/resource/10795

This FEIS species review synthesizes information on the relationship of *Piranga ludoviciana* (western tanager) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Rachelle Meyer

Year Published: 2006

Type: Document

Synthesis

Sphaeralcea coccinea (scarlet globemallow)

www.nrfirescience.org/resource/10892

This FEIS species review synthesizes information on the relationship of *Sphaeralcea coccinea* (scarlet globemallow) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Jennifer E. Tollefson

Year Published: 2006

Type: Document

Synthesis

Frequent fire alters nitrogen transformations in ponderosa pine stands of the inland Northwest

www.nrfirescience.org/resource/7919

Recurrent, low-severity fire in ponderosa pine (*Pinus ponderosa*)/interior Douglas-fir (*Pseudotsuga menziesii* var. *glauca*) forests is thought to have directly influenced nitrogen (N) cycling and availability. However, no studies to date have investigated the influence of natural fire intervals on soil processes in undisturbed forests...

Author(s): Thomas H. DeLuca, Anna Sala

Year Published: 2006

Type: Document

Book or Chapter or Journal Article

Ponderosa pine ecosystems

www.nrfirescience.org/resource/11142

Ponderosa pine is one of the most widely distributed tree species in western North America. It is highly-valued as a source of lumber, but also is key to the health and social value western forests, whether growing in pure stands or in mixture with other conifer and hardwood species. In recent years, management objectives for...

Author(s): Russell T. Graham, Theresa B. Jain

Year Published: 2006

Type: Document

Synthesis, Technical Report or White Paper

Gymnorhinus cyanocephalus (pinyon jay)

www.nrfirescience.org/resource/10904

This FEIS species review synthesizes information on the relationship of *Gymnorhinus cyanocephalus* (pinyon jay) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Elena D. Ulev

Year Published: 2006

Type: Document

Synthesis

Cercocarpus montanus (true mountain-mahogany)

www.nrfirescience.org/resource/10673

This FEIS species review synthesizes information on the relationship of *Cercocarpus montanus* (true mountain-mahogany) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Corey L. Gucker

Year Published: 2006

Type: Document

Synthesis

Fire history of western Montana forested landscapes via tree-ring analyses

www.nrfirescience.org/resource/13363

Wildfire is a natural process that plays an important role in creating, shaping, and maintaining the forests, woodlands, and grasslands of our physical environment (Swetnam et al. 1999). Most forested landscapes require periodic fire to maintain the overall health of their ecosystems. Wildfires...

Author(s): Henri D. Grissino-Mayer, Christopher M. Gentry, Steve Croy, John Hiatt, Ben Osborne, Amanda Stan, Georgina DeWeese Wight

Year Published: 2006

Type: Document

Technical Report or White Paper

Vulpia octoflora (sixweeks grass)

www.nrfirescience.org/resource/10710

This FEIS species review synthesizes information on the relationship of *Vulpia octoflora* (sixweeks grass) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,

distribution, basic biology, and...

Author(s): Janet L. Howard

Year Published: 2006

Type: Document

Synthesis

Berberis repens (Oregon grape)

www.nrfirescience.org/resource/10905

This FEIS species review synthesizes information on the relationship of *Berberis repens* (Oregon grape) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Elena D. Ulev

Year Published: 2006

Type: Document

Synthesis

Distichlis spicata (saltgrass)

www.nrfirescience.org/resource/10695

This FEIS species review synthesizes information on the relationship of *Distichlis spicata* (saltgrass) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Alan S. Hauser

Year Published: 2006

Type: Document

Synthesis

Zigadenus venenosus (meadow deathcamas)

www.nrfirescience.org/resource/10704

This FEIS species review synthesizes information on the relationship of *Zigadenus venenosus* (meadow deathcamas) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Alan S. Hauser

Year Published: 2006

Type: Document

Synthesis

Warming and earlier spring increase western U.S. forest wildfire activity

www.nrfirescience.org/resource/8397

Western United States forest wildfire activity is widely thought to have increased in recent decades, but surprisingly, the extent of recent changes has never been systematically documented. Nor has it been established to what degree climate may be driving regional changes in wildfire. Much of the public and scientific discussion of...

Author(s): Anthony L. Westerling, Hugo G. Hidalgo, Daniel R. Cayan, Thomas W. Swetnam

Year Published: 2006

Type: Document

Book or Chapter or Journal Article

Ecological science relevant to management policies for fire-prone forests of the western United States, Society for Conservation Biology scientific panel of fire in western U.S. forests

www.nrfirescience.org/resource/11190

Fire is a primary natural disturbance in most forests of western North America and has shaped their plant and animal communities for millions of years. Native species and fundamental ecological processes are dependent on conditions created by fire. However, many western forests have experienced shifts in wildfire regimes and forest...

Author(s): Reed F. Noss, Jerry F. Franklin, William L. Baker, Tania L. Schoennagel, Peter B. Moyle

Year Published: 2006

Type: Document

Technical Report or White Paper

Carex filifolia (threadleaf sedge)

www.nrfirescience.org/resource/10696

This FEIS species review synthesizes information on the relationship of *Carex filifolia* (threadleaf sedge) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Alan S. Hauser

Year Published: 2006

Type: Document

Synthesis

Juniperus horizontalis (creeping juniper)

www.nrfirescience.org/resource/10671

This FEIS species review synthesizes information on the relationship of *Juniperus horizontalis* (creeping juniper) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Corey L. Gucker

Year Published: 2006

Type: Document

Synthesis

Opuntia humifusa (eastern pricklypear)

www.nrfirescience.org/resource/10863

This FEIS species review synthesizes information on the relationship of *Opuntia humifusa* (eastern pricklypear) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Jane E. Taylor

Year Published: 2006

Type: Document

Synthesis

Artemisia norvegica (boreal sagebrush)

www.nrfirescience.org/resource/10865

This FEIS species review synthesizes information on the relationship of *Artemisia norvegica* (boreal sagebrush) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Jane E. Taylor
Year Published: 2006
Type: Document
Synthesis

Perisoreus canadensis (gray jay)

www.nrfirescience.org/resource/10901

This FEIS species review synthesizes information on the relationship of *Perisoreus canadensis* (gray jay) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Elena D. Ulev
Year Published: 2006
Type: Document
Synthesis

Vulpia myuros (rattail sixweeks grass)

www.nrfirescience.org/resource/10460

This FEIS species review synthesizes information on the relationship of *Vulpia myuros* (rattail sixweeks grass) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy...

Author(s): Janet L. Howard
Year Published: 2006
Type: Document
Synthesis

Apocynum cannabinum (Indianhemp)

www.nrfirescience.org/resource/10819

This FEIS species review synthesizes information on the relationship of *Apocynum cannabinum* (Indianhemp) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Sonja L. Reeves
Year Published: 2006
Type: Document
Synthesis

Patagioenas fasciata (band-tailed pigeon)

www.nrfirescience.org/resource/10896

This FEIS species review synthesizes information on the relationship of *Patagioenas fasciata* (band-tailed pigeon) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Elena D. Ulev
Year Published: 2006
Type: Document
Synthesis

Calypso bulbosa (fairy slipper)

www.nrfirescience.org/resource/10818

This FEIS species review synthesizes information on the relationship of *Calypso bulbosa* (fairy slipper) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Sonja L. Reeves

Year Published: 2006

Type: Document

Synthesis

***Bromus carinatus* var. *carinatus*, *Bromus carinatus* var. *marginatus* (California brome, mountain brome)**

www.nrfirescience.org/resource/10893

This FEIS species review synthesizes information on the relationship of *Bromus carinatus* var. *carinatus*, *Bromus carinatus* var. *marginatus* (California brome, mountain brome) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also...

Author(s): Jennifer E. Tollefson

Year Published: 2006

Type: Document

Synthesis

***Geum triflorum* (prairie smoke)**

www.nrfirescience.org/resource/10801

This FEIS species review synthesizes information on the relationship of *Geum triflorum* (prairie smoke) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Gregory T. Munger

Year Published: 2006

Type: Document

Synthesis

***Goodyera oblongifolia* (western rattlesnake plantain)**

www.nrfirescience.org/resource/10820

This FEIS species review synthesizes information on the relationship of *Goodyera oblongifolia* (western rattlesnake plantain) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution...

Author(s): Sonja L. Reeves

Year Published: 2006

Type: Document

Synthesis

***Artemisia pedatifida* (birdfoot sagebrush)**

www.nrfirescience.org/resource/10864

This FEIS species review synthesizes information on the relationship of *Artemisia pedatifida* (birdfoot sagebrush) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Jane E. Taylor

Year Published: 2006

Type: Document

Synthesis

History of fire and Douglas-fir establishment in a savanna and sagebrush-grassland mosaic, southwestern Montana, USA

www.nrfirescience.org/resource/7942

Over the past century, trees have encroached into grass- and shrublands across western North America. These include Douglas-fir trees (*Pseudotsuga menziesii* (Mirb.) Franco var. *glauca* (Beissn.) Franco) encroaching into mountain big sagebrush *Nutt. ssp. vaseyana* (Rydb.) Beetle) from stable islands of savanna in southwestern Montana....

Author(s): Emily K. Heyerdahl, Richard F. Miller, Russell A. Parsons

Year Published: 2006

Type: Document

Book or Chapter or Journal Article

Artemisia dracunculus (tarragon)

www.nrfirescience.org/resource/10665

This FEIS species review synthesizes information on the relationship of *Artemisia dracunculus* (tarragon) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Amy H. Groen

Year Published: 2005

Type: Document

Synthesis

Fire ecology of ponderosa pine and the rebuilding of fire-resilient ponderosa pine ecosystems

www.nrfirescience.org/resource/11074

The ponderosa pine ecosystems of the West have change dramatically since Euro-American settlement 140 years ago due to past land uses and the curtailment of natural fire. Today, ponderosa pine forests contain overabundance of fuel, and stand densities have increased from a range of 49-124 trees ha-1 (20-50 trees acre-1) to a range...

Author(s): Stephen A. Fitzgerald

Year Published: 2005

Type: Document

Conference Proceedings, Synthesis

Stream succession: channel changes after wildfire disturbance

www.nrfirescience.org/resource/11414

One concept in geomorphology is that vegetation is a fundamental control on sediment and water supplies to streams and, therefore, on downstream fluvial processes and channel morphology. Within this paradigm, wildfire has been implicated as a major driving force behind landscape erosion and changes to stream channels, periodically...

Author(s): Nicholas E. Schiedt

Year Published: 2005

Type: Document

Dissertation or Thesis

Symphoricarpos longiflorus (longflower snowberry)

www.nrfirescience.org/resource/10790

This FEIS species review synthesizes information on the relationship of *Symphoricarpos longiflorus* (longflower snowberry) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution,...

Author(s): Jack McWilliams

Year Published: 2005

Type: Document

Synthesis

Juncus balticus (Baltic rush)

www.nrfirescience.org/resource/10701

This FEIS species review synthesizes information on the relationship of *Juncus balticus* (Baltic rush) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Alan S. Hauser

Year Published: 2005

Type: Document

Synthesis

Galium aparine (stickywilly)

www.nrfirescience.org/resource/10677

This FEIS species review synthesizes information on the relationship of *Galium aparine* (stickywilly) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Corey L. Gucker

Year Published: 2005

Type: Document

Synthesis

Climate drivers of fire and fuel in the Northern Rockies: past, present & future - Final Report to the Joint Fire Science Program

www.nrfirescience.org/resource/11154

This 3-year research project is identifying the climate drivers of regional fire and fuel dynamics in the Northern Rockies in the past, present, and future. We are identifying regional fire years from two sources: multicentury tree-ring reconstructions and multidecadal fire atlases. To elucidate the climate forcing of past fires, we...

Author(s): Penelope Morgan, Emily K. Heyerdahl, Carol Miller, Matthew G. Rollins

Year Published: 2005

Type: Document

Technical Report or White Paper

Eighth international wildland firefighter safety summit: 10 years later

www.nrfirescience.org/resource/15458

These files contain the proceedings and poster papers from the International Association of Wildland Fire's Wildland Fire Safety Summit™ held in Missoula, Montana April 26-28, 2005. These proceedings contain the papers as submitted by the authors. Except for some editing to try and instill a common format, these papers are as...

Year Published: 2005

Type: Document
Conference Proceedings

Lonicera fragrantissima, Lonicera maackii, Lonicera morrowii, Lonicera tatarica, Lonicera x bella, Lonicera xylosteum (winter honeysuckle, Amur honeysuckle, Morrow's honeysuckle, Tatarian honeysuckle, Bell's honeysuckle, European fly honeysuckle)

www.nrfirescience.org/resource/10465

This FEIS species review synthesizes information on the relationship of *Lonicera fragrantissima*, *Lonicera maackii*, *Lonicera morrowii*, *Lonicera tatarica*, *Lonicera x bella*, *Lonicera xylosteum* (winter honeysuckle, Amur honeysuckle, Morrow's honeysuckle, Tatarian honeysuckle, Bell's honeysuckle, European fly honeysuckle) to fire--how...

Author(s): Gregory T. Munger

Year Published: 2005

Type: Document

Synthesis

Bouteloua barbata (sixweeks grama)

www.nrfirescience.org/resource/10703

This FEIS species review synthesizes information on the relationship of *Bouteloua barbata* (sixweeks grama) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Alan S. Hauser

Year Published: 2005

Type: Document

Synthesis

Elaeagnus angustifolia (Russian-olive)

www.nrfirescience.org/resource/10486

This FEIS species review synthesizes information on the relationship of *Elaeagnus angustifolia* (Russian-olive) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy...

Author(s): Kristin L. Zouhar

Year Published: 2005

Type: Document

Synthesis

Climatic controls of fire in the western United States: from the atmosphere to ecosystems - Final Report to the Joint Fire Science Program

www.nrfirescience.org/resource/11155

The objective of this project is to conduct a diagnostic analysis of the variations in climate that govern the characteristics of the fire season in the western United States on intra-annual through decadal and longer time scales. We propose a retrospective, model-based analysis to understand better the role of climate as a control...

Author(s): Steven W. Hostetler, Patrick J. Bartlein, Allen M. Solomon, J. O. Holman, Richard T. Busing, Sarah L. Shafer

Year Published: 2005

Type: Document

Technical Report or White Paper

Wildland fire hazard and risk: problems, definitions and context

www.nrfirescience.org/resource/12716

The risks, hazards, and relative severity of wildland fires are presented here within the ecological context of historical natural fire regimes, time, space, and process. As the public dialogue on the role and impacts of wildland fire increases, it is imperative for all partners to converge on clear and concise terminology that...

Author(s): Colin C. Hardy

Year Published: 2005

Type: Document

Book or Chapter or Journal Article

Hypericum perforatum (common St Johnswort)

www.nrfirescience.org/resource/10499

This FEIS species review synthesizes information on the relationship of *Hypericum perforatum* (common St Johnswort) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species'...

Author(s): Kristin L. Zouhar

Year Published: 2005

Type: Document

Synthesis

Clintonia uniflora (queencup beadlily)

www.nrfirescience.org/resource/10798

This FEIS species review synthesizes information on the relationship of *Clintonia uniflora* (queencup beadlily) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Rachelle Meyer

Year Published: 2005

Type: Document

Synthesis

Carbon cycling at the landscape scale: the effect of changes in climate and fire frequency on age distribution, stand structure, and net ecosystem production - Final Report to the Joint Fire Science Program

www.nrfirescience.org/resource/11151

We are working in Yellowstone National Park to determine how initial post-fire structural heterogeneity controls carbon dynamics over the full cycle of individual forest stands, and how climate-mediated changes in the fire regime could potentially alter the behavior of the entire Yellowstone ecosystem as a net sink or net source in...

Author(s): Michael G. Ryan, Daniel M. Kashian, Erica A. H. Smithwick, William H. Romme, Monica G. Turner, Daniel B. Tinker

Year Published: 2005

Type: Document

Technical Report or White Paper

Cornus nuttallii (Pacific dogwood)

www.nrfirescience.org/resource/10681

This FEIS species review synthesizes information on the relationship of *Cornus nuttallii* (Pacific

dogwood) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Corey L. Gucker

Year Published: 2005

Type: Document

Synthesis

Cytisus scoparius, Cytisus striatus (Scotch broom, Portuguese broom)

www.nrfirescience.org/resource/10488

This FEIS species review synthesizes information on the relationship of Cytisus scoparius, Cytisus striatus (Scotch broom, Portuguese broom) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also...

Author(s): Kristin L. Zouhar

Year Published: 2005

Type: Document

Synthesis

Opuntia fragilis (brittle pricklypear)

www.nrfirescience.org/resource/10867

This FEIS species review synthesizes information on the relationship of Opuntia fragilis (brittle pricklypear) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Jane E. Taylor

Year Published: 2005

Type: Document

Synthesis

Leucopoa kingii (spike fescue)

www.nrfirescience.org/resource/10599

This FEIS species review synthesizes information on the relationship of Leucopoa kingii (spike fescue) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Michelle B. Anderson

Year Published: 2005

Type: Document

Synthesis

Apocynum androsaemifolium (spreading dogbane)

www.nrfirescience.org/resource/10666

This FEIS species review synthesizes information on the relationship of Apocynum androsaemifolium (spreading dogbane) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Amy H. Groen

Year Published: 2005

Type: Document

Synthesis

Restoration of ponderosa pine forests in the interior western U.S. after logging, grazing, and fire suppression

www.nrfirescience.org/resource/8195

No description entered.

Author(s): Merrill R. Kaufmann, Kevin C. Ryan, Peter Z. Fule, William H. Romme

Year Published: 2005

Type: Document

Book or Chapter or Journal Article

Yucca glauca (soapweed yucca)

www.nrfirescience.org/resource/10664

This FEIS species review synthesizes information on the relationship of *Yucca glauca* (soapweed yucca) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Amy H. Groen

Year Published: 2005

Type: Document

Synthesis

Dry forests and wildland fires of the inland Northwest USA: contrasting the landscape ecology of the pre-settlement and modern eras

www.nrfirescience.org/resource/7941

Prior to Euro-American settlement, dry ponderosa pine and mixed conifer forests (hereafter, the 'dry forests') of the Inland Northwest were burned by frequent low- or mixed-severity fires. These mostly surface fires maintained low and variable tree densities, light and patchy ground fuels, simplified forest structure, and favored...

Author(s): Paul F. Hessburg, James K. Agee, Jerry F. Franklin

Year Published: 2005

Type: Document

Book or Chapter or Journal Article, Synthesis

Variability and convergence in stand structural development on a fire-dominated subalpine landscape

www.nrfirescience.org/resource/13538

The 1988 Yellowstone fires resulted in a complex mosaic within which postfire lodgepole pine seedling densities varied by over five orders of magnitude. Investigators have speculated that such postfire mosaics of vegetation structure may persist until the next large disturbance, but the fate of the initial structural variability of...

Author(s): Daniel M. Kashian, Monica G. Turner, William H. Romme, Craig G. Lorimer

Year Published: 2005

Type: Document

Book or Chapter or Journal Article

Dalea purpurea (purple prairie clover)

www.nrfirescience.org/resource/10745

This FEIS species review synthesizes information on the relationship of *Dalea purpurea* (purple prairie clover) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,

distribution, basic biology...
Author(s): Kevin R. League
Year Published: 2005
Type: Document
Synthesis

Calamovilfa longifolia (prairie sandreed)

www.nrfirescience.org/resource/10697

This FEIS species review synthesizes information on the relationship of *Calamovilfa longifolia* (prairie sandreed) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Alan S. Hauser
Year Published: 2005
Type: Document
Synthesis

Asclepias speciosa (showy milkweed)

www.nrfirescience.org/resource/10899

This FEIS species review synthesizes information on the relationship of *Asclepias speciosa* (showy milkweed) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Elena D. Ulev
Year Published: 2005
Type: Document
Synthesis

Culturally scarred trees in the Bob Marshall Wilderness, Montana, USA- interpreting Native American historical forest use in a wilderness area

www.nrfirescience.org/resource/7966

Wilderness areas are primarily set aside to protect natural ecosystems and processes. However, most protected areas have a long history of native peoples' land use predating their protection. The general paucity of evidence in the form of historical records, in combination with romantic views of native peoples' effects on nature,...

Author(s): Lars Ostlund, Robert E. Keane, Stephen F. Arno, R. Andersson
Year Published: 2005
Type: Document
Book or Chapter or Journal Article

Restoring dry and moist forests of the inland northwestern U. S.

www.nrfirescience.org/resource/7903

The complex topography of the inland northwestern U.S. (58.4 million ha) interacts with continental and maritime air masses to create a highly variable climate, which results in a variety of forest settings. Historically (1850 to 1900), approximately 20% of the area was covered by dry forests (*Pinus ponderosa*, *Pseudotsuga menziesii*...

Author(s): Theresa B. Jain, Russell T. Graham
Year Published: 2005
Type: Document
Book or Chapter or Journal Article

Psathyrostachys juncea (Russian wildrye)

www.nrfirescience.org/resource/10476

This FEIS species review synthesizes information on the relationship of *Psathyrostachys juncea* (Russian wildrye) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species'...

Author(s): Jane E. Taylor

Year Published: 2005

Type: Document

Synthesis

Artemisia ludoviciana (prairie sage)

www.nrfirescience.org/resource/10605

This FEIS species review synthesizes information on the relationship of *Artemisia ludoviciana* (prairie sage) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Michelle B. Anderson

Year Published: 2005

Type: Document

Synthesis

Leymus ambiguus (Colorado wildrye)

www.nrfirescience.org/resource/10600

This FEIS species review synthesizes information on the relationship of *Leymus ambiguus* (Colorado wildrye) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Michelle B. Anderson

Year Published: 2004

Type: Document

Synthesis

The interaction of fire, fuels, and climate across Rocky Mountain forests

www.nrfirescience.org/resource/13583

Understanding the relative influence of fuels and climate on wildfires across the Rocky Mountains is necessary to predict how fires may respond to a changing climate and to define effective fuel management approaches to controlling wildfire in this increasingly populated region. The idea that decades of fire suppression have...

Author(s): Tania L. Schoennagel, Thomas T. Veblen, William H. Romme

Year Published: 2004

Type: Document

Book or Chapter or Journal Article

Leymus salinus (Salina wildrye)

www.nrfirescience.org/resource/10602

This FEIS species review synthesizes information on the relationship of *Leymus salinus* (Salina wildrye) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Michelle B. Anderson
Year Published: 2004
Type: Document
Synthesis

Asarum caudatum (wild ginger)

www.nrfirescience.org/resource/10674

This FEIS species review synthesizes information on the relationship of *Asarum caudatum* (wild ginger) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Corey L. Gucker
Year Published: 2004
Type: Document
Synthesis

Role of fire in determining annual water yield in mountain watersheds

www.nrfirescience.org/resource/7901

This paper presents the computation procedures for estimating average annual water yields based on annual precipitation and vegetation cover types. This procedure allows for an estimation of water yields under current conditions, under various levels of vegetation management, or under historic water yield based on fire history. Two...

Author(s): Phillip E. Farnes, Ward W. McCaughey, Katherine J. Hansen
Year Published: 2004
Type: Document
Book or Chapter or Journal Article

Convolvulus arvensis (field bindweed)

www.nrfirescience.org/resource/10487

This FEIS species review synthesizes information on the relationship of *Convolvulus arvensis* (field bindweed) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy...

Author(s): Kristin L. Zouhar
Year Published: 2004
Type: Document
Synthesis

Cardaria chalapensis, Cardaria draba, Cardaria pubescens (lens-podded hoary cress, heart-podded hoary cress, globe-podded hoary cress)

www.nrfirescience.org/resource/10490

This FEIS species review synthesizes information on the relationship of *Cardaria chalapensis*, *Cardaria draba*, *Cardaria pubescens* (lens-podded hoary cress, heart-podded hoary cress, globe-podded hoary cress) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire...

Author(s): Kristin L. Zouhar
Year Published: 2004
Type: Document
Synthesis

Lepidium latifolium (perennial pepperweed)

www.nrfirescience.org/resource/10491

This FEIS species review synthesizes information on the relationship of *Lepidium latifolium* (perennial pepperweed) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species'...

Author(s): Kristin L. Zouhar

Year Published: 2004

Type: Document

Synthesis

Rhus trilobata (skunkbush sumac)

www.nrfirescience.org/resource/10596

This FEIS species review synthesizes information on the relationship of *Rhus trilobata* (skunkbush sumac) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Michelle B. Anderson

Year Published: 2004

Type: Document

Synthesis

Forest structure and organic horizon analysis along a fire chronosequence in the low elevation forests of western Montana

www.nrfirescience.org/resource/8271

Although fire consumes much of the forest floor, few studies have examined the change in forest floor characteristics with increasing time since fire. Mixed forests of ponderosa pine (*Pinus ponderosa* Doug. Ex. laws) and Douglas-fir (*Pseudotsuga mensizii* (Mirb.) Franco) in the inland northwest once burned with greater frequency than...

Author(s): M. Derek MacKenzie, Thomas H. DeLuca, Anna Sala

Year Published: 2004

Type: Document

Book or Chapter or Journal Article

Fire-induced erosion and millennial-scale climate change in northern ponderosa pine forests

www.nrfirescience.org/resource/15763

Western US ponderosa pine forests have recently suffered extensive stand-replacing fires followed by hill slope erosion and sedimentation. These fires are usually attributed to increased stand density as a result of fire suppression, grazing and other land use, and are often considered uncharacteristic or unprecedented. Tree-ring...

Author(s): Jennifer L. Pierce, Grant A. Meyer, A. J. Timothy Jull

Year Published: 2004

Type: Document

Book or Chapter or Journal Article

Prunus pensylvanica (pin cherry)

www.nrfirescience.org/resource/10607

This FEIS species review synthesizes information on the relationship of *Prunus pensylvanica* (pin cherry) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Michelle B. Anderson
Year Published: 2004
Type: Document
Synthesis

Sorghum halepense (Johnson grass)

www.nrfirescience.org/resource/10459

This FEIS species review synthesizes information on the relationship of *Sorghum halepense* (Johnson grass) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Janet L. Howard
Year Published: 2004
Type: Document
Synthesis

Chondrilla juncea (rush skeletonweed)

www.nrfirescience.org/resource/10483

This FEIS species review synthesizes information on the relationship of *Chondrilla juncea* (rush skeletonweed) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy...

Author(s): Kristin L. Zouhar
Year Published: 2004
Type: Document
Synthesis

Sarcobatus vermiculatus (black greasewood)

www.nrfirescience.org/resource/10592

This FEIS species review synthesizes information on the relationship of *Sarcobatus vermiculatus* (black greasewood) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Michelle B. Anderson
Year Published: 2004
Type: Document
Synthesis

Lewis's Woodpecker (*Melanerpes lewis*): a technical conservation assessment

www.nrfirescience.org/resource/11498

Lewis's woodpecker (*Melanerpes lewis*) is a locally common but patchily distributed woodpecker species usually seen in open forests of western North America. The combination of its sporadic distribution, its diet of adult-stage free-living insects (primarily aerial), its preference to nest in burned landscapes, and its variable...

Author(s): Stephen C. Abele, Victoria A. Saab, Edward O. Garton
Year Published: 2004
Type: Document
Technical Report or White Paper

Sonchus arvensis (perennial sowthistle)

www.nrfirescience.org/resource/10464

This FEIS species review synthesizes information on the relationship of *Sonchus arvensis* (perennial sowthistle) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species'...

Author(s): Jack McWilliams

Year Published: 2004

Type: Document

Synthesis

Mapping relative fire regime condition class for the western United States

www.nrfirescience.org/resource/10991

In 1999, a coarse-scale map of Fire Regime Condition Classes (FRCC) was developed for the conterminous United States (US) to help address contemporary fire management issues and to quantify changes in fuels from historical conditions. This map and its associated data have been incorporated into national policies (National Fire Plan...

Author(s): James P. Menakis, Melanie Miller, Thomas Thompson

Year Published: 2004

Type: Document

Conference Proceedings

Tamarix chinensis, Tamarix gallica, Tamarix parviflora, Tamarix ramosissima (tamarisk, French tamarisk, small-flowered tamarisk, saltcedar)

www.nrfirescience.org/resource/10485

This FEIS species review synthesizes information on the relationship of *Tamarix chinensis*, *Tamarix gallica*, *Tamarix parviflora*, *Tamarix ramosissima* (tamarisk, French tamarisk, small-flowered tamarisk, saltcedar) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and...

Author(s): Kristin L. Zouhar

Year Published: 2003

Type: Document

Synthesis

Linaria dalmatica, Linaria vulgaris (Dalmatian toadflax, yellow toadflax)

www.nrfirescience.org/resource/10489

This FEIS species review synthesizes information on the relationship of *Linaria dalmatica*, *Linaria vulgaris* (Dalmatian toadflax, yellow toadflax) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is...

Author(s): Kristin L. Zouhar

Year Published: 2003

Type: Document

Synthesis

Mapping the cheatgrass-caused departure from historical natural fire regimes in the Great Basin, USA

www.nrfirescience.org/resource/11490

Cheatgrass (*Bromus tectorum*) is an exotic grass that has increased fire hazard on millions of square kilometers of semi-arid rangelands in the western United States. Cheatgrass aggressively out competes native vegetation after fire and significantly enhances fire size and frequency. To evaluate the effect of cheatgrass on historical...

Author(s): James P. Menakis, Dianne Osborne, Melanie Miller
Year Published: 2003
Type: Document
Conference Proceedings

Potentilla recta (sulfur cinquefoil)

www.nrfirescience.org/resource/10497

This FEIS species review synthesizes information on the relationship of *Potentilla recta* (sulfur cinquefoil) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Kristin L. Zouhar
Year Published: 2003
Type: Document
Synthesis

Vegetation dynamics under fire exclusion and logging in a Rocky Mountain watershed, 1856-1996

www.nrfirescience.org/resource/8264

How have changes in land management practices affected vegetation patterns in the greater Yellowstone ecosystem? This question led us to develop a deterministic, successional, vegetation model to 'turn back the clock' on a study area and assess how patterns in vegetation cover type and structure have changed through different...

Author(s): Alisa L. Gallant, Andrew J. Hansen, John S. Councilman, Duane K. Monte, David W. Betz
Year Published: 2003
Type: Document
Book or Chapter or Journal Article

The role of climate and vegetation change in shaping past and future fire regimes in the northwestern U.S. and the implications for ecosystem management

www.nrfirescience.org/resource/8382

Fire is an important part of the disturbance regimes of northwestern US forests and its role in maintaining and altering forest vegetation is evident in the paleoecological record of the region. Long-term reconstructions of Holocene fire regimes, provided by the analysis of charcoal, pollen, and other fire proxies in a network of...

Author(s): Cathy L. Whitlock, Sarah L. Shafer, Jennifer R. Marlon
Year Published: 2003
Type: Document
Book or Chapter or Journal Article

The influence of fire interval and serotiny on postfire lodgepole pine density in Yellowstone National Park

www.nrfirescience.org/resource/8259

The time interval between stand-replacing fires can influence patterns of initial postfire succession if the abundance of postfire propagules varies with prefire stand age. We examined the effect of fire interval on initial postfire lodgepole pine (*Pinus contorta* var. *latifolia* Engelm.) density in Yellowstone National Park (YNP)...

Author(s): Tania L. Schoennagel, Monica G. Turner, William H. Romme
Year Published: 2003
Type: Document
Book or Chapter or Journal Article

Interannual to decadal drought and wildfire in the western United States

www.nrfirescience.org/resource/8344

Twentieth-century wildfire suppression and land management policies have promoted biomass accumulations in some ecosystems in the western United States where wildfire is a natural and necessary element. These changes have fueled large, stand-replacing crown fires in southwestern ponderosa pine forests, where they were rare under...

Author(s): Anthony L. Westerling, Thomas W. Swetnam

Year Published: 2003

Type: Document

Book or Chapter or Journal Article, Synthesis

Artemisia filifolia (sand sagebrush)

www.nrfirescience.org/resource/10787

This FEIS species review synthesizes information on the relationship of Artemisia filifolia (sand sagebrush) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Jack McWilliams

Year Published: 2003

Type: Document

Synthesis

Key issues in fire regime research for fuels management and ecological restoration

www.nrfirescience.org/resource/11025

The premise behind many projects aimed at wildfire hazard reduction and ecological restoration in forests of the western United States is the idea that unnatural fuel buildup has resulted from suppression of formerly frequent fires. This premise and its implications need to be critically evaluated by conducting area-specific...

Author(s): Thomas T. Veblen

Year Published: 2003

Type: Document

Conference Proceedings

Descurainia pinnata (pinnate tansymustard)

www.nrfirescience.org/resource/10723

This FEIS species review synthesizes information on the relationship of Descurainia pinnata (pinnate tansymustard) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Janet L. Howard

Year Published: 2003

Type: Document

Synthesis

Sisymbrium altissimum (tumble mustard)

www.nrfirescience.org/resource/10458

This FEIS species review synthesizes information on the relationship of Sisymbrium altissimum (tumble mustard) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on

the species' taxonomy...
Author(s): Janet L. Howard
Year Published: 2003
Type: Document
Synthesis

Artemisia frigida (fringed sagebrush)

www.nrfirescience.org/resource/10788

This FEIS species review synthesizes information on the relationship of *Artemisia frigida* (fringed sagebrush) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Jack McWilliams
Year Published: 2003
Type: Document
Synthesis

Climatic controls on fire-induced sediment pulses in Yellowstone National Park and central Idaho: a long-term perspective

www.nrfirescience.org/resource/7962

Fire management addressing postfire erosion and aquatic ecosystems tends to focus on short-term effects persisting up to about a decade after fire. A longer perspective is important in understanding natural variability in postfire erosion and sedimentation, the role of these processes in structuring habitat, and future expectations...

Author(s): Grant A. Meyer, Jennifer L. Pierce
Year Published: 2003
Type: Document
Book or Chapter or Journal Article, Synthesis

Descurainia sophia (flixweed tansymustard)

www.nrfirescience.org/resource/10463

This FEIS species review synthesizes information on the relationship of *Descurainia sophia* (flixweed tansymustard) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species'...

Author(s): Janet L. Howard
Year Published: 2003
Type: Document
Synthesis

Using simulation to map fire regimes: an evaluation of approaches, strategies, and limitations

www.nrfirescience.org/resource/7951

Spatial depictions of fire regimes are indispensable to fire management because they portray important characteristics of wildland fire, such as severity, intensity, and pattern, across a landscape that serves as important reference for future treatment activities. However, spatially explicit fire regime maps are difficult and...

Author(s): Robert E. Keane, Geoffrey J. Cary, Russell A. Parsons
Year Published: 2003
Type: Document
Book or Chapter or Journal Article

Pinus contorta var. latifolia (Rocky Mountain lodgepole pine)

www.nrfirescience.org/resource/10597

This FEIS species review synthesizes information on the relationship of Pinus contorta var. latifolia (Rocky Mountain lodgepole pine) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Michelle B. Anderson

Year Published: 2003

Type: Document

Synthesis

Schoenocrambe linifolia (flaxleaf plainsmustard)

www.nrfirescience.org/resource/10712

This FEIS species review synthesizes information on the relationship of Schoenocrambe linifolia (flaxleaf plainsmustard) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution,...

Author(s): Janet L. Howard

Year Published: 2003

Type: Document

Synthesis

Fire and riparian ecosystems in landscapes of the western USA

www.nrfirescience.org/resource/8158

Despite the numerous values of riparian areas and the recognition of fire as a critical natural disturbance, few studies have investigated the behavior, properties, and influence of natural fire in riparian areas of the western USA. Riparian areas frequently differ from adjacent uplands in vegetative composition and structure,...

Author(s): Kathleen A. Dwire, J. Boone Kauffman

Year Published: 2003

Type: Document

Book or Chapter or Journal Article

Performance of fuel treatments subjected to wildfires

www.nrfirescience.org/resource/11038

Fire severity was evaluated in eight recent wildfires with standardized methods in adjacent treated and untreated stands. Sampled sites occurred in a variety of conifer forests throughout the Western United States. Treatments included reduction of surface fuels and crown fuels, both in isolation and in combination. Synthesis of our...

Author(s): Erik J. Martinson, Philip N. Omi

Year Published: 2003

Type: Document

Conference Proceedings

Bromus tectorum (cheatgrass)

www.nrfirescience.org/resource/10495

This FEIS species review synthesizes information on the relationship of Bromus tectorum (cheatgrass) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Kristin L. Zouhar
Year Published: 2003
Type: Document
Synthesis

Artemisia rigida (stiff sagebrush)

www.nrfirescience.org/resource/10785

This FEIS species review synthesizes information on the relationship of Artemisia rigida (stiff sagebrush) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Jack McWilliams
Year Published: 2003
Type: Document
Synthesis

Uncertainty in fire history and restoration of ponderosa pine forests in the western United States

www.nrfirescience.org/resource/11026

Fire-history data for ponderosa pine forests in the western U.S. have uncertainties and biases. Targeting multiple-scarred trees and using recorder trees when sampling for fire history may lead to incomplete records. For most of the western U.S., research is insufficient to conclude that high-severity fires did or did not occur in...

Author(s): William L. Baker, Donna S. Ehle
Year Published: 2003
Type: Document
Conference Proceedings

Pinus ponderosa var. scopulorum (interior ponderosa pine)

www.nrfirescience.org/resource/10718

This FEIS species review synthesizes information on the relationship of Pinus ponderosa var. scopulorum (interior ponderosa pine) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Janet L. Howard
Year Published: 2003
Type: Document
Synthesis

Picrothamnus desertorum (budsage)

www.nrfirescience.org/resource/10791

This FEIS species review synthesizes information on the relationship of Picrothamnus desertorum (budsage) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Jack McWilliams
Year Published: 2003
Type: Document
Synthesis

The spatial context of fire: a new approach for predicting fire occurrence

www.nrfirescience.org/resource/10993

Across North America, decades of fire suppression and recent patterns of human settlement have combined to increase the risks that wildland fires pose to human life, property, and natural resource values. Various methods can be used to reduce fuel hazards and mitigate these risks, but funding and other constraints require that these...

Author(s): Carol Miller

Year Published: 2003

Type: Document

Conference Proceedings, Technical Report or White Paper

Atriplex canescens (fourwing saltbush)

www.nrfirescience.org/resource/10727

This FEIS species review synthesizes information on the relationship of *Atriplex canescens* (fourwing saltbush) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Janet L. Howard

Year Published: 2003

Type: Document

Synthesis

Bouteloua gracilis (blue grama)

www.nrfirescience.org/resource/10604

This FEIS species review synthesizes information on the relationship of *Bouteloua gracilis* (blue grama) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Michelle B. Anderson

Year Published: 2003

Type: Document

Synthesis

Acer platanoides (Norway maple)

www.nrfirescience.org/resource/10466

This FEIS species review synthesizes information on the relationship of *Acer platanoides* (Norway maple) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Gregory T. Munger

Year Published: 2003

Type: Document

Synthesis

Pseudotsuga menziesii var. glauca (Rocky Mountain Douglas-fir)

www.nrfirescience.org/resource/10853

This FEIS species review synthesizes information on the relationship of *Pseudotsuga menziesii* var. *glauca* (Rocky Mountain Douglas-fir) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Peter D. Steinberg

Year Published: 2002

Type: Document

Synthesis

Larix occidentalis (western larch)

www.nrfirescience.org/resource/10826

This FEIS species review synthesizes information on the relationship of *Larix occidentalis* (western larch) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Janette S. Scher

Year Published: 2002

Type: Document

Synthesis

Microbial activity and nitrogen mineralization in forest mineral soils following heating: evaluation of post-fire effects

www.nrfirescience.org/resource/8292

Heat generated during fire induces chemical oxidation of soil organic matter thereby altering carbon (C) and nitrogen (N) transformations. Prior soil fire history and soil moisture content at the time of heating can be confounding factors in the interpretation of the influence of heat on soil processes. In this study we evaluated...

Author(s): Urszula Choromanska, Thomas H. DeLuca

Year Published: 2002

Type: Document

Book or Chapter or Journal Article

Cascading effects of fire exclusion in Rocky Mountain ecosystems: a literature review

www.nrfirescience.org/resource/11187

The health of many Rocky Mountain ecosystems is in decline because of the policy of excluding fire in the management of these ecosystems. Fire exclusion has actually made it more difficult to fight fires, and this poses greater risks to the people who fight fires and for those who live in and around Rocky Mountain forests and...

Author(s): Robert E. Keane, Kevin C. Ryan, Thomas T. Veblen, Craig D. Allen, Jesse A. Logan, Brad C. Hawkes

Year Published: 2002

Type: Document

Synthesis, Technical Report or White Paper

Lythrum salicaria (purple loosestrife)

www.nrfirescience.org/resource/10467

This FEIS species review synthesizes information on the relationship of *Lythrum salicaria* (purple loosestrife) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy...

Author(s): Gregory T. Munger

Year Published: 2002

Type: Document

Synthesis

Pinus edulis (Colorado pinyon)

www.nrfirescience.org/resource/10598

This FEIS species review synthesizes information on the relationship of *Pinus edulis* (Colorado pinyon) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Michelle B. Anderson

Year Published: 2002

Type: Document

Synthesis

Juniperus scopulorum (Rocky Mountain juniper)

www.nrfirescience.org/resource/10827

This FEIS species review synthesizes information on the relationship of *Juniperus scopulorum* (Rocky Mountain juniper) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Janette S. Scher

Year Published: 2002

Type: Document

Synthesis

Leymus cinereus (basin wildrye)

www.nrfirescience.org/resource/10601

This FEIS species review synthesizes information on the relationship of *Leymus cinereus* (basin wildrye) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Michelle B. Anderson

Year Published: 2002

Type: Document

Synthesis

Carduus nutans (musk thistle)

www.nrfirescience.org/resource/10494

This FEIS species review synthesizes information on the relationship of *Carduus nutans* (musk thistle) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Kristin L. Zouhar

Year Published: 2002

Type: Document

Synthesis

Schizachyrium scoparium (little bluestem)

www.nrfirescience.org/resource/10852

This FEIS species review synthesizes information on the relationship of *Schizachyrium scoparium* (little bluestem) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Peter D. Steinberg

Year Published: 2002

Type: Document

Synthesis

Tetradymia nuttallii (Nuttall's horsebrush)

www.nrfirescience.org/resource/10734

This FEIS species review synthesizes information on the relationship of *Tetradymia nuttallii* (Nuttall's horsebrush) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Janet L. Howard

Year Published: 2002

Type: Document

Synthesis

Elymus lanceolatus (thickspike wheatgrass)

www.nrfirescience.org/resource/10825

This FEIS species review synthesizes information on the relationship of *Elymus lanceolatus* (thickspike wheatgrass) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Janette S. Scher

Year Published: 2002

Type: Document

Synthesis

Tetradymia spinosa (spiny horsebrush)

www.nrfirescience.org/resource/10733

This FEIS species review synthesizes information on the relationship of *Tetradymia spinosa* (spiny horsebrush) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Janet L. Howard

Year Published: 2002

Type: Document

Synthesis

Artemisia arbuscula (low sagebrush)

www.nrfirescience.org/resource/10854

This FEIS species review synthesizes information on the relationship of *Artemisia arbuscula* (low sagebrush) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Peter D. Steinberg

Year Published: 2002

Type: Document

Synthesis

Cirsium vulgare (bull thistle)

www.nrfirescience.org/resource/10492

This FEIS species review synthesizes information on the relationship of *Cirsium vulgare* (bull thistle) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Kristin L. Zouhar

Year Published: 2002

Type: Document

Synthesis

***Centaurea solstitialis* (yellow starthistle)**

www.nrfirescience.org/resource/10484

This FEIS species review synthesizes information on the relationship of *Centaurea solstitialis* (yellow starthistle) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species'...

Author(s): Kristin L. Zouhar

Year Published: 2002

Type: Document

Synthesis

Fire as a coarse filter for snags and logs

www.nrfirescience.org/resource/11075

Fire played an important role in maintaining and creating conditions suitable for native flora and fauna in the forests of western North America. Recent coarse filter conservation strategies have advocated creating future landscapes that incorporate historic or natural ranges of variability, including fire regimes. Historic fire...

Author(s): James K. Agee

Year Published: 2002

Type: Document

Conference Proceedings, Technical Report or White Paper

***Carex geyeri* (elk sedge)**

www.nrfirescience.org/resource/10615

This FEIS species review synthesizes information on the relationship of *Carex geyeri* (elk sedge) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general...

Author(s): Amy C. Chadwick

Year Published: 2002

Type: Document

Synthesis

Landscape-scale controls over 20th century fire occurrence in two large Rocky Mountain (USA) wilderness areas

www.nrfirescience.org/resource/8140

Topography, vegetation, and climate act together to determine the spatial patterns of fires at landscape scales. Knowledge of landscape-fire-climate relations at these broad scales (1,000s ha to 100,000s ha) is limited and is largely based on inferences and extrapolations from fire histories reconstructed from finer scales. In this...

Author(s): Matthew G. Rollins, Penelope Morgan

Year Published: 2002

Type: Document
Book or Chapter or Journal Article

The role of fire in riparian zones of the northern Rocky Mountains

www.nrfirescience.org/resource/11137

While the importance of riparian systems in the northern Rocky Mountains as sources of productivity and diversity is recognized, there is little information about the interaction between pattern and process. To sustain these areas, we need to understand the characteristics of disturbance processes and how they result in patterns in...

Author(s): Elaine Kennedy Sutherland, Kevin S. McKelvey

Year Published: 2002

Type: Document

Conference Proceedings, Technical Report or White Paper

Pinus albicaulis (whitebark pine)

www.nrfirescience.org/resource/10651

This FEIS species review synthesizes information on the relationship of *Pinus albicaulis* (whitebark pine) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Janet L. Fryer

Year Published: 2002

Type: Document

Synthesis

Cynoglossum officinale (houndstongue)

www.nrfirescience.org/resource/10500

This FEIS species review synthesizes information on the relationship of *Cynoglossum officinale* (houndstongue) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy...

Author(s): Kristin L. Zouhar

Year Published: 2002

Type: Document

Synthesis

Tetradymia glabrata (littleleaf horsebrush)

www.nrfirescience.org/resource/10735

This FEIS species review synthesizes information on the relationship of *Tetradymia glabrata* (littleleaf horsebrush) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Janet L. Howard

Year Published: 2002

Type: Document

Synthesis

Balsamorhiza sagittata (arrowleaf balsamroot)

www.nrfirescience.org/resource/10789

This FEIS species review synthesizes information on the relationship of *Balsamorhiza sagittata*

(arrowleaf balsamroot) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Jack McWilliams

Year Published: 2002

Type: Document

Synthesis

Artemisia cana, Artemisia cana subsp. Bolanderi, Artemisia cana subsp. cana, Artemisia cana subsp. viscidula (silver sagebrush, Bolander silver sagebrush, plains silver sagebrush, mountain silver sagebrush)

www.nrfirescience.org/resource/10729

This FEIS species review synthesizes information on the relationship of Artemisia cana, Artemisia cana subsp. Bolanderi, Artemisia cana subsp. cana, Artemisia cana subsp. viscidula (silver sagebrush, Bolander silver sagebrush, plains silver sagebrush, mountain silver sagebrush) to fire--how fire affects the species and its habitat,...

Author(s): Janet L. Howard

Year Published: 2002

Type: Document

Synthesis

Tetradymia canescens (gray horsebrush)

www.nrfirescience.org/resource/10824

This FEIS species review synthesizes information on the relationship of Tetradymia canescens (gray horsebrush) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Janette S. Scher

Year Published: 2001

Type: Document

Synthesis

Sporobolus airoides (alkali sacaton)

www.nrfirescience.org/resource/10744

This FEIS species review synthesizes information on the relationship of Sporobolus airoides (alkali sacaton) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Kathleen A. Johnson

Year Published: 2001

Type: Document

Synthesis

Populus balsamifera subsp. trichocarpa (black cottonwood)

www.nrfirescience.org/resource/10851

This FEIS species review synthesizes information on the relationship of Populus balsamifera subsp. trichocarpa (black cottonwood) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Peter D. Steinberg

Year Published: 2001

Type: Document
Synthesis

Pinus monophylla (singleleaf pinyon)

www.nrfirescience.org/resource/10935

This FEIS species review synthesizes information on the relationship of Pinus monophylla (singleleaf pinyon) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Kristin L. Zouhar

Year Published: 2001

Type: Document

Synthesis

Populus deltoides, Populus deltoides var. deltoides, Populus deltoides var. mislizeni, Populus deltoides var. monilifera (eastern cottonwood, eastern cottonwood, Rio Grande cottonwood, plains cottonwood)

www.nrfirescience.org/resource/10862

This FEIS species review synthesizes information on the relationship of Populus deltoides, Populus deltoides var. deltoides, Populus deltoides var. mislizeni, Populus deltoides var. monilifera (eastern cottonwood, eastern cottonwood, Rio Grande cottonwood, plains cottonwood) to fire--how fire affects the species and its habitat,...

Author(s): Jane E. Taylor

Year Published: 2001

Type: Document

Synthesis

Taeniatherum caput-medusae (medusahead)

www.nrfirescience.org/resource/10447

This FEIS species review synthesizes information on the relationship of Taeniatherum caput-medusae (medusahead) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species'...

Author(s): Amy Archer

Year Published: 2001

Type: Document

Synthesis

Abies concolor (white fir)

www.nrfirescience.org/resource/10936

This FEIS species review synthesizes information on the relationship of Abies concolor (white fir) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Kristin L. Zouhar

Year Published: 2001

Type: Document

Synthesis

Ponderosa pine ecosystems restoration and conservation: steps toward stewardship; April

25-27, 2000; Flagstaff, AZ

www.nrfirescience.org/resource/11888

This volume is divided into three sections: (1) Ecological, Biological, and Physical Science; (2) Social and Cultural; and (3) Economics and Utilization. Effective ecological restoration requires a combination of science and management. The authors of the first section exemplified this integration in the course of addressing a broad...

Author(s): Regina K. Vance, Carleton B. Edminster, W. Wallace Covington, Julie A. Blake

Year Published: 2001

Type: Document

Conference Proceedings

Water use by whitebark pine and subalpine fir: potential consequences of fire exclusion in the Northern Rocky Mountains

www.nrfirescience.org/resource/8146

In subalpine forests of the northern Rocky Mountains, fire exclusion has contributed to large-scale shifts from early-successional whitebark pine (*Pinus albicaulis* Engelm.) to late-successional subalpine fir (*Abies lasiocarpa* (Hook.) Nutt.), a species assumed to be more shade tolerant than whitebark pine and with leaf to sapwood...

Author(s): Anna Sala, Elieen V. Carey, Robert E. Keane, Ragan M. Callaway

Year Published: 2001

Type: Document

Book or Chapter or Journal Article

Cirsium arvense (Canada thistle)

www.nrfirescience.org/resource/10482

This FEIS species review synthesizes information on the relationship of *Cirsium arvense* (Canada thistle) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Kristin L. Zouhar

Year Published: 2001

Type: Document

Synthesis

Evaluating a century of fire patterns in two Rocky Mountain wilderness areas using digital fire atlases

www.nrfirescience.org/resource/8139

Changes in fire size, shape, and frequency under different fire-management strategies were evaluated using time series of fire perimeter data (fire atlases) and mapped potential vegetation types (PVTs) in the Gila-Aldo Leopold Wilderness Complex (GALWC) in New Mexico and the Selway-Bitterroot Wilderness Complex (SBWC) in Idaho and...

Author(s): Matthew G. Rollins, Thomas W. Swetnam, Penelope Morgan

Year Published: 2001

Type: Document

Book or Chapter or Journal Article

Dasiphora floribunda (shrubby cinquefoil)

www.nrfirescience.org/resource/10608

This FEIS species review synthesizes information on the relationship of *Dasiphora floribunda* (shrubby cinquefoil) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,

distribution, basic...

Author(s): Michelle B. Anderson

Year Published: 2001

Type: Document

Synthesis

Ephedra viridis (green ephedra)

www.nrfirescience.org/resource/10603

This FEIS species review synthesizes information on the relationship of *Ephedra viridis* (green ephedra) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Michelle B. Anderson

Year Published: 2001

Type: Document

Synthesis

Centaurea maculosa (spotted knapweed)

www.nrfirescience.org/resource/10493

This FEIS species review synthesizes information on the relationship of *Centaurea maculosa* (spotted knapweed) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy...

Author(s): Kristin L. Zouhar

Year Published: 2001

Type: Document

Synthesis

The role of fire in juniper and pinyon woodlands: a descriptive analysis

www.nrfirescience.org/resource/10994

Among the most pronounced vegetation changes in past 130 years has been the increase in both distribution and density of juniper (*Juniperus* spp.) and pinyon (*Pinus* spp.) across the Intermountain West. Juniper and pinyon species between the Canadian and Mexican borders occupy over 30 million ha throughout this region. Prior to...

Author(s): Richard F. Miller, Robin J. Tausch

Year Published: 2001

Type: Document

Conference Proceedings

Ceanothus velutinus (snowbrush ceanothus)

www.nrfirescience.org/resource/10593

This FEIS species review synthesizes information on the relationship of *Ceanothus velutinus* (snowbrush ceanothus) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Michelle B. Anderson

Year Published: 2001

Type: Document

Synthesis

Atriplex confertifolia (shadscale)

www.nrfirescience.org/resource/10832

This FEIS species review synthesizes information on the relationship of *Atriplex confertifolia* (shadscale) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Kevin A. Simonin

Year Published: 2001

Type: Document

Synthesis

Pinus flexilis (limber pine)

www.nrfirescience.org/resource/10741

This FEIS species review synthesizes information on the relationship of *Pinus flexilis* (limber pine) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and...

Author(s): Kathleen A. Johnson

Year Published: 2001

Type: Document

Synthesis

Vaccinium scoparium (grouse whortleberry)

www.nrfirescience.org/resource/10501

This FEIS species review synthesizes information on the relationship of *Vaccinium scoparium* (grouse whortleberry) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Kathleen A. Johnson

Year Published: 2001

Type: Document

Synthesis

Nassella viridula (green needlegrass)

www.nrfirescience.org/resource/10869

This FEIS species review synthesizes information on the relationship of *Nassella viridula* (green needlegrass) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology...

Author(s): Jennifer L. Taylor

Year Published: 2001

Type: Document

Synthesis

Centaurea diffusa (diffuse knapweed)

www.nrfirescience.org/resource/10481

This FEIS species review synthesizes information on the relationship of *Centaurea diffusa* (diffuse knapweed) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Kristin L. Zouhar

Year Published: 2001

Type: Document

Synthesis

Elymus elymoides (bottlebrush squirreltail)

www.nrfirescience.org/resource/10834

This FEIS species review synthesizes information on the relationship of *Elymus elymoides* (bottlebrush squirreltail) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Kevin A. Simonin

Year Published: 2001

Type: Document

Synthesis

Acer glabrum (Rocky Mountain maple)

www.nrfirescience.org/resource/10609

This FEIS species review synthesizes information on the relationship of *Acer glabrum* (Rocky Mountain maple) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Michelle B. Anderson

Year Published: 2001

Type: Document

Synthesis

Acroptilon repens (Russian knapweed)

www.nrfirescience.org/resource/10496

This FEIS species review synthesizes information on the relationship of *Acroptilon repens* (Russian knapweed) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy,...

Author(s): Kristin L. Zouhar

Year Published: 2001

Type: Document

Synthesis

Uncertainty in surface-fire history: the case of ponderosa pine forests in the western United States

www.nrfirescience.org/resource/8257

Present understanding of fire ecology in forests subject to surface fires is based on fire-scar evidence. We present theory and empirical results that suggest that fire-history data have uncertainties and biases when used to estimate the population mean fire interval (FI) or other parameters of the fire regime. First, the population...

Author(s): William L. Baker, Donna S. Ehle

Year Published: 2001

Type: Document

Book or Chapter or Journal Article

Aspen's ecological role in the West

www.nrfirescience.org/resource/11883

Aspen exhibits a variety of ecological roles. In southern Colorado, the 1880 landscape mosaic contained a range of stand ages, of which half were >70 years old and half were younger. Pure aspen stands in southern Colorado are widespread and may result from previous short fire intervals that eliminated local conifer seed sources....

Author(s): William H. Romme, Lisa Floyd-Hanna, David D. Hanna, Elisabeth Bartlett

Year Published: 2001

Type: Document

Conference Proceedings

Salix scouleriana (Scouler willow)

www.nrfirescience.org/resource/10606

This FEIS species review synthesizes information on the relationship of *Salix scouleriana* (Scouler willow) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology,...

Author(s): Michelle B. Anderson

Year Published: 2001

Type: Document

Synthesis

Bromus madritensis, Bromus rubens (foxtail chess, red brome)

www.nrfirescience.org/resource/10469

This FEIS species review synthesizes information on the relationship of *Bromus madritensis*, *Bromus rubens* (foxtail chess, red brome) to fire--how fire affects the species and its habitat, invasiveness of the species, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on...

Author(s): Kevin A. Simonin

Year Published: 2001

Type: Document

Synthesis

Populus angustifolia (narrowleaf cottonwood)

www.nrfirescience.org/resource/10829

This FEIS species review synthesizes information on the relationship of *Populus angustifolia* (narrowleaf cottonwood) to fire--how fire affects the species and its habitat, effects of the species on fuels and fire regimes, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic...

Author(s): Kevin A. Simonin

Year Published: 2001

Type: Document

Synthesis

Comparing historic and modern forests on the Bitterroot Front

www.nrfirescience.org/resource/10967

A study was initiated in 1995 to measure landscape changes in forest structures between 1900 and 1995. A systematic sampling system was used to collect data on three forested faces on the Bitterroot Front. Over 1,200 tree cores were taken on 216 plots between the elevation range of 4,500 to 7,500 feet. Historic forests were...

Author(s): Michael G. Hartwell, Paul B. Alaback, Stephen F. Arno

Year Published: 2000

Type: Document
Conference Proceedings

Wildland fire in ecosystems: effects of fire on flora

www.nrfirescience.org/resource/12639

This state-of-knowledge review about the effects of fire on flora and fuels can assist land managers with ecosystem and fire management planning and in their efforts to inform others about the ecological role of fire. Chapter topics include fire regime classification, autecological effects of fire, fire regime characteristics and...

Year Published: 2000

Type: Document

Technical Report or White Paper

Koeleria macrantha (prairie Junegrass)

www.nrfirescience.org/resource/10830

This FEIS species review synthesizes information on the relationship of *Koeleria macrantha* (prairie Junegrass) to fire--how fire affects the species and its habitat, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general management. This species review can...

Author(s): Kevin A. Simonin

Year Published: 2000

Type: Document

Synthesis

Calamagrostis rubescens (pinegrass)

www.nrfirescience.org/resource/10755

This FEIS species review synthesizes information on the relationship of *Calamagrostis rubescens* (pinegrass) to fire--how fire affects the species and its habitat, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general management. This species review can be...

Author(s): Robin F. Matthews

Year Published: 2000

Type: Document

Synthesis

Pleuraphis jamesii (galleta)

www.nrfirescience.org/resource/10833

This FEIS species review synthesizes information on the relationship of *Pleuraphis jamesii* (galleta) to fire--how fire affects the species and its habitat, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general management. This species review can be used...

Author(s): Kevin A. Simonin

Year Published: 2000

Type: Document

Synthesis

Achnatherum nelsonii (Columbia needlegrass)

www.nrfirescience.org/resource/10938

This FEIS species review synthesizes information on the relationship of *Achnatherum nelsonii* (Columbia needlegrass) to fire--how fire affects the species and its habitat, and fire management

considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general management. This species review...

Author(s): Kristin L. Zouhar

Year Published: 2000

Type: Document

Synthesis

Danthonia unispicata (onespike oatgrass)

www.nrfirescience.org/resource/10754

This FEIS species review synthesizes information on the relationship of *Danthonia unispicata* (onespike oatgrass) to fire--how fire affects the species and its habitat, and fire management considerations.

Information is also provided on the species' taxonomy, distribution, basic biology, and general management. This species review...

Author(s): Robin F. Matthews

Year Published: 2000

Type: Document

Synthesis

Chapter 1: Introduction to wildland fire in ecosystems: effects of fire on fauna

www.nrfirescience.org/resource/12603

Fires affect animals mainly through effects on their habitat. Fires often cause short-term increases in wildlife foods that contribute to increases in populations of some animals. These increases are moderated by the animals' ability to thrive in the altered, often simplified, structure of the postfire environment. The extent of...

Author(s): Jack L. Lyon, James K. Brown, Mark H. Huff, Jane Kapler Smith

Year Published: 2000

Type: Document

Technical Report or White Paper

Variations in fire frequency and climate over the last 17,000 years in central Yellowstone National Park

www.nrfirescience.org/resource/13533

A 17000 yr fire history from Yellowstone National Park demonstrates a strong link between changes in climate and variations in fire frequency on millennial time scales. The fire history reconstruction is based on a detailed charcoal stratigraphy from Cygnet Lake in the rhyolite plateau region. Macroscopic charcoal particles were...

Author(s): Sarah H. Millspaugh, Cathy L. Whitlock, Patrick J. Bartlein

Year Published: 2000

Type: Document

Book or Chapter or Journal Article

Festuca altaica, Festuca campestris, Festuca hallii (northern rough fescue, alpine rough fescue, plains rough fescue)

www.nrfirescience.org/resource/10881

This FEIS species review synthesizes information on the relationship of *Festuca altaica*, *Festuca campestris*, *Festuca hallii* (northern rough fescue, alpine rough fescue, plains rough fescue) to fire--how fire affects the species and its habitat, and fire management considerations. Information is also provided on the species' taxonomy...

Author(s): D. A. Tirmenstein

Year Published: 2000

Type: Document

Synthesis

Wildland fire in ecosystems: effects of fire on fauna

www.nrfirescience.org/resource/12584

Fires affect animals mainly through effects on their habitat. Fires often cause short-term increases in wildlife foods that contribute to increases in populations of some animals. These increases are moderated by the animals' ability to thrive in the altered, often simplified, structure of the postfire environment. The extent of...

Year Published: 2000

Type: Document

Technical Report or White Paper

Interactions between fire, grazing, and climate change at Wind Cave National Park, SD

www.nrfirescience.org/resource/7909

Projected changes in global climate have important ramifications for the future of national parks and other reserves set aside to conserve ecological uniqueness. We explored potential implications of climatic changes on lifeform distribution and growth at Wind Cave National Park (WCNP), South Dakota, which lies on a climatically...

Author(s): Dominique Bachelet, James M. Lenihan, Christopher Daly, Ronald P. Neilson

Year Published: 2000

Type: Document

Book or Chapter or Journal Article

Danthonia spicata (poverty oatgrass)

www.nrfirescience.org/resource/10620

This FEIS species review synthesizes information on the relationship of *Danthonia spicata* (poverty oatgrass) to fire--how fire affects the species and its habitat, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general management. This species review can be...

Author(s): Daniel Covington

Year Published: 2000

Type: Document

Synthesis

Prunus virginiana (chokecherry)

www.nrfirescience.org/resource/10503

This FEIS species review synthesizes information on the relationship of *Prunus virginiana* (chokecherry) to fire--how fire affects the species and its habitat, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general management. This species review can be used...

Author(s): Kathleen A. Johnson

Year Published: 2000

Type: Document

Synthesis

Vaccinium membranaceum (big huckleberry)

www.nrfirescience.org/resource/10828

This FEIS species review synthesizes information on the relationship of *Vaccinium membranaceum* (big huckleberry) to fire--how fire affects the species and its habitat, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general

management. This species review...

Author(s): Kevin A. Simonin

Year Published: 2000

Type: Document

Synthesis

Landscape trends (1753-1993) of whitebark pine (*Pinus albicaulis*) forests in the west big hole range of Idaho/Montana

www.nrfirescience.org/resource/7965

Pinus albicaulis (whitebark pine) is an important tree species in subalpine forests of the Northern Rocky Mountains. Populations have been declining at unprecedented rates due to the introduction of an exotic pathogen and fire suppression. We initiated this study to evaluate historical trends in *Pinus albicaulis* abundance along with...

Author(s): Michael P. Murray, Stephen C. Bunting, Michael P. Murray

Year Published: 2000

Type: Document

Book or Chapter or Journal Article

***Abies grandis* (grand fir)**

www.nrfirescience.org/resource/10739

This FEIS species review synthesizes information on the relationship of *Abies grandis* (grand fir) to fire--how fire affects the species and its habitat, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general management. This species review can be used for...

Author(s): Janet L. Howard, Keith Aleksoff

Year Published: 2000

Type: Document

Synthesis

Fire, competition, and forest pests: landscape treatment to sustain ecosystem function

www.nrfirescience.org/resource/10988

Fire, competition for light and water, and native forest pests have interacted for millennia in western forests to produce a countryside dominated by seral species of conifers. These conifer-dominated ecosystems exist in six kinds of biotic communities. We divided one of these communities, the Rocky Mountain Montane Conifer Forest,...

Author(s): GERAL I. McDONALD, ALAN E. HARVEY, JONALEA R. TONN

Year Published: 2000

Type: Document

Conference Proceedings

Fire in western forest ecosystems

www.nrfirescience.org/resource/11115

Description not entered

Author(s): Stephen F. Arno

Year Published: 2000

Type: Document

Technical Report or White Paper

***Sporobolus cryptandrus* (sand dropseed)**

www.nrfirescience.org/resource/10836

This FEIS species review synthesizes information on the relationship of *Sporobolus cryptandrus* (sand dropseed) to fire--how fire affects the species and its habitat, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general management. This species review can...

Author(s): Kevin A. Simonin

Year Published: 2000

Type: Document

Synthesis

Influence of fire on native nitrogen-fixing plants and soil nitrogen status in ponderosa pine-Douglas-fir forests in western Montana

www.nrfirescience.org/resource/8258

Nitrogen fixing plants have been reported to play an important role in replacing N lost from soil in fire dominated ecosystems. Exclusion of fire from ponderosa pine (*Pinus ponderosa* Dougl. ex Laws.)-Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco) forests of western Montana has lead to widespread changes in forest structure,...

Author(s): J. A. Newland, Thomas H. DeLuca

Year Published: 2000

Type: Document

Book or Chapter or Journal Article

Mixed-severity fire regimes in the Northern Rocky Mountains: consequences of fire exclusion and options for the future

www.nrfirescience.org/resource/8426

Findings from fire history studies have increasingly indicated that many forest ecosystems in the northern Rocky Mountains were shaped by mixed-severity fire regimes, characterized by fires of variable severities at intervals averaging between about 30 and 100 years. Perhaps because mixed-severity fire regimes and their resulting...

Author(s): Stephen F. Arno, David J. Parsons, Robert E. Keane

Year Published: 2000

Type: Document

Conference Proceedings, Synthesis

Fallugia paradoxa (Apache plume)

www.nrfirescience.org/resource/10786

This FEIS species review synthesizes information on the relationship of *Fallugia paradoxa* (Apache plume) to fire--how fire affects the species and its habitat, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general management. This species review can be...

Author(s): Jack McWilliams

Year Published: 2000

Type: Document

Synthesis

Fire applications in ecosystem management

www.nrfirescience.org/resource/10965

Decades of fire absence from ponderosa pine/Douglas fir forests has resulted in overstocked, unhealthy, and severe fireprone stands requiring management attention. Prescribed fire can be used in three general situations during restoration management. First is when fuel loadings are excessive from either natural accumulation or...

Author(s): Michael G. Harrington

Year Published: 2000
Type: Document
Conference Proceedings

Native burning in western North America: implications for hardwood forest management

www.nrfirescience.org/resource/11062

It is now widely acknowledged that frequent low-intensity fires once structured many western forests. What is not generally recognized, however, is that most of those fires were purposefully set by native people, not started by lightning. Data from the Rocky Mountains attest to the widespread use of fire by native people, as does...

Author(s): Charles E. Kay
Year Published: 2000
Type: Document
Conference Proceedings

Quercus gambelii (Gambel oak)

www.nrfirescience.org/resource/10835

This FEIS species review synthesizes information on the relationship of *Quercus gambelii* (Gambel oak) to fire--how fire affects the species and its habitat, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general management. This species review can be used...

Author(s): Kevin A. Simonin
Year Published: 2000
Type: Document
Synthesis

Festuca idahoensis (Idaho fescue)

www.nrfirescience.org/resource/10937

This FEIS species review synthesizes information on the relationship of *Festuca idahoensis* (Idaho fescue) to fire--how fire affects the species and its habitat, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general management. This species review can be...

Author(s): Kristin L. Zouhar
Year Published: 2000
Type: Document
Synthesis

Symphoricarpos albus (common snowberry)

www.nrfirescience.org/resource/10783

This FEIS species review synthesizes information on the relationship of *Symphoricarpos albus* (common snowberry) to fire--how fire affects the species and its habitat, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general management. This species review can...

Author(s): Jack McWilliams
Year Published: 2000
Type: Document
Synthesis

Associated riparian communities

www.nrfirescience.org/resource/10962

Some 100 years of fire exclusion in the Interior Northwest has resulted in riparian areas dominated by dense thickets of shade-tolerant trees. If former, more open conditions could be restored, these habitats could once more support a more diverse bird community. Efforts toward this at two study sites are described.

Author(s): Colin C. Hardy, Robert E. Keane, Michael G. Harrington

Year Published: 2000

Type: Document

Conference Proceedings

Elymus canadensis (Canada wildrye)

www.nrfirescience.org/resource/10831

This FEIS species review synthesizes information on the relationship of *Elymus canadensis* (Canada wildrye) to fire--how fire affects the species and its habitat, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general management. This species review can be...

Author(s): Kevin A. Simonin

Year Published: 2000

Type: Document

Synthesis

Achnatherum lettermanii (Letterman's needlegrass)

www.nrfirescience.org/resource/10866

This FEIS species review synthesizes information on the relationship of *Achnatherum lettermanii* (Letterman's needlegrass) to fire--how fire affects the species and its habitat, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general management. This species...

Author(s): Jane E. Taylor

Year Published: 2000

Type: Document

Synthesis

Achnatherum thurberiana (Thurber needlegrass)

www.nrfirescience.org/resource/10610

This FEIS species review synthesizes information on the relationship of *Achnatherum thurberiana* (Thurber needlegrass) to fire--how fire affects the species and its habitat, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general management. This species...

Author(s): Amy Archer

Year Published: 2000

Type: Document

Synthesis

Fire in western shrubland, woodland, and grassland ecosystems

www.nrfirescience.org/resource/11116

This state-of-knowledge review about the effects of fire on flora and fuels can assist land managers with ecosystem and fire management planning and in their efforts to inform others about the ecological role of fire. Chapter topics include fire regime classification, autecological effects of fire, fire regime characteristics and...

Author(s): Timothy E. Paysen, R. James Ansley, James K. Brown, Gerald J. Gottfried, Sally M. Haase, Michael G. Harrington, Marcia G. Narog, Stephen S. Sackett, Ruth C. Wilson

Year Published: 2000

Type: Document
Synthesis, Technical Report or White Paper

Twentieth-century fire patterns in the Selway-Bitterroot Wilderness Area, Idaho/ Montana, and the Gila/Aldo Leopold Wilderness Complex, New Mexico

www.nrfirescience.org/resource/11001

Twentieth century fire patterns were analyzed for two large, disparate wilderness areas in the Rocky Mountains. Spatial and temporal patterns of fires were represented as GIS-based digital fire atlases compiled from archival Forest Service data. We find that spatial and temporal fire patterns are related to landscape features and...

Author(s): Matthew G. Rollins, Thomas W. Swetnam, Penelope Morgan

Year Published: 2000

Type: Document

Conference Proceedings

Ceanothus sanguineus (redstem ceanothus)

www.nrfirescience.org/resource/10742

This FEIS species review synthesizes information on the relationship of *Ceanothus sanguineus* (redstem ceanothus) to fire--how fire affects the species and its habitat, and fire management considerations. Information is also provided on the species' taxonomy, distribution, basic biology, and general management. This species review...

Author(s): Kathleen A. Johnson

Year Published: 2000

Type: Document

Synthesis

Historic pinyon and juniper woodland development

www.nrfirescience.org/resource/12105

Climate change influences the ecological processes driving regional vegetation change. With the paleoecological and geomorphological perspective of Holocene history, it is apparent that each vegetation change interacting with the environment sets the conditions for the next vegetation change. Because of interactions between...

Author(s): Robin J. Tausch

Year Published: 1999

Type: Document

Conference Proceedings

Ecology and management of pinyon-juniper communities within the Interior West: Overview of the "Ecological Session" of the Symposium

www.nrfirescience.org/resource/11885

Categories of papers in the "Ecological Session" were history and ecological change, distribution, classification, ecology, and physiology, succession and diversity, and disease. Substantial changes have taken place in pinyon-juniper woodlands over the past 150 years. Coinciding with and following early extensive localized...

Author(s): W. A. Laycock

Year Published: 1999

Type: Document

Conference Proceedings

Response of shrubs in big sagebrush habitats to fire on the northern Yellowstone winter range

www.nrfirescience.org/resource/15443

A wildfire on the Northern Yellowstone Winter Range (NYWR) was studied 19 years after burning to compare relative re-establishment of three big sagebrush (*Artemisia tridentata* Nutt.) and three rabbitbrush (*Chrysothamnus* Nutt.) taxa. Recovery was minimal for all three subspecies of big sagebrush, while rabbitbrush abundance was much...

Author(s): Carl L. Wambolt, Trista L. Hoffman, Chris A. Mehus

Year Published: 1999

Type: Document

Conference Proceedings

White pine in the American West: a vanishing species - can we save it?

www.nrfirescience.org/resource/13112

Forest scientists ask that everyone, from the home gardener to the forest manager, help revive western white pine by planting it everywhere, even in nonforest environments such as our neighborhood streets, parks, and backyards. White pine, long ago considered the "King Pine," once dominated the moist inland forests of the Northwest...

Author(s): Leon F. Neuenschwander, James W. Byler, Alan E. Harvey, GERAL I. McDonald, Denise S. Ortiz, Harold L. Osborne, Gerry C. Snyder, Arthur Zack

Year Published: 1999

Type: Document

Technical Report or White Paper

80 years of change in a ponderosa pine forest

www.nrfirescience.org/resource/11515

Living things change constantly, as do communities of living things. In a forest, where individual trees can live for centuries and new plants replace old plants, it is not easy to visualize the changes that occur over time. Luckily, we have some records and photos that illustrate how forests change. This poster shows how one stand...

Author(s): Helen Y. Smith, Stephen F. Arno

Year Published: 1999

Type: Document

Research Brief or Fact Sheet

Historical and modern roles of fire in pinyon-juniper

www.nrfirescience.org/resource/15391

Fire history investigations were carried out in three widely separated Great Basin pinyon-juniper woodlands in east-central Nevada, southeastern Oregon and northwestern Nevada, and western Nevada. Study results suggested frequent fires on deep soils that produced an abundance of fine fuels and infrequent fires on shallow soils and...

Author(s): George E. Gruell

Year Published: 1999

Type: Document

Book or Chapter or Journal Article

Flumes, historic water yield and climatological data for Tenderfoot Creek Experimental Forest, Montana

www.nrfirescience.org/resource/11275

The objectives of this Research Joint Venture Agreement were to install and calibrate three flumes on the Tenderfoot Creek Experimental Forest (TCEF) in central Montana; check calibration of the existing seven flumes on TCEF; estimate the influence of fire on water yields over the 400-year fire history period; and estimate back...

Author(s): Phillip E. Farnes, Ward W. McCaughey, Katherine J. Hansen
Year Published: 1999
Type: Document
Technical Report or White Paper

Miller Creek Demonstration Forest - A forest born of fire: a field guide

www.nrfirescience.org/resource/11239

Miller Creek, on the Flathead National Forest in northwest Montana, is a demonstration forest, showing up to 30 years of forest change after clearcutting and a wide range of fire treatments in 1967 and 1968. Differences in tree regeneration and vegetation development are explained for units that were clearcut and prescribed burned,...

Author(s): Penelope A. Latham, Raymond C. Shearer, Kevin L. O'Hara
Year Published: 1998
Type: Document
Technical Report or White Paper

Fire and insects in northern and boreal forest ecosystems of North America

www.nrfirescience.org/resource/7945

Fire and insects are natural disturbance agents in many forest ecosystems, often interacting to affect succession, nutrient cycling, and forest species composition. We review literature pertaining to effects of fire-insect interactions on ecological succession, use of prescribed fire for insect pest control, and effects of fire on...

Author(s): Deborah G. McCullough, Richard A. Werner, David Neumann
Year Published: 1998
Type: Document
Book or Chapter or Journal Article, Synthesis

Fire history of an isolated subalpine mountain range of the intermountain region, United States

www.nrfirescience.org/resource/11438

Fire has historically been an important ecological component of forests in the Intermountain Region of the northwestern United States. This study is set in a small biogeographically disjunct mountain range. Our research objectives were to (1) investigate the historical frequency, severity, size, and spatial pattern of fire; (2)...

Author(s): Michael P. Murray, Stephen C. Bunting, Penelope Morgan
Year Published: 1998
Type: Document
Book or Chapter or Journal Article

Environmental assessment: Tenderfoot Creek Experimental Forest - Vegetative treatment research project, Kings Hill Ranger District, Lewis and Clark National Forest, Meagher County, Montana

www.nrfirescience.org/resource/11513

Environmental assessment of the Tenderfoot Research Project. This research project proposes to harvest timber in two treatment subwatersheds, Spring Park Creek and Sun Creek. The silvicultural system proposed is a two-aged system termed 'shelterwood with reserves,' that uses even distribution of single or small groups and uneven...

Author(s): Gloria E. Flora, Ward W. McCaughey
Year Published: 1998
Type: Document
Management or Planning Document

Mapping historic fire regimes for the western United States: integrating remote sensing and biophysical data

www.nrfirescience.org/resource/7937

We have developed a spatial database of historic natural fire regimes for the eleven western States to provide information in support of expected national increases in prescribed burning. Fire regimes are described in terms both of frequency and severity, and we have classified five distinct fire regimes:

Author(s): Colin C. Hardy, James P. Menakis, Donald G. Long, James K. Brown, David L. Bunnell

Year Published: 1998

Type: Document

Conference Proceedings

Historic role of fire in determining annual water yield from Tenderfoot Creek Experimental Forest, Montana

www.nrfirescience.org/resource/11029

Water production from mountain watersheds depends on total precipitation input, the type and distribution of precipitation, the amount intercepted in tree canopies, and losses to evaporation, transpiration and groundwater. A systematic process was developed to estimate historic average annual runoff based on fire patterns, habitat...

Author(s): Ward W. McCaughey, Phillip E. Farnes, Katherine J. Hansen

Year Published: 1997

Type: Document

Conference Proceedings

Vegetation structure in old-growth stands in the Coram Research Natural Area in northwestern Montana

www.nrfirescience.org/resource/13138

Forest stand structure, understory composition, and tree seedling composition are described for eight permanent tenth-hectare plots established in Engelmann spruce/subalpine fir, western larch, and interior Douglas-fir forest cover types in northwestern Montana. Sites have been protected as examples of old-growth stands since the...

Author(s): Caryl L. Elzinga, Raymond C. Shearer

Year Published: 1997

Type: Document

Technical Report or White Paper

Old-growth ponderosa pine and western larch stand structures: influences of pre-1900 fires and fire exclusion

www.nrfirescience.org/resource/11967

Presents detailed age structure for two western larch stands that historically experienced frequent fires. Compares age structures of eleven ponderosa pine and western larch stands representing a broad range of sites that had frequent fires. Interprets causal factors possibly linked to variations in stand age structures.

Author(s): Stephen F. Arno, Helen Y. Smith, Michael A. Krebs

Year Published: 1997

Type: Document

Technical Report or White Paper

Fire episodes in the Inland Northwest (1540-1940) based on fire history data

www.nrfirescience.org/resource/11233

Presents maps of major fire episodes in the inland northwestern United States between 1540 and 1940

based on a compilation of fire history studies. Estimates annual acreage historically burned in this region and compares that with recent fire years.

Author(s): Stephen W. Barrett, Stephen F. Arno, James P. Menakis

Year Published: 1997

Type: Document

Technical Report or White Paper

Restoring fire in lodgepole pine forests of the Intermountain West

www.nrfirescience.org/resource/8347

We are developing new management treatments for regenerating and sustaining lodgepole pine (*Pinus contorta*) forests through emulation of natural disturbance processes. Lodgepole pine is the principal forest cover on over 26 million hectares in western North America. While infrequent, stand replacing fires following mountain pine...

Author(s): Colin C. Hardy, Ward W. McCaughey

Year Published: 1997

Type: Document

Book or Chapter or Journal Article

The ecological implications of fire in Greater Yellowstone, proceedings of the second biennial conference on the Greater Yellowstone Ecosystem

www.nrfirescience.org/resource/11989

Proceedings of the second biennial conference on the Greater Yellowstone Ecosystem.

Author(s): Jason Greenlee

Year Published: 1996

Type: Document

Conference Proceedings

Reestablishing fire-adapted communities to riparian forests in the ponderosa pine zone

www.nrfirescience.org/resource/11248

Ecological research has implicated the practice of fire exclusion as a major contributor to forest health problems in the semiarid ponderosa pine (*Pinus ponderosa*) zone of the Inland West (Mutch and others 1993; Sampson and others 1994). Prior to 1900, frequent, low-intensity fires occurred on upland forests in this forest zone at...

Author(s): Matthew K. Arno

Year Published: 1996

Type: Document

Technical Report or White Paper

The role of fire in Research Natural Areas in the Northern Rockies and Pacific Northwest

www.nrfirescience.org/resource/11244

Forest Service Research Natural Areas are established to preserve examples of all significant natural ecosystems for comparison with those influenced and/or managed by humans, to provide educational and research areas for ecological and environmental studies, and to preserve gene pools for typical and rare and endangered species....

Author(s): Sarah E. Greene, Angela Evenden

Year Published: 1996

Type: Document

Technical Report or White Paper

Testing the assumptions of fire-history studies: an examination of modern charcoal

accumulation in Yellowstone National Park, USA

www.nrfirescience.org/resource/11931

The interpretation of sedimentary charcoal in lakes rests on several assumptions that concern the source of charcoal, the timing of charcoal introduction, and the patterns of charcoal accumulation within a lake following fire. To examine empirically such assumptions, eight small lakes were sampled over a five-year period to...

Author(s): Cathy L. Whitlock, Sarah H. Millsbaugh

Year Published: 1996

Type: Document

Book or Chapter or Journal Article

Restoring recreational and residential forests

www.nrfirescience.org/resource/11249

Several decades of fire suppression following logging around the turn-of-the-century has produced dense, even-age stands of ponderosa pine (*Pinus ponderosa*) and Douglas-fir (*Pseudotsuga menziesii*). They contrast with the original forests where frequent, low-intensity fires gave rise to open, parklike, and often uneven-age stands of...

Author(s): Joe H. Scott

Year Published: 1996

Type: Document

Technical Report or White Paper

Examples of fire restoration in Glacier National Park

www.nrfirescience.org/resource/11252

Covering just over 1 million acres, Glacier National Park straddles the Continental Divide in northwestern Montana. Diverse vegetation communities include moist western cedar- western hemlock (*Thuja plicata* - *Tsuga heterophylla*) old growth forests similar to those of the Pacific Coast, dry western grasslands and prairies, dense...

Author(s): Laurie L. Kurth

Year Published: 1996

Type: Document

Technical Report or White Paper

Long-term recovery of Wyoming big sagebrush after four treatments

www.nrfirescience.org/resource/15445

Long-term recovery of Wyoming big sagebrush (*Artemisia tridentata*ssp.wyomingensis) after four treatments was investigated. Treatments at a south-western Montana site were spraying with 2,4-D, plowing and rotocutting, all applied in 1963, and burning applied in 1964. The treatments and an experimental control (no...

Author(s): Myles J. Watts, Carl L. Wambolt

Year Published: 1996

Type: Document

Book or Chapter or Journal Article

The concept: restoring ecological structure and process in ponderosa pine forests

www.nrfirescience.org/resource/11245

Elimination of the historic pattern of frequent low-intensity fires in ponderosa pine and pine-mixed conifer forests has resulted in major ecological disruptions. Prior to 1900, open stands of large, long-lived, fire-resistant ponderosa pine were typical. These were accompanied in some areas by other fire-dependent species such as...

Author(s): Stephen F. Arno

Year Published: 1996
Type: Document
Technical Report or White Paper

A 750-year fire history based on lake sediment records in central Yellowstone National Park

www.nrfirescience.org/resource/13532

A 750-year fire history was reconstructed for the Central Plateau of Yellowstone National Park from the deep-water sediments of five lakes. The charcoal record from a large lake provided a chronology of regional fires. Data from four small lakes were used to study local and extralocal fires. The co-occurrence of abundant charcoal...

Author(s): Sarah H. Millspaugh, Cathy L. Whitlock

Year Published: 1995

Type: Document

Book or Chapter or Journal Article

Age-class structure of old growth ponderosa pine/Douglas-fir stands and its relationship to fire history

www.nrfirescience.org/resource/11268

Describes age structure of nine old growth ponderosa pine/Douglas-fir stands in western Montana. Interprets the influence of past fires and 20th century fire exclusion on stand structure. Gives implications for management to restore and maintain these forests for multiple resource values.

Author(s): Stephen F. Arno, Joe H. Scott, Michael G. Hartwell

Year Published: 1995

Type: Document

Technical Report or White Paper

Restoring fire-dependent ponderosa pine forests in western Montana

www.nrfirescience.org/resource/13364

Many foresters and ecologists recognize that disruption of the historic pattern of frequent fires in ponderosa pine forests has resulted in major ecological changes, including increasingly severe wildfires and insect and disease epidemics (Weaver, 1943; Covington and Moore, 1992; Mutch and others, 1993; Everett, 1994). In response...

Author(s): Stephen F. Arno, Michael G. Harrington, Carl E. Fiedler, Clinton E. Carlson

Year Published: 1995

Type: Document

Book or Chapter or Journal Article

Fire regimes on andesitic mountain terrain in northeastern Yellowstone National Park, Wyoming

www.nrfirescience.org/resource/8196

A fire history investigation was conducted for three forest community types in the Absaroka Mountains of Yellowstone National Park, Wyoming. Master fire chronologies were based on fire-initiated age classes and tree fire scars. The area's major forest type, lodgepole pine (*Pinus contorta* Dougl. var. *latifolia*) ecosystems, revealed a...

Author(s): Stephen W. Barrett

Year Published: 1994

Type: Document

Book or Chapter or Journal Article

Fire conditions and pre- and postoccurrence of annual grasses on the Snake River Plain

www.nrfirescience.org/resource/12047

Fire has been an important factor in the development of the vegetation of the Snake River Plain. Prior to Euro-American influence, fire helped determine the physiognomy and species composition of many communities. The occurrence of fire varied widely depending on the vegetation present, topography, and other factors. This impact can...

Author(s): Erin F. Peters, Stephen C. Bunting

Year Published: 1994

Type: Document

Conference Proceedings, Synthesis, Technical Report or White Paper

Comparing the prescribed natural fire program with presettlement fires in the Selway-Bitterroot Wilderness

www.nrfirescience.org/resource/8217

The severity and extent of recent fires (1979-1990) were compared with that of presettlement fires (pre-1935) by eight major forest types in the Selway-Bitterroot Wilderness (SBW) in Idaho and Montana. Presettlement fire intervals were determined for estimating area burned. Presettlement annual area burned for the entire SBW was 4,...

Author(s): James K. Brown, Stephen F. Arno, Stephen W. Barrett, James P. Menakis

Year Published: 1994

Type: Document

Book or Chapter or Journal Article

Fire history of Tenderfoot Creek Experimental Forest Lewis and Clark National Forest

www.nrfirescience.org/resource/13158

The landscape and stand-level fire history of lodgepole pine dominated forest in Tenderfoot Creek Experimental Forest is assessed. Primary objective were to: 1) determine pre-1900 fire periodicities, severities, and burning patterns in the area's lodgepole pine dominated stands, and 2) document and map the forest age class mosaic,...

Author(s): Stephen W. Barrett

Year Published: 1993

Type: Document

Technical Report or White Paper

Forest structure and landscape patterns in the subalpine lodgepole pine type: a procedure for quantifying past and present conditions

www.nrfirescience.org/resource/11269

Presents a method of quantitatively representing the mosaic of stand types on a small landscape in the subalpine lodgepole pine forest type. The method utilizes macroplots placed systemically on a transect grid. Structure and composition of both current and past stands are inventories. Procedures for data analysis and interpretation...

Author(s): Stephen F. Arno, Elizabeth D. Reinhardt, Joe H. Scott

Year Published: 1993

Type: Document

Technical Report or White Paper

Postglacial vegetation and climate of Grand Teton and southern Yellowstone National Parks

www.nrfirescience.org/resource/13516

Pollen records from northern Grand Teton National Park, the Pinyon Peak Highlands, and southern Yellowstone National Park were examined to study the pattern of reforestation and climatic change following late—Pinedale Glaciation. The vegetational reconstruction was aided by analyses of associated plant macrofossils and the modern...

Author(s): Cathy L. Whitlock

Year Published: 1993
Type: Document
Book or Chapter or Journal Article

Fuel moisture, forest type, and lightning-caused fire in Yellowstone National Park

www.nrfirescience.org/resource/13568

The occurrence and behavior of lightning-caused fires in Yellowstone National Park were summarized for 17 years (1972-1988) during a prescribed natural fire program. Both ignition (occurrence) and spread (Stand replacing fire activity) of fires were strongly influenced by fuel moisture and forest cover type. Fuel moisture estimates...

Author(s): Roy A. Renkin, Don G. Despain
Year Published: 1992
Type: Document
Book or Chapter or Journal Article

Influence of fire on factors that affect site productivity

www.nrfirescience.org/resource/12002

Presettlement fire played an important role in nutrient conversion, plant succession, diversity, and stand dynamics in coniferous forests of western North America. Prescribed fire can maintain site quality and contribute to control of insect and disease problems while reducing wildfire hazard. Fire effects on soils are largely...

Author(s): Roger D. Hungerford, Michael G. Harrington, William H. Frandsen, Kevin C. Ryan, Gerald J. Niehoff
Year Published: 1991
Type: Document
Conference Proceedings, Technical Report or White Paper

Management and productivity of western-montane forest soils, proceedings

www.nrfirescience.org/resource/12000

Includes 35 papers and six poster synopses presenting state-of-the-art knowledge on the nature and problems of integrating soils information and expertise into management of inland western forest resources. Papers emphasize regional information, but include data from world literature and previously unpublished material from regional...

Author(s): Alan E. Harvey, Leon F. Neuenschwander
Year Published: 1991
Type: Document
Conference Proceedings, Technical Report or White Paper

Increment-borer methods for determining fire history in coniferous forests

www.nrfirescience.org/resource/11178

Describes use of increment borers for interpreting fire history in coniferous forests. These methods are intended for use in wilderness, parks, and other natural areas where sawing cross-sections from fire-scarred trees is prohibited.

Author(s): Stephen W. Barrett, Stephen F. Arno
Year Published: 1988
Type: Document
Technical Report or White Paper

Proceedings: Pinyon-Juniper Conference, Reno, NV, January 13-16, 1986

www.nrfirescience.org/resource/12117

Includes more than 90 papers bringing together research accomplishments of the last 10 years including ongoing research on the ecology and management of pinyon-juniper ecosystems. Scientist and management points of view are presented.

Author(s): Richard L. Everett

Year Published: 1987

Type: Document

Conference Proceedings, Technical Report or White Paper

Forest fire frequency and western spruce budworm outbreaks in western Montana

www.nrfirescience.org/resource/7908

Duration and intensity of western spruce budworm (*Christoneura occidentalis* Freeman) outbreaks have increased with the decrease in forest fire frequency in Montana since 1910. Frequency of budworm outbreaks, however, was not affected. Feeding activity and fire occurrence were measured in 20 mixed Douglas-fir (*Pseudotsuga menziesii*...

Author(s): Leslie Anderson, Clinton E. Carlson, Ronald H. Wakimoto

Year Published: 1987

Type: Document

Book or Chapter or Journal Article

The care and feeding of increment borers

www.nrfirescience.org/resource/12436

An increment borer is a precision instrument specially designed to extract a thin cylinder of wood from a tree, shrub, log or pole. It is available in a variety of sizes ranging in length from 4 inches to 40 inches. Although the increment borer is essentially a very simple instrument, it is relatively expensive. Proper operation and...

Author(s): James K. Agee, Mark H. Huff

Year Published: 1986

Type: Document

Technical Report or White Paper

Fire, logging, and white-tailed deer interrelationships in the Swan Valley, northwestern Montana

www.nrfirescience.org/resource/11056

The historical importance of fire was investigated on the upper Swan Valley winter white-tailed deer range in northwestern Montana. The relatively recent impacts of logging on winter range quality were also included in these studies. Fire exclusion has led to successional development of once open-canopied mature seral forests, and...

Author(s): June D. Freedman, James R. Habeck

Year Published: 1985

Type: Document

Conference Proceedings, Technical Report or White Paper

Size class structure and tree dispersion patterns in old-growth cedar-hemlock forests of the Northern Rocky Mountains

www.nrfirescience.org/resource/13118

Tree population size structures and dispersion patterns were studied using stem maps in three old-growth western hemlock (*Tsuga heterophylla* Sarg.)—western redcedar (*Thuja plicata* Donn.) stands in the Rocky Mountains of northern Idaho and adjacent Washington. The two species were codominant in one stand, hemlock dominated the...

Author(s): David Turner, Eldon H. Franz

Year Published: 1985

Type: Document

Book or Chapter or Journal Article

Livestock grazing influences on community structure, fire intensity, and fire frequency within the Douglas-fir/ninebark habitat type

www.nrfirescience.org/resource/13126

Influences of livestock grazing on community structure, fire intensity, and normal fire frequency in the Douglas-fir/ninebark (*Pseudotsuga menziesii*/*Physocarpus malvaceus*) habitat type were studied at the University of Idaho's experimental forest in northern Idaho. Livestock grazing caused increased tree numbers...

Author(s): G. Thomas Zimmerman, Leon F. Neuenschwander

Year Published: 1984

Type: Document

Book or Chapter or Journal Article

Fire and vegetative trends in the Northern Rockies: interpretations from 1871-1982 photographs

www.nrfirescience.org/resource/11260

Interprets changes in forest and range vegetation resulting from the absence of fire. Eighty-six matched photographs covering the period 1871-1982 provide the basis for describing how vegetation has changed in various plant communities. These scenes show that woody vegetation has increased markedly as a result of reduced wildfire....

Author(s): George E. Gruell

Year Published: 1983

Type: Document

Technical Report or White Paper

Fire frequency reduced two orders of magnitude in the Bitterroot Canyons, Montana

www.nrfirescience.org/resource/8231

The fire cycle in low-elevation mesic coniferous forests of the Bitterroot Canyons, Montana, has changed from about 60 years before European settlement to about 7500 years between 1910 and 1980. The decreased fire frequency may be responsible for increased severity of western spruce bud worm outbreaks (*Choristoneura occidentalis*...

Author(s): Bruce McCune

Year Published: 1983

Type: Document

Book or Chapter or Journal Article

Fire history at the forest-grassland ecotone in southwestern Montana

www.nrfirescience.org/resource/15375

The history and influence of fires was studied at the forest-grassland ecotone in high valleys of southwestern Montana. Investigations were focused upon several sites having early landscape photographs and modern retakes that allow for detection of vegetational changes. Fire intervals were determined for these sites by analyzing...

Author(s): Stephen F. Arno, George E. Gruell

Year Published: 1983

Type: Document

Book or Chapter or Journal Article

Variation in estimates of fire intervals: a closer look at fire history on the Bitterroot National Forest

www.nrfirescience.org/resource/11958

The authors examine variation in the length of mean intervals between fires (occurring between the years 1600 and 1910) in sample units of various sizes, ranging from a point on the ground (single tree) to a large stand (200 to 800 acres; 80 to 320 hectares). Recommendations are made regarding appropriate sizes of sample units for...

Author(s): Stephen F. Arno, Terry D. Petersen

Year Published: 1982

Type: Document

Technical Report or White Paper

Indian fires as an ecological influence in the Northern Rockies

www.nrfirescience.org/resource/7910

The importance of fire as an ecological disturbance in the Northern Rockies is well accepted. Lightning is generally thought to have been the main source of ignition prior to settlement by Europeans. But writings of explorers and pioneers mention deliberate burning by Indians frequently enough to warrant an investigation of its...

Author(s): Stephen W. Barrett, Stephen F. Arno

Year Published: 1982

Type: Document

Book or Chapter or Journal Article

Fire intensity and frequency as factors in the distribution and structure of northern ecosystems

www.nrfirescience.org/resource/8406

Most presettlement Canadian and Alaskan boreal forests and Rocky Mountain subalpine forests had lightning fire regimes of large-scale crown fires and high-intensity surface fires, causing total stand replacement on fire rotations (or cycles) to 50 to 200 years. Cycles and fire size varied with latitude, elevation, and topographic...

Author(s): Miron L. Heinselman

Year Published: 1981

Type: Document

Conference Proceedings

Fire frequency in subalpine forests of Yellowstone National Park

www.nrfirescience.org/resource/12042

Dead woody fuels were sampled in 16 upland forest stands representing a chronosequence of forest successional stages. Different fuel components show different temporal patterns, but adequate levels of all components necessary for an intense crown fire are not present simultaneously until stand age 300-400 yr. Therefore, the average...

Author(s): William H. Romme

Year Published: 1980

Type: Document

Conference Proceedings, Technical Report or White Paper

Fire ecology of Lolo National Forest habitat types

www.nrfirescience.org/resource/11913

This report summarizes available information on fire as an ecological factor for forest habitat types occurring on the Lolo National Forest. The Lolo National Forest habitat types are grouped into 10 Fire Groups based primarily on fire's role in forest succession. For each Fire Group, information is presented on (1) the relationship...

Author(s): Kathleen M. Davis, Bruce D. Clayton, William C. Fischer

Year Published: 1980

Type: Document

Technical Report or White Paper

Fire history terminology: report of the ad hoc committee

www.nrfirescience.org/resource/12410

It is often quite difficult to compare fire history studies conducted by different investigators because different terms may be used to refer to the same concept and the same term may be used to refer to different concepts. To help resolve this difficulty, an ad hoc committee was formed early in the course of the workshop with the...

Author(s): William H. Romme

Year Published: 1980

Type: Document

Conference Proceedings, Technical Report or White Paper

Forest fire history in the Northern Rockies

www.nrfirescience.org/resource/13121

Recent fire-scar studies in the northern Rocky Mountains have documented forest fire history over the past few centuries. They reveal that in some forest types fire maintained many-aged open stands of seral trees. In other types, major fires caused replacement of the stands. Often, however, fires burned at variable intensities,...

Author(s): Stephen F. Arno

Year Published: 1980

Type: Document

Book or Chapter or Journal Article

Workshop summary: who cares about fire history?

www.nrfirescience.org/resource/10996

Threads of continuity ran through this excellent workshop. The workshop was characterized by an abiding interest in a common terminology, concern about scale (how large, or small, an area can be represented), the resolution of data required to make effective management decisions, recognition of the limitations of fire history...

Author(s): Robert W. Mutch

Year Published: 1980

Type: Document

Conference Proceedings, Technical Report or White Paper

Indian fires in the pre-settlement forests of western Montana

www.nrfirescience.org/resource/12043

Presents preliminary results of a two-year study examining the pattern of Indian fires in western Montana's lower elevation forests. Interviews and historic journals were used to reconstruct the characteristics of aboriginal burning. Fire scar data from paired stands indicate substantial differences in fire frequency between Indian...

Author(s): Stephen W. Berrett

Year Published: 1980

Type: Document

Conference Proceedings

Fire history of a western larch/Douglas-fir forest type in northwestern Montana

www.nrfirescience.org/resource/12044

Mean frequencies were about 120 years for valleys and montane slopes and 150 years for subalpine slopes in this western larch/Douglas-fir forest from 1735 to 1976. Fires were small and moderately

intense with occasional high intensity runs. Single burns thinned the overstory favoring mixed conifer regeneration. Multiple burns...

Author(s): Kathleen M. Davis

Year Published: 1980

Type: Document

Conference Proceedings, Technical Report or White Paper

Fire history of western redcedar/hemlock forests in northern Idaho

www.nrfirescience.org/resource/12041

Evidence of fire history over the past few centuries was gathered in two areas (totaling 30,000 acres; 6000 ha) for fire management planning. Findings are some of the first detailed data for western redcedar-hemlock forests. On upland habitat types fires of variable intensities generally occurred at 50-to-150-year intervals, often...

Author(s): Stephen F. Arno, Dan H. Davis

Year Published: 1980

Type: Document

Conference Proceedings, Technical Report or White Paper

The dendrochronology of fire history

www.nrfirescience.org/resource/12411

Dendrochronology, the study of annual rings in woody plants, has developed into a useful tool for a number of different fields of study. Based on the interaction of trees and the climate, it is possible to use tree-rings as proxy data in reconstruction of past climates and river runoff. It has been a dating tool of archaeologists....

Author(s): Marvin A. Stokes

Year Published: 1980

Type: Document

Conference Proceedings, Technical Report or White Paper

Fire's influence on wildlife habitat on the Bridger-Teton National Forest, Wyoming - Volume I: photographic record and analysis

www.nrfirescience.org/resource/12151

The Bridger-Teton National Forest in the Jackson Hole Region of Wyoming has long been recognized for its wildlife resource. Management efforts have emphasized the measurement of forage utilization by elk (*Cervus canadensis nelsoni*) and their effect on summer and winter ranges. Less consideration has been given to other biotic and...

Author(s): George E. Gruell

Year Published: 1980

Type: Document

Technical Report or White Paper

The role and use of fire in sagebrush-grass and pinyon-juniper plant communities: a state-of-the-art review

www.nrfirescience.org/resource/11908

Fire frequencies averaged 32 to 70 years in sagebrush-grass communities. Early spring and late fall fires are the least harmful to perennial grasses, although small plants and those with coarse stems are more tolerant of fire than large plants and those with leafy stems. Cheatgrass can be suppressed by burning in early summer, but...

Author(s): Henry A. Wright, Leon F. Neuenschwander, Carlton M. Britton

Year Published: 1979

Type: Document

Synthesis, Technical Report or White Paper

A method for determining fire history in coniferous forests in the Mountain West

www.nrfirescience.org/resource/11176

An improved version is presented of a method previously used [see FA 40, 169]. Instructions are given for: laying out transects; gathering stand data, including documenting fire-scarred trees; sampling fire-scarred trees; laboratory analysis of tree cross-sections; correlating fire chronologies; and calculating fire frequency. The...

Author(s): Stephen F. Arno, Kathy M. Sneck

Year Published: 1977

Type: Document

Technical Report or White Paper

The fire history of Coram Experimental Forest

www.nrfirescience.org/resource/13148

This thesis documents the fire history and assesses the role of fire in the western larch/Douglas-fir forest of the Coram Experimental Forest in northwestern Montana. Primary attention was given to the frequency, areal spread, relative severity, and effects of fires prior to the advent of active suppression efforts in order to...

Author(s): Kathy M. Sneck

Year Published: 1977

Type: Document

Dissertation or Thesis

The historical role of fire on the Bitterroot National Forest

www.nrfirescience.org/resource/11175

Presents frequencies, intensities, and influences of fire on stand structure and composition on the Bitterroot National Forest in west-central Montana. Three study areas were established, each having a wide range of elevations and forest types. Findings are based upon study of nearly 900 individual fire scars on living trees, and on...

Author(s): Stephen F. Arno

Year Published: 1976

Type: Document

Technical Report or White Paper

Fire ecology questions survey: candid expressions of research needs by land managers and scientists in western North America

www.nrfirescience.org/resource/11907

Contains 910 sets of forest fire ecology questions mailed to the authors by 302 land managers and scientists throughout the western United States and Canada. Questions were submitted in response to a survey of important research needs for understanding the effects of fire and fire exclusion in western coniferous forest ecosystems....

Author(s): Alan R. Taylor, Ronald N. Kickert, David H. Firmage, Mark J. Behan

Year Published: 1975

Type: Document

Technical Report or White Paper

The ecological role of fire in natural conifer forests of western and northern North America

www.nrfirescience.org/resource/7940

Contains an introductory paper by the editors, and, in addition to papers separately noticed [see the

next three abstracts], the following: Fire in the virgin forests of the Boundary Waters Canoe Area, Minnesota (M.L. Heinselman, 99 ref.); The importance of fire as a natural ecological factor in Itasca State Park, Minnesota (S.S....

Author(s): Miron L. Heinselman, Herbert E. Wright

Year Published: 1973

Type: Document

Book or Chapter or Journal Article

Forest fire history...a computer method of data analysis

www.nrfirescience.org/resource/11215

A series of computer programs is available to extract information from the individual Fire Reports (U.S. Forest Service Form 5100-29). The programs use a statistical technique to fit a continuous distribution to a set of sampled data. The goodness-of-fit program is applicable to data other than the fire history.

Data summaries...

Author(s): Romain Mees

Year Published: 1973

Type: Document

Technical Report or White Paper

Fire-dependent forests in the Northern Rocky Mountains

www.nrfirescience.org/resource/7935

One objective of wilderness and parkland fire ecology research is to describe the relationships between fire and unmanaged ecosystems, so that strategies can be determined that will provide a more nearly natural incidence of fire. More than 50 years of efforts directed toward exclusion of wildland fires in the Northern Rocky...

Author(s): James R. Habeck, Robert W. Mutch

Year Published: 1973

Type: Document

Book or Chapter or Journal Article

Wildfires in northern Yellowstone National Park

www.nrfirescience.org/resource/15398

A sample of 40 fire-scarred trees was used to reconstruct the frequency and size of fires during the past 300-400 years in northern Yellowstone National Park. Best estimates of frequency suggested mean intervals of about 20-25 years between fires, after adjustments had been made for the recent influence of modern man. Agreement in...

Author(s): Douglas B. Houston

Year Published: 1973

Type: Document

Book or Chapter or Journal Article

Restoring frequent-fire forests and landscapes

www.nrfirescience.org/resource/14061

Restoring the frequent-fire forests and landscapes: Science, pragmatism, and the critical role of collaborative groups. Jerry F. Franklin, Professor, University of Washington. Recorded talk from 2013 Restoring the West Conference at Utah State University. The conference focused on forest resilience and change agents in the West. By...

Type: Media

Video

Why fire scar formation differs among tree species and why it matters

www.nrfirescience.org/resource/15101

This webinar was presented as part of the 2016-2017 RMRS Fire Sciences Laboratory's weekly seminar series.

Type: Media

Seminar

Tenderfoot Creek Experimental Forest

www.nrfirescience.org/resource/50

The Tenderfoot Creek Experimental Forest (TCEF) was established in 1961 and is representative of the vast expanses of lodgepole pine (*Pinus contorta*) found east of the Continental Divide in Montana, southwest Alberta, and Wyoming. Lodgepole pine stands on the experimental forest form a mosaic, typical of the fire-prone forests at...

Type: Demonstration Site

Experimental Forest

Demystifying LANDFIRE's biophysical settings descriptions and models and tentative data

www.nrfirescience.org/resource/14489

The LANDFIRE Program collaborated with experts across the country for more than a decade to create a unique product describing the characteristics and basic ecology of hundreds of ecosystems. This product, known as the Biophysical Settings (BpS) Descriptions and Models, consists of two components: 1) a quantitative state-and-...

Type: Media

Webinar

Fire, historical change, and resilience management in quaking aspen

www.nrfirescience.org/resource/13336

Utah State University Forestry Extension hosted this fifteenth "Learn at Lunch" webinar. Quaking Aspen forests are among the West's most iconic landscapes. In this month's Learn at Lunch webinar, three aspen experts will address fire regimes, ecosystem disturbances, and managing for aspen resilience. Douglas Shinneman...

Type: Media

Webinar

From decades to millennia: long-term perspectives on the causes and consequences of wildfire

www.nrfirescience.org/resource/15808

Studying the causes and ecosystem consequences of wildfire and shifting fire regimes is challenging, because of the slowly varying (centennial-scale) processes involved. This is particularly true in stand-replacing fire regimes, where mean return intervals exceed 100 years. Advances in paleoecology continue to improve our...

Type: Media

Seminar

The big burn - the largest fire in American History

www.nrfirescience.org/resource/14011

In the summer of 1910, hundreds of wildfires raged across the Northern Rockies. By the time it was all over, more than three million acres had burned and at least 78 firefighters were dead. It was the largest fire in American history.

Type: Media

Video

Recent forest research on the Flathead Indian Reservation: It's not just for driving through any more

www.nrfirescience.org/resource/14343

The Flathead Indian Reservation spreads over 1.3 million acres of western Montana valleys and mountains; over 780,000 acres of these lands are managed as forest resources by the Confederated Salish and Kootenai Tribes (CSKT). Tribal Forestry has been, especially since the 1999-2000 Forest Management Plan and Fire...

Type: Media

Webinar

Whitebark pine response to past climate change and fire activity: are we underestimating the resilience of the species?

www.nrfirescience.org/resource/13287

This is a video recording of a presentation from the 12th Biennial Scientific Conference on the Greater Yellowstone Ecosystem. The presentation focused on using paleoecological records to inform potential future changes in whitebark pine with climate change predictions.

Type: Media

Video

Finding the best available science on fire effects and fire regimes in northwestern and Northern Rockies ecosystems

www.nrfirescience.org/resource/13953

The Northern Rockies Fire Science Network and Northwest Fire Science Consortium teamed up with Fire Effects Information System (FEIS) staff to introduce new fire regime products and demonstrate new search functions to inform fire management planning and decision-making in the Northwest and Northern Rocky Mountain regions. ...

Type: Media

Webinar

Got veggies? LANDFIRE Biophysical Setting (BpS) review

www.nrfirescience.org/resource/13249

LANDFIRE is updating about 1500 Biophysical Settings vegetation models and descriptions. Randy Swaty, ecologist on The Nature Conservancy's LANDFIRE team, talks about how LF developed Biophysical Settings vegetation - BpS - descriptions and models, and he sets the stage for the upcoming BpS review. While this overview of features...

Type: Media

Webinar

A science framework for assessing threats to sagebrush ecosystems and greater sage-grouse and prioritizing conservation and restoration actions

www.nrfirescience.org/resource/14880

On September 26, Jeanne Chambers, U.S. Forest Service Rocky Mountain Research Station, and Steve Hanser, U.S. Geological Survey, discussed the tools and methods developed as part of the Science Framework for the Conservation and Restoration Strategy of Sec. Order 3336. Department of the Interior Secretary Order 3336 called for...

Type: Media

Webinar

The pyrogeography of western North America: how climate has affected fire regimes and fire history across the west, and where we may be going in the future

www.nrfirescience.org/resource/12870

A recent surge of scientific knowledge and interest in fire climatology derives from two factors: increasing understanding of broad-scale ocean-atmosphere climate forcings, such as the El Niño-Southern Oscillation, and their teleconnections to regional and local patterns of droughts and wildfires, and mounting evidence that global...

Type: Media

Webinar

An overview of past, current, and future LANDFIRE data products and methods

www.nrfirescience.org/resource/14268

Since its inception in 2003, the LANDFIRE project has employed a wide range of nationally consistent methods in order to produce a large suite of vegetation and fuel and fire regime products for the fire management community. These products have also been found to be useful for many other applications. Over this time, a number of...

Type: Media

Video

Herbivory in aspen forests: ecological context and mechanisms of defense

www.nrfirescience.org/resource/13719

The pressures facing quaking aspen (*Populus tremuloides*) forests in the Intermountain West are multifaceted. Fire suppression, climate change and browsing pressure by ungulates are just several of the factors that threaten the health of this foundation species. Here we present two leading scientists in North America who study aspen...

Type: Media

Webinar

Recent fire trends in Oregon

www.nrfirescience.org/resource/14208

This presentation was recorded during the 2016 State of the State and Forest Health Conference in Corvallis, OR.

Type: Media

Video

Past and future wildfire in the Interior West

www.nrfirescience.org/resource/13668

Speaker: Richard Guyette, Associate Research Professor, School of Natural Resources, University of Missouri. Event: Restoring the West Conference - Restoration and Fire in the Interior West.

Type: Media

Video

Fire regimes, stand structure, and fuel loads in current and reconstructed riparian and upland forests

www.nrfirescience.org/resource/14085

Fire history, stand structure, and fuel loads in adjacent riparian and upland forests were measured in the Sierra Nevada and southern Cascades. Historic stand structure and fuel loads were then reconstructed using fire history and current stand data. Current and reconstructed riparian and upland forests were compared to determine if...

Type: Media

Webinar

Fire history and regeneration dynamics of low-elevation Douglas-fir forests in the Grand Teton area

www.nrfirescience.org/resource/15153

This presentation was part of the 13th Biennial Scientific Conference on the Greater Yellowstone Ecosystem held at Jackson Lake Lodge in Grand Teton National Park, October 4-6, 2016. The conference theme was Building on the Past, Leading into the Future: Sustaining the Greater Yellowstone Ecosystem in the Coming Century.

Type: Media

Webinar

How long-term records of fire can inform fire ecology and management

www.nrfirescience.org/resource/13664

Speech Title: Are Recent Large and Severe Fires Really Extraordinary? How Long-Term Records of Fire Can Inform Fire Ecology and Management in the Western U.S. Speaker: Jen Pierce, Associate Professor, Department of Geosciences, Boise State University. Event: Restoring the West Conference 2015: Restoration and Fire in the...

Type: Media

Video

From principles to practice: restoring dry, frequent-fire forests in the face of global change

www.nrfirescience.org/resource/14063

From principles to practice: Restoring dry, frequent-fire forests in the face of global change along Colorado's Front Range. Rob Addington, Research Associate, Colorado Forest Restoration Institute, Colorado State University. Recorded talk from 2013 Restoring the West Conference at Utah State University. The conference focused on...

Type: Media

Video

FIREHouse: The Northwest and Alaska Fire Research Clearinghouse

www.nrfirescience.org/resource/144

FIREHouse provides user-friendly, web-based information about fire science and technology relevant to Washington, Oregon, Idaho and Alaska. For each project posted, the goal is to provide, as applicable, online, searchable access to: (1) project and tool descriptions, contact information and links; (2) on-line publications; (3)...

Type: Website

Website

Restoring what? Pattern, process, and large longitudinal data sets

www.nrfirescience.org/resource/14060

Restoring what? Pattern, process, and large longitudinal data sets. James Lutz, Assistant Professor, Utah State University. Recorded talk from 2013 Restoring the West Conference at Utah State University. The conference focused on forest resilience and change agents in the West. By Utah State University Extension Forestry. www....

Type: Media

Video

Bitterroot Valley history: the fuel landscape

www.nrfirescience.org/resource/13307

In this video, Steve Arno describes the fire history of Montana's Bitterroot Valley. This was filmed on a bus ride through the Bitterroot Valley during the Fires of 2000 field trip that was part of the Large Wildland Fires Conference in Missoula from May 19-23, 2014.

Type: Media

Video

Sources and implications of bias and uncertainty in a century of US wildfire activity data

www.nrfirescience.org/resource/12941

This seminar was presented by Karen Short of the USDA Forest Service Rocky Mountain Research Station, Missoula Fire Science Lab. It was presented as part of the 2014 RMRS Fire Sciences Laboratory's weekly seminar series.

Type: Media

Seminar

Combining dendrochronology and aerial photography to reconstruct spatiotemporal patterns of fire severity in mixed-severity fire regimes of the northern Rockies

www.nrfirescience.org/resource/14341

This webinar was presented as part of the 2015-2016 RMRS Fire Sciences Laboratory's weekly seminar series.

Type: Media

Seminar

Fire history of Jackson Hole (Grand Teton NP and Bridger Teton NF)

www.nrfirescience.org/resource/13286

This is a video recording of a presentation from the 12th Biennial Scientific Conference on the Greater Yellowstone Ecosystem. The presentation focused on fire history and fire regimes in Jackson Hole, which supports vegetation and topography that are different from Yellowstone NP.

Type: Media

Video

100 years of wildland fire research

www.nrfirescience.org/resource/13773

This seminar presented by Diane Smith, Research Historian with the USFS. It was presented as part of the 2015 RMRS Fire Sciences Laboratory's weekly seminar series.

Type: Media

Seminar

Past, present, and future in the forests of California's Sierra Nevada: variability in forest response to environmental change, and the role of management in promoting ecosystem resilience

www.nrfirescience.org/resource/13224

During this Webinar, Dr. Safford contrasted the ecology and temporal trends (historical to current to projected future) of lower montane (oak woodland, yellow pine, mixed conifer) vs. upper montane (red fir) and subalpine forests in the Sierra Nevada, focusing on impacts of three classes of environmental stressors: climate change,...

Type: Media

Webinar

Clark's nutcracker demography and habitat selection in the face of whitebark pine decline

www.nrfirescience.org/resource/13734

Over five years (2009-2013), through radio tracking and conducting occupancy, fledgling and habitat surveys, I documented nutcracker reproductive success, habitat selection, movement patterns, foraging ecology, and occupancy in areas with variable WBP mortality. (1) Clark's nutcrackers at the site experienced...

Type: Media

Video

Quaking aspen management: a presentation by the Western Aspen Alliance

www.nrfirescience.org/resource/14879

On October 27, Paul Rogers of the Western Aspen Alliance discussed the impact of climate change on aspen ecosystems, with an emphasis on aspen fire types. The presentation covered the variability of aspen responses to fire and emphasized unique fire-related systems to wean practitioners from one-size-fits-all prescriptions for aspen...

Type: Media

Webinar

The ability of wildfire to act as a fuel treatment

www.nrfirescience.org/resource/12802

This webinar highlighted results from a study investigating the ability of wildfire to act as a fuel treatment. The study evaluated whether or not wildfires limited the occurrence, size, and severity of subsequent wildfires in four large wilderness complexes in Idaho, Montana, and New Mexico. The study focused on protected areas to...

Type: Media

Webinar

LANDFIRE fire regime products

www.nrfirescience.org/resource/14264

LANDFIRE fire regime products characterize reference fire frequency and severity and vegetation departure for the entire U.S. The datasets in this product suite include Biophysical Settings, Succession Class, Fire Regime Group, Mean Fire Return Interval, Reference Fire Severity, Vegetation Departure and Vegetation Condition Class....

Type: Media

Video

The origins of forest service wildland fire research

www.nrfirescience.org/resource/15188

On March 27th, the Geographical Sciences Committee hosted a workshop, a Century of Wildland Fire Research: Contributions to Long-term Approaches for Wildland Fire Management. This workshop explored the history of wildland fire research in the United States, the priorities for future research and state of the science, and how to...

Type: Media

Webinar

Quaking aspen: a burning desire in an 'asbestos forest'

www.nrfirescience.org/resource/13673

Speaker: Paul Rogers, Director, Western Aspen Alliance, Adjunct Associate Professor, Utah State University. Event: Restoring the West Conference 2015 - Restoration and Fire in the Interior West.

Type: Media

Video

Whitebark Pine

www.nrfirescience.org/resource/16397

This seminar was presented as part of the 2017-2018 Firelab Seminar series. It covered new research on changes in Whitebark pine forests that are being conducted Montana and Idaho.

Type: Media

Seminar

2016 Season Summary

www.nrfirescience.org/resource/15166

A summary of the 2016 US Fire Season.

Type: Media

Video

Tree-ring reconstructions of fire and forest histories

www.nrfirescience.org/resource/13666

Speaker: Peter M. Brown, Director, Rocky Mountain Tree-Ring Research. Event: Restoring the West Conference 2015 - Restoration and Fire in the Interior West.

Type: Media

Video

Catching fire: prescribed burning in Northern California

www.nrfirescience.org/resource/205

Catching Fire tells a compelling story of how a small but committed group of local, tribal, state and federal land managers are bringing back the use of prescribed fire as a tool to protect communities and ecosystems across Northern California. It examines the use of fire by the Karuk Tribe of California, and the connection between...

Type: Media

Video

Mapping evidence of historical and potential wildfire for climate change and fuels mitigation in the montane forests of the Colorado Front Range

www.nrfirescience.org/resource/14067

Mapping evidence of historical and potential wildfire for climate change and fuels mitigation in the montane forests of the Colorado Front Range. Rosemary Sherriff, Associate Professor, Humboldt State University. Recorded talk from 2013 Restoring the West Conference at Utah State University. The conference focused on forest...

Type: Media

Video

Yellowstone and Grand Teton's ecological past as a tool for understanding the future

www.nrfirescience.org/resource/15147

This presentation was part of the 13th Biennial Scientific Conference on the Greater Yellowstone Ecosystem held at Jackson Lake Lodge in Grand Teton National Park, October 4-6, 2016. The conference theme was Building on the Past, Leading into the Future: Sustaining the Greater Yellowstone Ecosystem in the Coming Century.

Type: Media

Webinar