

Post-fire water-quality response in the western United States

www.nrfirescience.org/resource/17502

Wildfires are increasing in size and severity in forested landscapes across the Western United States. Not only do fires alter land surfaces, but they also affect the surface water quality in downstream systems. Previous studies of individual fires have observed an increase in various forms of nutrients, ions, sediments and metals...

Author(s): Ashley J. Rust, Terri S. Hogue, Samuel Saxe, John McCray

Year Published: 2018

Type: Document

Book or Chapter or Journal Article

In ecoregions across western USA streamflow increases during post-wildfire recovery

www.nrfirescience.org/resource/17411

Continued growth of the human population on Earth will increase pressure on already stressed terrestrial water resources required for drinking water, agriculture, and industry. This stress demands improved understanding of critical controls on water resource availability, particularly in water-limited regions. Mechanistic...

Author(s): Michael L. Wine, Daniel Cadol, Oleg Makhnin

Year Published: 2018

Type: Document

Book or Chapter or Journal Article

The phosphorus-rich signature of fire in the soil-plant system: a global meta-analysis

www.nrfirescience.org/resource/17361

The biogeochemical and stoichiometric signature of vegetation fire may influence post-fire ecosystem characteristics and the evolution of plant 'fire traits'. Phosphorus (P), a potentially limiting nutrient in many fire-prone environments, might be particularly important in this context; however, the effects of fire on P cycling...

Author(s): Orpheus M. Butler, James J. Elser, Tom Lewis, Brendan Mackey, Chengrong Chen

Year Published: 2018

Type: Document

Book or Chapter or Journal Article

Combination of Landsat and Sentinel-2 MSI data for initial assessing of burn severity

www.nrfirescience.org/resource/17251

Nowadays Earth observation satellites, in particular Landsat, provide a valuable help to forest managers in post-fire operations; being the base of post-fire damage maps that enable to analyze fire impacts and to develop vegetation recovery plans. Sentinel-2A MultiSpectral Instrument (MSI) records data in similar spectral...

Author(s): Carmen Quintano, Alfonso Fernández-Manso, O. Fernández-Manso

Year Published: 2018

Type: Document

Book or Chapter or Journal Article

Mixed-severity fire fosters heterogeneous spatial patterns of conifer regeneration in a dry conifer forest

www.nrfirescience.org/resource/17138

We examined spatial patterns of post-fire regenerating conifers in a Colorado, USA, dry conifer forest 11–12 years following the reintroduction of mixed-severity fire. We mapped and measured all post-fire regenerating conifers, as well as all other post-fire regenerating trees and all residual (i.e., surviving) trees, in three 4-...

Author(s): Sparkle L. Malone, Paula J. Fornwalt, Michael A. Battaglia, Marin Chambers, Jose M. Iniguez, Carolyn Hull Sieg
Year Published: 2018
Type: Document
Book or Chapter or Journal Article

Post-wildfire seeding to restore native vegetation and limit exotic annuals: an evaluation in juniper-dominated sagebrush steppe

www.nrfirescience.org/resource/17926

Reestablishment of perennial vegetation is often needed after wildfires to limit exotic species and restore ecosystem services. However, there is growing body of evidence that questions if seeding after wildfires increases perennial vegetation and reduces exotic plants. The concern that seeding may not meet restoration goals is even...

Author(s): Kirk W. Davies, Jonathan D. Bates, Chad S. Boyd
Year Published: 2018
Type: Document
Book or Chapter or Journal Article

Advancing Fire Science with Large Forest Plots and a Long-Term Multidisciplinary Approach

www.nrfirescience.org/resource/17105

Large, spatially explicit forest plots have the potential to address currently understudied aspects of fire ecology and management, including the validation of physics-based fire behavior models and next-generation fire effects models. Pre-fire forest structures, fire-mediated mortality, and post-fire forest development can be...

Author(s): James A. Lutz, Andrew J. Larson, Mark E. Swanson
Year Published: 2018
Type: Document
Book or Chapter or Journal Article

Recent post-wildfire salvage logging benefits local and landscape floral and bee communities

www.nrfirescience.org/resource/17899

Understanding the implications of shifts in disturbance regimes for plants and pollinators is essential for successful land management. Wildfires are essential natural disturbances that are important drivers of forest biodiversity, and there is often pressure to respond to wildfire with management like post-wildfire logging (i.e.,...

Author(s): Laura J. Heil, Laura A. Burkle
Year Published: 2018
Type: Document
Book or Chapter or Journal Article

Fire planning for multispecies conservation: integrating growth stage and fire severity

www.nrfirescience.org/resource/17417

Setting suitable conservation targets is an important part of ecological fire planning. Growth-stage optimisation (GSO) determines the relative proportions of post-fire growth stages (categorical representations of time since fire) that maximise species diversity, and is a useful method for determining such targets. Optimisation...

Author(s): Matthew Swan, Holly Sitters, Jane G. Cawson, Thomas J. Duff, Yohannes Wibisono, Alan York
Year Published: 2018
Type: Document
Book or Chapter or Journal Article

Overlapping bark beetle outbreaks, salvage logging and wildfire restructure a lodgepole pine ecosystem

www.nrfirescience.org/resource/17365

The 2010 Church's Park Fire burned beetle-killed lodgepole pine stands in Colorado, including recently salvage-logged areas, creating a fortuitous opportunity to compare the effects of salvage logging, wildfire and the combination of logging followed by wildfire. Here, we examine tree regeneration, surface fuels, understory plants...

Author(s): Charles C. Rhoades, Kristen Pelz, Paula J. Fornwalt, Brett Wolk, Anthony S. Cheng

Year Published: 2018

Type: Document

Book or Chapter or Journal Article

Successional changes in trophic interactions support a mechanistic model of post-fire population dynamics

www.nrfirescience.org/resource/17313

Models based on functional traits have limited power in predicting how animal populations respond to disturbance because they do not capture the range of demographic and biological factors that drive population dynamics, including variation in trophic interactions. I tested the hypothesis that successional changes in vegetation...

Author(s): Annabel L. Smith

Year Published: 2018

Type: Document

Book or Chapter or Journal Article

Interactions between large high-severity fires and salvage logging on a short return interval reduce the regrowth of fire-prone serotinous forests

www.nrfirescience.org/resource/17175

New fire disturbance regimes under accelerating global environmental change can have unprecedented consequences for ecosystem resilience, lessening ecosystem natural regeneration. In the Mediterranean Basin, fire-dependent obligate seeder forests that are prone to increasingly frequent stand-replacing fires and then salvaged logged...

Author(s): Angela Taboada, Víctor Fernández-García, Elena Marcos, Leonor Calvo

Year Published: 2018

Type: Document

Book or Chapter or Journal Article

Post-fire surface fuel dynamics in California forests across three burn severity classes

www.nrfirescience.org/resource/17129

Forest wildfires consume fuel and are followed by post-fire fuel accumulation. This study examines post-fire surface fuel dynamics over 9 years across a wide range of conditions characteristic of California fires in dry conifer and hardwood forests. We estimated post-fire surface fuel loadings (Mg ha⁻¹) from 191 repeatedly...

Author(s): Bianca N. I. Eskelson, Vicente J. Monleon

Year Published: 2018

Type: Document

Book or Chapter or Journal Article

Anticipating fire-mediated impacts of climate change using a demographic framework

www.nrfirescience.org/resource/17910

Climate change indirectly affects forest ecosystems through changes in the frequency, size, and/or severity of wildfires. In addition to its direct effects prior to fire, climate also influences immediate postfire recruitment, with consequences for future vegetation structure and fire activity. A major uncertainty, therefore, is if...

Author(s): Kimberley T. Davis, Philip E. Higuera, Anna Sala

Year Published: 2018

Type: Document

Book or Chapter or Journal Article

The long-term legacy of the 2002 Hayman fire on water quality and treatability - Final Report to the Joint Fire Science Program

www.nrfirescience.org/resource/16997

Forested watersheds supply drinking water for millions of people in the United States. The increased frequency and severity of wildfires during recent decades have elevated public concern regarding source water protection. Large, high-severity wildfires alter the physical and biological conditions that determine how watersheds...

Author(s): Charles C. Rhoades, Alex Chow

Year Published: 2017

Type: Document

Technical Report or White Paper

Evaluating the effectiveness of agricultural mulches for reducing post-fire wind erosion

www.nrfirescience.org/resource/16578

Post-wildfire soil erosion can be caused by water or aeolian processes, yet most erosion research has focused on predominantly water-driven erosion. This study investigates the effectiveness of three agricultural mulches, with and without a tackifier, on aeolian sediment transport processes. A wind tunnel was used to simulate post-...

Author(s): Peter R. Robichaud, Jyoti Jennewein, B.S. Sharratt, Sarah A. Lewis, Robert E. Brown

Year Published: 2017

Type: Document

Book or Chapter or Journal Article

The influence of incident management teams on the deployment of wildfire suppression resources

www.nrfirescience.org/resource/15494

Despite large commitments of personnel and equipment to wildfire suppression, relatively little is known about the factors that affect how many resources are ordered and assigned to wildfire incidents and the variation in resources across incident management teams (IMTs). Using detailed data on suppression resource assignments for...

Year Published: 2017

Type: Document

Book or Chapter or Journal Article

Do Post-Fire Mulching Treatments Affect Regeneration in Serotinous Lodgepole Pine?

www.nrfirescience.org/resource/16336

Broadcast mulching is a widely implemented post-fire erosion control method, although it remains uncertain how it affects post-fire regeneration in serotinous conifers. We used field data and unbiased conditional inference trees with random effects to test if mulching affects lodgepole pine (*Pinus contorta* Dougl. ex Loud. var....

Author(s): Micah Wright, Monique E. Rocca

Year Published: 2017

Type: Document
Book or Chapter or Journal Article

Impacts of salvage logging on biodiversity – A meta-analysis

www.nrfirescience.org/resource/15274

Logging to 'salvage' economic returns from forests impacted by natural disturbances has become increasingly prevalent globally. Despite potential negative effects on biodiversity, salvage logging is often conducted, even in areas otherwise excluded from logging and reserved for nature conservation, inter alia because...

Author(s): Simon Thorn, Claus Bassler, Roland Brandl, Philip J. Burton, John L. Campbell, Rebecca Cahall, Jorge Castro, Chang-Yong Choi, Tyler Cobb, Daniel C. Donato, Ewa Durska, Joseph B. Fontaine, Sylvie Gauthier, Christian Hebert, Torsten Hothorn, Richard L. Hutto, Eun-Jae Lee, Alexandro B. Leverkus, David B. Lindenmayer, Martin K. Obrist, Josep Rost, Sebastian Seibold, Rupert Seidl, Dominik Thom, Kaysandra Waldron, Beat Wermelinger, Maria-Barbara Winter, Michal Zmihorski, Jorg Muller

Year Published: 2017

Type: Document
Book or Chapter or Journal Article

Estimating aboveground tree biomass for beetle-killed lodgepole pine in the Rocky Mountains of northern Colorado

www.nrfirescience.org/resource/16593

The recent mountain pine beetle (*Dendroctonus ponderosae* Hopkins) epidemic has affected millions of hectares of conifer forests in the Rocky Mountains. Land managers are interested in using biomass from beetle-killed trees for bioenergy and biobased products, but they lack adequate information to accurately estimate biomass in...

Author(s): Woodam Chung, Paul Evangelista, Nathaniel Anderson, Anthony Vorster, Hee Han, Krishna Poudel, Robert Sturtevant

Year Published: 2017

Type: Document
Book or Chapter or Journal Article

Literature review: effects of salvage logging on riparian zones in coniferous forests of eastern Washington and adjacent regions

www.nrfirescience.org/resource/17487

This Synthesis Report represents the contract final report for Washington State Department of Natural Resources [DNR] contract number PSC 93-095317, titled Literature Review and Synthesis Related to Salvage of Fire Damaged Timber. For this literature review project, contemporary research information was requested by the Scientific...

Author(s): Stephen W. Barrett, Matthew J. Reilly

Year Published: 2017

Type: Document
Technical Report or White Paper

Predicting post-fire tree mortality for 12 western US conifers using the First-Order Fire Effects Model (FOFEM)

www.nrfirescience.org/resource/16493

Accurate prediction of fire-caused tree mortality is critical for making sound land management decisions such as developing burning prescriptions and post-fire management guidelines. To improve efforts to predict post-fire tree mortality, we developed 3-year post-fire mortality models for 12 Western conifer species—white fir (...)

Author(s): Sharon M. Hood, Duncan C. Lutes
Year Published: 2017
Type: Document
Book or Chapter or Journal Article

Characterising resource use and potential inefficiencies during large-fire suppression in the western US

www.nrfirescience.org/resource/15492

Currently, limited research on large-fire suppression effectiveness suggests fire managers may over-allocate resources relative to values to be protected. Coupled with observations that weather may be more important than resource abundance to achieve control objectives, resource use may be driven more by risk aversion than...

Author(s): Hari Katuwal, Christopher J. Dunn, David E. Calkin
Year Published: 2017
Type: Document
Book or Chapter or Journal Article

The effect of salvage logging on surface fuel loads and fuel moisture in beetle-infested lodgepole pine forests

www.nrfirescience.org/resource/15246

Widespread tree mortality from mountain pine beetle (MPB; *Dendroctonus ponderosae* Hopkins) outbreaks has prompted forest management activities to reduce crown fire hazard in the Rocky Mountain region. However, little is known about how beetle-related salvage logging and biomass utilization options affect woody surface fuel loads and...

Author(s): Paul R. Hood, Kellen N. Nelson, Charles C. Rhoades, Daniel B. Tinker
Year Published: 2017
Type: Document
Book or Chapter or Journal Article

Mixed-severity fire and salvage logging in dry forests of Oregon's western Cascades

www.nrfirescience.org/resource/15054

Interest in PNW forests is shifting from a focus on old-growth forests alone to include the ecological value and processes of early-seral communities. However, focusing on the alpha and omega states of a linear successional model does not account for the suite of conditions derived from mixed-severity fire common in many forests....

Author(s): Christopher J. Dunn, John D. Bailey
Year Published: 2017
Type: Document
Technical Report or White Paper

Seed Production Estimation for Mountain Big Sagebrush (*Artemisia tridentata* ssp. *vaseyana*)

www.nrfirescience.org/resource/16095

Seed production is an essential component of post disturbance recovery for mountain big sagebrush (*Artemisia tridentata* Nutt. ssp. *vaseyana* [Rydb] Beetle; MBS). We tested a method for rapid estimation of MBS seed production using measurements of inflorescence morphology. We measured total stem length, stem length from first branchlet...

Author(s): Melissa L. Landeen, Loreen Allphen, Stanley G. Kitchen, Stephen L. Petersen
Year Published: 2017
Type: Document
Book or Chapter or Journal Article

Effects of post-fire logging on fuel dynamics in a mixed-conifer forest, Oregon, USA: a 10-year assessment

www.nrfirescience.org/resource/14429

Removal of fire-killed trees (i.e. post-fire or salvage logging) is often conducted in part to reduce woody fuel loads and mitigate potential reburn effects. Studies of post-salvage fuel dynamics have primarily used chronosequence or modelling approaches, with associated limitations; longitudinal studies tracking fuels over time...

Author(s): John L. Campbell, Daniel C. Donato, Joseph B. Fontaine

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

Response of native versus exotic plant guilds to cattle and elk herbivory in forested rangeland

www.nrfirescience.org/resource/13843

Are exotic plant species favoured by non-native ungulate herbivores and disadvantaged by native herbivores in forested rangelands? Do the impacts of ungulates on exotic vs native plants depend on forest management activities such as prescribed fire and stand thinning? Location: Northeastern Oregon, USA. Methods: We recorded changes...

Author(s): Burak K. Pekin, Michael J. Wisdom, Catherine G. Parks, Bryan A. Endress, Bridgett J. Naylor

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

Rapid-response tools and datasets for post-fire remediation: linking remote sensing and process-based hydrological models

www.nrfirescience.org/resource/14641

Post-wildfire flooding and erosion can threaten lives, property and natural resources. Increased peak flows and sediment delivery due to the loss of surface vegetation cover and fire-induced changes in soil properties are of great concern to public safety. Burn severity maps derived from remote sensing data reflect fire-induced...

Author(s): Mary Ellen Miller, William J. Elliot, Peter R. Robichaud, Kevin A. Endsley

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

Twenty-four years after the Yellowstone Fires: are postfire lodgepole pine stands converging in structure and function?

www.nrfirescience.org/resource/14475

Disturbance and succession have long been of interest in ecology, but how landscape patterns of ecosystem structure and function evolve following large disturbances is poorly understood. After nearly 25 years, lodgepole pine (*Pinus contorta* var. *latifolia*) forests that regenerated after the 1988 Yellowstone Fires (Wyoming, USA)...

Author(s): Monica G. Turner, Timothy G. Whitby, Daniel B. Tinker, William H. Romme

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

Rapid response tools and datasets for post-fire modeling: linking earth observations and process-based hydrological models to support post-fire remediation

www.nrfirescience.org/resource/15538

Post-wildfire flooding and erosion can threaten lives, property and natural resources. Increased peak flows and sediment delivery due to the loss of surface vegetation cover and fire-induced changes in soil properties are of great concern to public safety. Burn severity maps derived from remote sensing data reflect fire-induced...

Author(s): Mary Ellen Miller, Michael Billmire, William J. Elliot, Kevin A. Endsley, Peter R. Robichaud

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

Post-fire logging produces minimal persistent impacts on understory vegetation in northeastern Oregon, USA

www.nrfirescience.org/resource/14354

Post-fire forest management commonly requires accepting some negative ecological impacts from management activities in order to achieve management objectives. Managers need to know, however, whether ecological impacts from post-fire management activities are transient or cause long-term ecosystem degradation. We studied the long...

Author(s): David W. Peterson, Erich K. Dodson

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

Where do animals come from during post-fire population recovery? Implications for ecological and genetic patterns in post-fire landscapes

www.nrfirescience.org/resource/17232

Identifying where animals come from during population recovery can help to understand the impacts of disturbance events and regimes on species distributions and genetic diversity. Alternative recovery processes for animal populations affected by fire include external recolonization, nucleated recovery from refuges, or in situ...

Author(s): Sam C. Banks, Lachlan McBurney, David Blair, Ian D. Davies, David B. Lindenmayer

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

Evaluating the ecological impacts of salvage logging: can natural and anthropogenic disturbances promote coexistence?

www.nrfirescience.org/resource/17458

Salvage logging following windthrow is common throughout forests worldwide even though the practice is often considered inimical to forest recovery. Because salvaging removes trees, crushes seedlings, and compacts soils, many warn this practice may delay succession, suppress diversity, and alter composition. Here, over 8 yr...

Author(s): Alejandro A. Royo, Chris J. Peterson, John Stuart Stanovick, Walter P. Carson

Year Published: 2016

Type: Document

Book or Chapter or Journal Article

The integrated rangeland fire management strategy actionable science plan

www.nrfirescience.org/resource/14697

The Integrated Rangeland Fire Management Strategy (hereafter Strategy, DOI 2015) outlined the need for coordinated, science-based adaptive management to achieve long-term protection, conservation, and restoration of the sagebrush (*Artemisia* spp.) ecosystem. A key component of this management approach is the...

Author(s): Integrated Rangeland Fire Management Strategy Actionable Science Plan Team
Year Published: 2016
Type: Document
Management or Planning Document

Soil heating during the complete combustion of mega-logs and broadcast burning in central Oregon USA pumice soils

www.nrfirescience.org/resource/14604

The environmental effect of extreme soil heating, such as occurs with the complete combustion of large downed wood during wildfires, is a post-fire management concern to forest managers. To address this knowledge gap, we stacked logs to create 'mega-log' burning conditions and compared the temperature, duration and penetration...

Author(s): Jane E. Smith, Ariel D. Cowan, Stephen A. Fitzgerald
Year Published: 2016
Type: Document
Book or Chapter or Journal Article

Ecological Effects of Post-fire Salvage Logging in the Pacific Northwest

www.nrfirescience.org/resource/15729

Post-fire salvage logging is typically proposed as a means of recovering some of the lost economic value in dead or damaged trees. The ecological consequences of salvage, however, are often considered negative from the perspective of soils, hydrology, and wildlife habitat resources, although species responses do vary. Early...

Author(s): Matthew J. Reilly, Thomas A. Spies, Paul F. Hessburg
Year Published: 2015
Type: Document
Research Brief or Fact Sheet

Post-fire logging reduces surface woody fuels up to four decades following wildfire

www.nrfirescience.org/resource/16307

Severe wildfires create pulses of dead trees that influence future fuel loads, fire behavior, and fire effects as they decay and deposit surface woody fuels. Harvesting fire-killed trees may reduce future surface woody fuels and related fire hazards, but the magnitude and timing of post-fire logging effects on woody fuels have not...

Author(s): David W. Peterson, Erich K. Dodson, Richy J. Harrod
Year Published: 2015
Type: Document
Book or Chapter or Journal Article

Effects of post-fire salvage logging and a skid trail treatment on ground cover, soils, and sediment production in the interior western United States

www.nrfirescience.org/resource/12829

Post-fire salvage logging adds another set of environmental effects to recently burned areas, and previous studies have reported varying impacts on vegetation, soil disturbance, and sediment production with limited data on the underlying processes. Our objectives were to determine how: (1) ground-based post-fire logging affects...

Author(s): Joseph W. Wagenbrenner, Lee H. MacDonald, Robert N. Coats, Peter R. Robichaud, Robert E. Brown
Year Published: 2015
Type: Document
Book or Chapter or Journal Article

The ecological importance of mixed-severity fire: nature's phoenix

www.nrfirescience.org/resource/16303

If you are a curious reader with a knack for the analytical, you may be asking yourself, Why start a book about fire ecology with a mythological figure? And if you are a tried-and-true scientist, like we are, you may also be asking, Isn't it a bit risky to mix myth with science, fact with fiction, observation with mystique, nature...

Year Published: 2015

Type: Document

Book or Chapter or Journal Article

Rapid response tools and datasets for post-fire modeling: linking earth observations and process-based hydrological models to support post-fire remediation

www.nrfirescience.org/resource/13466

Preparation is key to utilizing Earth Observations and process-based models to support post-wildfire mitigation. Post-fire flooding and erosion can pose a serious threat to life, property and municipal water supplies. Increased runoff and sediment delivery due to the loss of surface cover and fire-induced changes in soil...

Author(s): Mary Ellen Miller, Michael Billmire, William J. Elliot, Kevin A. Endsley, Peter R. Robichaud

Year Published: 2015

Type: Document

Conference Proceedings

Hillslope erosion two and three years after wildfire, skyline salvage logging, and site preparation in southern Oregon, USA

www.nrfirescience.org/resource/16306

Harvest of dead timber following wildfire is contentious because of a perception that the benefits are outweighed by environmental costs. One primary concern is the potential for increased erosion susceptibility associated with timber extraction (i.e. salvage logging) and site preparation. We measured erosion at the Timbered Rock...

Author(s): Robert A. Slesak, Stephen H. Schoenholtz, Daniel Evans

Year Published: 2015

Type: Document

Book or Chapter or Journal Article

Assessing soil and vegetation recovery following the 2005 School Fire, Umatilla National Forest - 10-year update

www.nrfirescience.org/resource/12811

Following the 2005 School Fire which burned ~ 50,000 acres across forest and grasslands, managers were particularly concerned with treating severely burned areas to mitigate weed spread and to limit soil erosion. Various mulching treatments (wheat straw, wood strand, and hydromulch) were implemented to control...

Author(s): Peter R. Robichaud, Penelope Morgan, Leigh B. Lentile, Sarah A. Lewis, Andrew T. Hudak, Deborah S. Page-Dumroese

Year Published: 2015

Type: Document

Research Brief or Fact Sheet

Vegetation response to burn severity, native grass seeding, and salvage logging

www.nrfirescience.org/resource/13422

As the size and extent of wildfires has increased in recent decades, so has the cost and extent of post-fire management, including seeding and salvage logging. However, we know little about how burn severity, salvage logging, and post-fire seeding interact to influence vegetation recovery long-term. We sampled understory plant...

Author(s): Penelope Morgan, Marshall Moy, Christine A. Droske, Leigh B. Lentile, Sarah A. Lewis, Peter R. Robichaud, Andrew T. Hudak, Christopher Jason Williams

Year Published: 2015

Type: Document

Book or Chapter or Journal Article

Prescribed fire effects on resource selection by cattle in mesic sagebrush steppe. part 1: spring grazing

www.nrfirescience.org/resource/12148

Prescribed fire is commonly applied world-wide as a tool for enhancing habitats and altering resource-selection patterns of grazing animals. A scientific basis for this practice has been established in some ecosystems but its efficacy has not been rigorously evaluated on mesic sagebrush steppe. Beginning in 2003, resource-selection...

Author(s): Patrick E. Clark, Jaechoul Lee, Kyungduk Ko, Ryan M. Nielson, Douglas E. Johnson, David C. Ganskopp, Joe Chigbrow, Frederick B. Pierson, Stuart P. Hardegree

Year Published: 2014

Type: Document

Book or Chapter or Journal Article

Ecological Consequences Of Mountain Pine Beetle Outbreaks For Wildlife In Western North American Forests

www.nrfirescience.org/resource/17469

Mountain pine beetle (*Dendroctonus ponderosae*) (MPB) outbreaks are increasingly prevalent in western North America, causing considerable ecological change in pine (*Pinus* spp.) forests with important implications for wildlife. We reviewed studies examining wildlife responses to MPB outbreaks and postoutbreak salvage logging to inform...

Author(s): Victoria A. Saab, Quresh Latif, Mary M. Rowland, Tracey N. Johnson, Anna D. Chalfoun, Steven W. Buskirk, Joslin E. Heyward, Matthew A. Dresser

Year Published: 2014

Type: Document

Book or Chapter or Journal Article

The Bitterroot Valley fires of 2000 - Revisiting experiences and fire effects 13 years later

www.nrfirescience.org/resource/12673

During the Fires of 2000 field trip, held as part of the May 2014 Large Wildland Fires Conference, researchers, managers, residents, and stakeholders shared their experiences around the unprecedented number and size of fires that burned in the Bitterroot Valley in the summer of 2000. Topics discussed included fire history, fire...

Author(s): Corey L. Gucker

Year Published: 2014

Type: Document

Research Brief or Fact Sheet

A synthesis of post-fire Burned Area Reports from 1972 to 2009 for western US Forest Service lands: trends in wildfire characteristics and post-fire stabilisation treatments and expenditures

www.nrfirescience.org/resource/13010

Over 1200 post-fire assessment and treatment implementation reports from four decades

(1970s-2000s) of western US forest fires have been examined to identify decadal patterns in fire characteristics and the justifications and expenditures for the post-fire treatments. The main trends found were: (1) the area burned by wildfire...

Author(s): Peter R. Robichaud, Hakjun Rhee, Sarah A. Lewis

Year Published: 2014

Type: Document

Book or Chapter or Journal Article, Synthesis

Semiarid rangeland is resilient to summer fire and postfire grazing utilization

www.nrfirescience.org/resource/12050

Most wildfires occur during summer in the northern hemisphere, the area burned annually is increasing, and fire effects during this season are least understood. Understanding plant response to grazing following summer fire is required to reduce ecological and financial risks associated with wildfire. Forty 0.75-ha plots were...

Author(s): Lance T. Vermeire, Jessica L. Crowder, David B. Wester

Year Published: 2014

Type: Document

Book or Chapter or Journal Article

Does seeding after wildfires in rangelands reduce erosion or invasive species?

www.nrfirescience.org/resource/12132

Mitigation of ecological damage caused by rangeland wildfires has historically been an issue restricted to the western United States. It has focused on conservation of ecosystem function through reducing soil erosion and spread of invasive plants. Effectiveness of mitigation treatments has been debated recently. We reviewed recent...

Author(s): David A. Pyke

Year Published: 2013

Type: Document

Book or Chapter or Journal Article, Synthesis

Using native annual plants to restore post-fire habitats in western North America

www.nrfirescience.org/resource/12139

Increasing fire frequencies and uncharacteristic severe fires have created a need for improved restoration methods across rangelands in western North America. Traditional restoration seed mixtures of native perennial mid- to late-seral plant species may not be suitable for intensely burned sites that have been returned to an early-...

Author(s): Christopher M. Herron, Jayne L. Jonas, Paul J. Meiman, Mark W. Paschke

Year Published: 2013

Type: Document

Book or Chapter or Journal Article

Effectiveness of post-fire Burned Area Emergency Response (BAER) road treatments: results from three wildfires

www.nrfirescience.org/resource/12142

Wildland fires often cause extreme changes in the landscape that drastically influence surface runoff and soil erosion, which can impact forest resources, aquatic habitats, water supplies, public safety, and forest access infrastructure such as forest roads. Little information is available on the effectiveness of various post-fire...

Author(s): Randy B. Foltz, Peter R. Robichaud

Year Published: 2013

Type: Document

Perspectives on disconnects between scientific information and management decisions on post-fire recovery in western US

www.nrfirescience.org/resource/12035

Environmental regulations frequently mandate the use of 'best available' science, but ensuring that it is used in decisions around the use and protection of natural resources is often challenging. In the Western US, this relationship between science and management is at the forefront of post-fire land management decisions. Recent...

Author(s): Xiaoli Chen, Nathan Emery, Elizabeth S. Garcia, Erin J. Hanan, Heather E. Hodges, Tyronne Martin, Matthew A. Meyers, Lindsey E. Peavey, Hui Peng, Jaime Sainz Santamaria, Kellie A. Uyeda, Sarah E. Anderson, Christina Tague

Year Published: 2013

Type: Document

Book or Chapter or Journal Article

Post-fire mulching for runoff and erosion mitigation; Part I: effectiveness at reducing hillslope erosion rates

www.nrfirescience.org/resource/11994

Mulch treatments often are used to mitigate post-fire increases in runoff and erosion rates but the comparative effectiveness of various mulches is not well established. The ability of mulch treatments to reduce sediment yields from natural rainfall and resulting overland flow was measured using hillslope plots on areas burned at...

Author(s): Peter R. Robichaud, Sarah A. Lewis, Joseph W. Wagenbrenner, Louise E. Ashmun, Robert E. Brown

Year Published: 2013

Type: Document

Book or Chapter or Journal Article

Utility of remotely sensed imagery for assessing the impact of salvage logging after forest fires

www.nrfirescience.org/resource/8352

Remotely sensed imagery provides a useful tool for land managers to assess the extent and severity of post-wildfire salvage logging disturbance. This investigation uses high resolution QuickBird and National Agricultural Imagery Program (NAIP) imagery to map soil exposure after ground-based salvage operations. Three wildfires with...

Author(s): Sarah A. Lewis, Peter R. Robichaud, Andrew T. Hudak, Brian Austin, Robert J. Liebermann

Year Published: 2012

Type: Document

Book or Chapter or Journal Article

Assessing the success of postfire reseeding in semiarid rangelands using terra MODIS

www.nrfirescience.org/resource/11489

Successful post-fire reseeding efforts may aid rangeland ecosystem recovery by rapidly establishing a desired plant community and thereby reducing the likelihood of infestation by invasive plants. While the success of post-fire remediation is critical, few efforts have been made to leverage existing geospatial technologies to...

Author(s): Fang Chen, Keith T. Weber, John L. Schnase

Year Published: 2012

Type: Document

Book or Chapter or Journal Article

Salvage Logging Versus the Use of Burnt Wood as a Nurse Object to Promote Post-Fire Tree Seedling Establishment

www.nrfirescience.org/resource/17440

Intense debate surrounds the effects of post-fire salvage logging (SL) versus nonintervention policies on forest regeneration, but scant support is available from experimental studies. We analyze the effect of three post-fire management treatments on the recruitment of a serotinous pine (*Pinus pinaster*) at a Mediterranean mountain....

Author(s): Jorge Castro, Craig D. Allen, M. Molina-Morales, Sara Maranon-Jimenez, A. Sanchez-Miranda, R. Zamora

Year Published: 2011

Type: Document

Book or Chapter or Journal Article

Recent trends in post-wildfire seeding in western US forests: costs and seed mixes

www.nrfirescience.org/resource/8284

Broadcast seeding is one of the most commonly used post-fire rehabilitation treatments to establish ground cover for erosion control and mitigation of non-native plant species invasions. Little quantitative information is available on overall trends of post-fire seeding expenditures and seed mixes used over time in forested...

Author(s): Donna Peppin, Peter Z. Fule, Carolyn Hull Sieg, Jan L. Beyers, Molly E. Hunter, Peter R. Robichaud

Year Published: 2011

Type: Document

Book or Chapter or Journal Article, Synthesis

Effects of post-fire salvage logging on cavity-nesting birds and small mammals in southeastern Montana

www.nrfirescience.org/resource/12052

We investigated how post-fire salvage logging of Ponderosa Pine (*Pinus ponderosa*) affected populations of cavity-nesting birds and small mammals in southeastern Montana in 2004 and 2005. We examined two salvage and two control plots with three point-count stations and one small mammal trap site randomly distributed across each plot...

Author(s): William J. Kronland, Marco Restani

Year Published: 2011

Type: Document

Book or Chapter or Journal Article

Greater sage-grouse: Ecology and conservation of a landscape species and its habitats

www.nrfirescience.org/resource/15406

The greater sage-grouse is at the center of a complex challenge to conserve sagebrush ecosystems. The species has declined across much of its range, including 11 western states and 2 Canadian provinces, mostly due to loss of critical sagebrush habitat. Agriculture, roads, development of energy resources, wildfire, and invasive...

Author(s): Steve Knick, John W. Connelly

Year Published: 2011

Type: Document

Book or Chapter or Journal Article

The forgotten stage of forest succession: early successional ecosystems on forest sites

www.nrfirescience.org/resource/17459

Early-successional forest ecosystems that develop after stand-replacing or partial disturbances are diverse in species, processes, and structure. Post-disturbance ecosystems are also often rich in biological legacies, including surviving organisms and organically derived structures, such as woody debris. These legacies and...

Author(s): Mark E. Swanson, Jerry F. Franklin, Robert L. Beschta, Charles M. Crisafulli, Dominick A. DellaSala, Richard L. Hutto, David B. Lindenmayer, Frederick J. Swanson

Year Published: 2011

Type: Document

Book or Chapter or Journal Article

Six-year post-fire mortality and health of relict ponderosa pines in the Bob Marshall Wilderness Area, Montana

www.nrfirescience.org/resource/16050

In 2003, lightning-caused fires burned through relict ponderosa pine (*Pinus ponderosa*) stands in the Bob Marshall Wilderness, Montana, after decades of fire exclusion. Since many trees in these stands had Native American bark-peeling scars, concern arose about the adverse fire effects on this cultural and ecological resource. In...

Author(s): Signe B. Leirfallom, Robert E. Keane

Year Published: 2011

Type: Document

Technical Report or White Paper

Woodpecker habitat after the fire

www.nrfirescience.org/resource/13508

Public land managers are asked to minimize fuel levels after fires, including using techniques such as salvage logging. They are also responsible for maintaining suitable wildlife habitat, especially for species of concern to state and federal agencies. An area where these responsibilities could conflict is in the use of salvage...

Author(s): Victoria A. Saab

Year Published: 2011

Type: Document

Research Brief or Fact Sheet

Does seeding after severe forest fires in western USA mitigate negative impacts on soils and plant communities?

www.nrfirescience.org/resource/11501

Broadcast seeding is one of the most widely used post-wildfire emergency response treatments intended to reduce soil erosion, increase vegetative ground cover, and minimize establishment and spread of non-native plant species. However, seeding treatments can also have negative effects such as competition with recovering native...

Author(s): Donna Peppin, Peter Z. Fule, Jan L. Beyers, Carolyn Hull Sieg, Molly E. Hunter

Year Published: 2011

Type: Document

Synthesis, Technical Report or White Paper

Getting results: measuring post-wildfire erosion control treatment effectiveness

www.nrfirescience.org/resource/11031

In the past decade, wildfires around the world have continued to increase in size, severity, and cost. The number of people living in wildland areas has also increased, putting public safety, homes, roads, public infrastructure, water quality, and valued natural resources at risk from wildfire and secondary fire effects. Major...

Author(s): Peter R. Robichaud, Robert E. Brown, Peter M. Wohlgenuth, Joseph W. Wagenbrenner
Year Published: 2011
Type: Document
Conference Proceedings

Using native annual plant species to suppress weedy invasive species in post-fire habitats - Final Report to the Joint Fire Science Program

www.nrfirescience.org/resource/11467

Increasing fire frequencies and uncharacteristic severe fires have created a need for improved restoration methods across rangelands in western North America. Traditional restoration seed mixtures of perennial mid- to late-seral plant species may not be suitable for intensely burned sites that have been returned to an early-seral...

Author(s): Mark W. Paschke, Paul J. Meiman, William H. Romme, Cynthia S. Brown
Year Published: 2011
Type: Document
Technical Report or White Paper

Post-wildfire seeding in forests of the western United States: an evidence-based review

www.nrfirescience.org/resource/12595

Broadcast seeding is one of the most widely used post-wildfire emergency response treatments intended to reduce soil erosion, increase vegetative ground cover, and minimize establishment and spread of non-native plant species. We conducted an evidence-based review to examine the effectiveness and effects of post-wildfire seeding...

Author(s): Donna Peppin, Peter Z. Fule, Carolyn Hull Sieg, Jan L. Beyers, Molly E. Hunter
Year Published: 2010
Type: Document
Book or Chapter or Journal Article, Synthesis

Delaying sheep grazing after wildfire in sagebrush steppe may not affect vegetation recovery

www.nrfirescience.org/resource/11439

Although many land managers prohibit grazing for 2 years after a fire, little research has been conducted to determine the interaction of grazing with vegetation recovery after fire. In a study conducted in sagebrush steppe rangelands after a 2000 wildfire at the United States Sheep Experiment Station in Idaho, the influence of...

Author(s): Lovina Roselle, Steven S. Seefeldt, Karen Launchbaugh
Year Published: 2010
Type: Document
Book or Chapter or Journal Article

Continued evaluation of post-fire recovery and treatment effectiveness for validation of the ERMiT erosion model (combined proposals P07-2-2-10 and P07-2-3-06) - Final Report to the Joint Fire Science Program

www.nrfirescience.org/resource/11227

The use and cost of post-fire emergency stabilization treatments continues to grow. To help maximize the impact of these treatments, many assessment teams use the Erosion Risk Management Tool (ERMiT) erosion model to predict postfire erosion and mitigation effects. However, despite several completed JFSP projects, the long-term...

Author(s): Peter R. Robichaud, William J. Elliot, Joseph W. Wagenbrenner, Sarah A. Lewis, Louise E. Ashmun, Peter M. Wohlgenuth, Robert E. Brown
Year Published: 2010
Type: Document

Field guide for mapping post-fire soil burn severity

www.nrfirescience.org/resource/15310

Following wildfires in the United States, the U.S. Department of Agriculture and U.S. Department of the Interior mobilize Burned Area Emergency Response (BAER) teams to assess immediate post-fire watershed conditions. BAER teams must determine threats from flooding, soil erosion, and instability. Developing a postfire soil burn...

Author(s): Annette Parson, Peter R. Robichaud, Sarah A. Lewis, Carolyn Napper, Jess T. Clark

Year Published: 2010

Type: Document

Book or Chapter or Journal Article

The myth of "catastrophic" wildfire - a new ecological paradigm of forest health

www.nrfirescience.org/resource/16302

Every fire season in the western United States, we see on television the predictable images of 100-foot flames spreading through tree crowns, while grim-faced news anchors report how many acres of forest were "destroyed" by the latest "catastrophic" fire. The reaction is understandable. For decades, countless Smokey the Bear...

Author(s): Chad T. Hanson

Year Published: 2010

Type: Document

Technical Report or White Paper

Post-fire treatment effectiveness for hillslope stabilization

www.nrfirescience.org/resource/12594

This synthesis of post-fire treatment effectiveness reviews the past decade of research, monitoring, and product development related to post-fire hillslope emergency stabilization treatments, including erosion barriers, mulching, chemical soil treatments, and combinations of these treatments. In the past ten years, erosion barrier...

Author(s): Peter R. Robichaud, Louise E. Ashmun, Bruce D. Sims

Year Published: 2010

Type: Document

Synthesis, Technical Report or White Paper

Nest-site selection by cavity-nesting birds in relation to postfire salvage logging

www.nrfirescience.org/resource/8383

Large wildfire events in coniferous forests of the western United States are often followed by postfire timber harvest. The long-term impacts of postfire timber harvest on fire-associated cavity-nesting bird species are not well documented. We studied nest-site selection by cavity-nesting birds over a 10-year period (1994-2003),...

Author(s): Victoria A. Saab, Robin E. Russell, Jonathan G. Dudley

Year Published: 2009

Type: Document

Book or Chapter or Journal Article

Effects of timber harvest following wildfire in western North America

www.nrfirescience.org/resource/11122

Timber harvest following wildfire leads to different outcomes depending on the biophysical setting of the forest, pattern of burn severity, operational aspects of tree removal, and other management activities.

Fire effects range from relatively minor, in which fire burns through the understory and may kill a few trees, to severe, in...

Author(s): David L. Peterson, James K. Agee, Gregory H. Aplet, Dennis P. Dykstra, Russell T. Graham, John F. Lehmkuhl, David S. Pilliod, Donald F. Potts, Robert F. Powers, John D. Stuart

Year Published: 2009

Type: Document

Technical Report or White Paper

Emergency post-fire rehabilitation treatment effects on burned area ecology and long-term restoration

www.nrfirescience.org/resource/12591

The predicted continuation of strong drying and warming trends in the southwestern United States underlies the associated prediction of increased frequency, area, and severity of wildfires in the coming years. As a result, the management of wildfires and fire effects on public lands will continue to be a major land management...

Author(s): Peter R. Robichaud, Sarah A. Lewis, Robert E. Brown, Louise E. Ashmun

Year Published: 2009

Type: Document

Book or Chapter or Journal Article, Synthesis

Sediment production following severe wildfire and post-fire salvage logging in the Rocky Mountain headwaters of the Oldman River Basin, Alberta

www.nrfirescience.org/resource/17441

In 2003, the Lost Creek fire burned 21,000 ha of nearly contiguous crown land forests in the headwater regions of the Oldman River Basin, Alberta. Seven small watersheds with various levels of land disturbance (burned, post-fire salvage logged, unburned) were instrumented and monitored for four years to measure stream discharge,...

Author(s): Uldis Silins, Monica B. Emelko, Kevin D. Bladon

Year Published: 2009

Type: Document

Book or Chapter or Journal Article

A synthesis of postfire road treatments for BAER teams: methods, treatment effectiveness, and decisionmaking tools for rehabilitation

www.nrfirescience.org/resource/12622

We synthesized post-fire road treatment information to assist BAER specialists in making road rehabilitation decisions. We developed a questionnaire; conducted 30 interviews of BAER team engineers and hydrologists; acquired and analyzed gray literature and other relevant publications; and reviewed road rehabilitation procedures and...

Author(s): Randy B. Foltz, Peter R. Robichaud, Hakjun Rhee

Year Published: 2009

Type: Document

Synthesis, Technical Report or White Paper

Influences of postfire salvage logging on forest birds in the Eastern Cascades, Oregon, USA

www.nrfirescience.org/resource/17447

In coniferous forests of western North America, fire is an important disturbance that influences the structure and composition of floral and faunal communities. The impacts of postfire management, including salvage logging and replanting, on these forests are not well known. We compared densities and relative abundances of forest...

Author(s): Rebecca Cahall, John P. Hayes

Year Published: 2009
Type: Document
Book or Chapter or Journal Article

Measuring effectiveness of three postfire hillslope erosion barrier treatments, western Montana, USA

www.nrfirescience.org/resource/8389

After the Valley Complex Fire burned 86 000 ha in western Montana in 2000, two studies were conducted to determine the effectiveness of contour-felled log, straw wattle, and hand-dug contour trench erosion barriers in mitigating postfire runoff and erosion. Sixteen plots were located across a steep, severely burned slope, with a...

Author(s): Peter R. Robichaud, Frederick B. Pierson, Robert E. Brown, Joseph W. Wagenbrenner

Year Published: 2008

Type: Document

Book or Chapter or Journal Article

Effectiveness of aerial seeding and straw mulch for reducing post-wildfire erosion, north-western Montana, USA

www.nrfirescience.org/resource/8200

Various methods are available to reduce post-wildfire erosion, but there is limited quantitative information on the relative effectiveness of these techniques. We used rainfall simulations to compare the erosion and runoff rates from adjacent 0.5-m² plots treated with aerial grass seeding and straw mulch with untreated control plots...

Author(s): Amy H. Groen, Scott W. Woods

Year Published: 2008

Type: Document

Book or Chapter or Journal Article

Evaluating the effectiveness of contour-felled log erosion barriers as a post-fire runoff and erosion mitigation treatment in the western United States

www.nrfirescience.org/resource/8167

Between 1998 and 2002, six sites were established immediately after large wildfires in the western United States to determine the effectiveness of contour-felled log erosion barriers in mitigating post-wildfire runoff and erosion. In each pair of matched, burned, and small watersheds (1-13 ha), one was treated with contour-felled...

Author(s): Peter R. Robichaud, Joseph W. Wagenbrenner, Robert E. Brown, Peter M. Wohlgemuth, Jan L. Beyers

Year Published: 2008

Type: Document

Book or Chapter or Journal Article

Wildland fire in ecosystems: fire and nonnative invasive plants

www.nrfirescience.org/resource/12531

This state-of-knowledge review of information on relationships between wildland fire and nonnative invasive plants can assist fire managers and other land managers concerned with prevention, detection, and eradication or control of nonnative invasive plants. The 16 chapters in this volume synthesize ecological and botanical...

Year Published: 2008

Type: Document

Synthesis, Technical Report or White Paper

Assessing post-fire Douglas-fir mortality and Douglas-fir beetle attacks in the Northern Rocky Mountains

www.nrfirescience.org/resource/11126

Douglas-fir has life history traits that greatly enhance resistance to injury from fire, thereby increasing post-fire survival rates. Tools for predicting the probability of tree mortality following fire are important components of both pre-fire planning and post-fire management efforts. Using data from mixed-severity wildfire in...

Author(s): Sharon M. Hood, Barbara J. Bentz, Ken E. Gibson, Kevin C. Ryan, Gregg DeNitto

Year Published: 2007

Type: Document

Technical Report or White Paper

Nest densities of cavity-nesting birds in relation to postfire salvage logging and time since wildfire

www.nrfirescience.org/resource/8145

We monitored the nest densities and nest survival of seven cavity-nesting bird species, including four open-space foragers (American Kestrel [Falco sparverius], Lewis's Woodpecker [Melanerpes lewis], Western Bluebird [Sialia mexicana], and Mountain Bluebird [S. currucoides]) and three wood-foragers (Hairy Woodpecker [Picoides...

Author(s): Victoria A. Saab, Robin E. Russell, Jonathan G. Dudley

Year Published: 2007

Type: Document

Book or Chapter or Journal Article

Assessing post-fire values-at-risk with a new calculation tool

www.nrfirescience.org/resource/11127

Wildfire effects include loss of vegetative cover and changes to soil properties that may lead to secondary effects of increased runoff, erosion, flooding, sedimentation, and vulnerability to invasive weeds. These secondary effects may threaten human life and safety, cultural and ecological resources, land use, and existing...

Author(s): David E. Calkin, Kevin D. Hyde, Peter R. Robichaud, J. Greg Jones, Louise E. Ashmun, Dan R. Loeffler

Year Published: 2007

Type: Document

Technical Report or White Paper

Predicting postfire erosion and mitigation effectiveness with a web-based probabilistic erosion model

www.nrfirescience.org/resource/8138

The decision of where, when, and how to apply the most effective postfire erosion mitigation treatments requires land managers to assess the risk of damaging runoff and erosion events occurring after a fire. To meet this challenge, the Erosion Risk Management Tool (ERMiT) was developed. ERMiT is a web-based application that uses the...

Author(s): Peter R. Robichaud, William J. Elliot, Frederick B. Pierson, David E. Hall, Corey A. Moffet

Year Published: 2007

Type: Document

Book or Chapter or Journal Article

Toward meaningful snag-management guidelines for postfire salvage logging in North American conifer forests

www.nrfirescience.org/resource/14507

The bird species in western North America that are most restricted to, and therefore most dependent on, severely burned conifer forests during the first years following a fire event depend heavily on the abundant standing snags for perch sites, nest sites, and food resources. Thus, it is critical to develop and apply appropriate...

Author(s): Richard L. Hutto

Year Published: 2006

Type: Document

Book or Chapter or Journal Article

Post-wildfire logging hinders regeneration and increases fire risk

www.nrfirescience.org/resource/17443

We present data from a study of early conifer regeneration and fuel loads after the 2002 Biscuit Fire, Oregon, USA, with and without postfire logging. Natural conifer regeneration was abundant after the high-severity fire. Postfire logging reduced median regeneration density by 71%, significantly increased downed woody fuels, and...

Author(s): Daniel C. Donato, Joseph B. Fontaine, John L. Campbell, William D. Robinson, J. Boone Kauffman, Beverly E. Law

Year Published: 2006

Type: Document

Book or Chapter or Journal Article

Fire management impacts on invasive plants in the western United States

www.nrfirescience.org/resource/12024

Fire management practices affect alien plant invasions in diverse ways. I considered the impact of six fire management practices on alien invasions: fire suppression, forest fuel reduction, prescription burning in crown-fire ecosystems, fuel breaks, targeting of noxious aliens, and postfire rehabilitation. Most western United States...

Author(s): Jon E. Keeley

Year Published: 2006

Type: Document

Book or Chapter or Journal Article, Synthesis

Snag longevity in relation to wildfire and postfire salvage logging

www.nrfirescience.org/resource/8142

Snags create nesting, foraging, and roosting habitat for a variety of wildlife species. Removal of snags through postfire salvage logging reduces the densities and size classes of snags remaining after wildfire. We determined important variables associated with annual persistence rates (the probability a snag remains standing from 1...

Author(s): Robin E. Russell, Victoria A. Saab, Jonathan G. Dudley, Jay J. Rotella

Year Published: 2006

Type: Document

Book or Chapter or Journal Article

Wildfire, timber salvage, and the economics of expediency

www.nrfirescience.org/resource/8124

Administrative planning rules and legal challenges can have significant economic impacts on timber salvage programs on public lands. This paper examines the costs of the delay in salvage caused by planning rules and the costs associated with the volume reductions forced by legal challenges in one case study. The fires on the...

Author(s): Jeffrey P. Prestemon, David N. Wear, Fred J. Stewart, Thomas P. Holmes

Year Published: 2006
Type: Document
Book or Chapter or Journal Article

Salvage logging, ecosystem processes, and biodiversity conservation

www.nrfirescience.org/resource/16297

We summarize the documented and potential impacts of salvage logging—a form of logging that removes trees and other biological material from sites after natural disturbance. Such operations may reduce or eliminate biological legacies, modify rare postdisturbance habitats, influence populations, alter community composition, impair...

Author(s): D.B. Lindenmeyer, Reed F. Noss

Year Published: 2006

Type: Document

Book or Chapter or Journal Article

Salvage harvesting—past lessons and future issues

www.nrfirescience.org/resource/17454

The increasing prevalence and/or increasing intensity of large-scale natural disturbance events in forests means that post-disturbance salvage logging is becoming more widespread. Salvage logging can have a wide range of environmental impacts, but some of these are not well known or not well understood by policy makers and natural...

Author(s): David B. Lindenmayer

Year Published: 2006

Type: Document

Book or Chapter or Journal Article

Monitoring changes in soil quality from post-fire logging in the inland northwest

www.nrfirescience.org/resource/11015

The wildland fires of 2000, 2002, and 2003 created many opportunities to conduct post-fire logging operations in the Inland Northwest. Relatively little information is available on the impact of post-fire logging on long-term soil productivity or on the best method for monitoring these changes. We present a USDA Forest Service...

Author(s): Deborah S. Page-Dumroese, Martin F. Jurgensen, Ann Abbott, Thomas M. Rice, Joanne M. Tirocke, Sue Farley, Sharon DeHart

Year Published: 2006

Type: Document

Conference Proceedings

Post-fire logging debate ignores many issues

www.nrfirescience.org/resource/14599

Recent controversy concerning post-fire logging in Oregon is emblematic of the problems of "salvage logging" globally. Although tree regeneration after disturbances in forested areas is important, a narrow view of this issue ignores important ecological lessons, especially the role of disturbances in diversifying and rejuvenating...

Author(s): Dominick A. DellaSala, James R. Karr, Tania L. Schoennagel, David A. Perry, Reed F. Noss, David B. Lindenmayer, Robert L. Beschta, Richard L. Hutto, Mark E. Swanson, Jon Evans

Year Published: 2006

Type: Document

Book or Chapter or Journal Article

Managing fire-prone forests in the Western United

www.nrfirescience.org/resource/16308

The management of fire-prone forests is one of the most controversial natural resource issues in the US today, particularly in the west of the country. Although vegetation and wildlife in these forests are adapted to fire, the historical range of fire frequency and severity was huge. When fire regimes are altered by human activity,...

Author(s): Reed F. Noss, Jerry F. Franklin, William L. Baker, Tania L. Schoennagel, Peter B. Moyle

Year Published: 2006

Type: Document

Book or Chapter or Journal Article

The effects of postfire salvage logging on cavity-nesting birds

www.nrfirescience.org/resource/12933

We investigated the effects of postfire salvage logging on cavity-nesting birds by comparing nest densities and patterns of nest reuse over a three-year period in seven logged and eight unlogged patches of mixed-conifer forest in the Blackfoot-Clearwater Wildlife Management Area, Montana. We found 563 active nests of 18 cavity-...

Author(s): Richard L. Hutto, Susan M. Gallo

Year Published: 2006

Type: Document

Book or Chapter or Journal Article

Postfire logging in riparian ecosystems

www.nrfirescience.org/resource/8126

We reviewed the behavior of wildfire in riparian zones, primarily in the western United States, and the potential ecological consequences of postfire logging. Fire behavior in riparian zones is complex, but many aquatic and riparian organisms exhibit a suite of adaptations that allow relatively rapid recovery after fire. Unless...

Author(s): Gordon H. Reeves, Peter A. Bisson, Bruce E. Rieman, Lee E. Benda

Year Published: 2006

Type: Document

Book or Chapter or Journal Article

Protection from erosion following wildfire

www.nrfirescience.org/resource/11053

Erosion in the first year after a wildfire can be up to three orders of magnitude greater than the erosion from undisturbed forests. To mitigate potential postfire erosion, various erosion control treatments are applied on highly erodible areas with downstream resources in need of protection. Because postfire erosion rates generally...

Author(s): Peter R. Robichaud, William J. Elliot

Year Published: 2006

Type: Document

Conference Proceedings

Variation in fire regimes of the Rocky Mountains: implications for avian communities and fire management

www.nrfirescience.org/resource/8144

Information about avian responses to fire in the U.S. Rocky Mountains is based solely on studies of crown fires. However, fire management in this region is based primarily on studies of low-elevation ponderosa pine (*Pinus ponderosa*) forests maintained largely by frequent understory fires. In contrast to both of these trends, most...

Author(s): Victoria A. Saab, Hugh D. W. Powell, Natasha B. Kotliar, Karen R. Newlon
Year Published: 2005
Type: Document
Book or Chapter or Journal Article, Synthesis

Assessing the causes, consequences and spatial variability of burn severity: a rapid response proposal - Final Report to the Joint Fire Science Program

www.nrfirescience.org/resource/11149

In this rapid response project, we have collected data on post-fire effects and pre-fire fuels and vegetation from 10 large fires that burned in 2003 and 2004. We use field and remotely sensed data collected during and soon after wildfires to quantify the interactions and spatial variability in fire effects, fuels, fire behavior,...

Author(s): Penelope Morgan, Andrew T. Hudak, Peter R. Robichaud, Kevin C. Ryan
Year Published: 2005
Type: Document
Technical Report or White Paper

Postfire seeding for erosion control: effectiveness and impacts on native plant communities

www.nrfirescience.org/resource/7911

Large, high-severity wildfires remove vegetation cover and expose mineral soil, often causing erosion and runoff during postfire rain events to increase dramatically. Land-management agencies in the United States are required to assess site conditions after wildfire and, where necessary, implement emergency watershed rehabilitation...

Author(s): Jan L. Beyers
Year Published: 2004
Type: Document
Book or Chapter or Journal Article, Synthesis

Fuels planning: science synthesis and integration; environmental consequences fact sheet 5: prescriptions and fire effects

www.nrfirescience.org/resource/14943

While our understanding of the causes for variation in postfire effects is increasing, burn prescriptions may not always include parameters that control the long-term heat pulse from fire. This paper discusses (1) fuel consumption and fire effects, (2) prescription design considerations, and (3) planning a prescribed fire.

Author(s): Melanie Miller
Year Published: 2004
Type: Document
Research Brief or Fact Sheet

Lewis's Woodpecker (*Melanerpes lewis*): a technical conservation assessment

www.nrfirescience.org/resource/11498

Lewis's woodpecker (*Melanerpes lewis*) is a locally common but patchily distributed woodpecker species usually seen in open forests of western North America. The combination of its sporadic distribution, its diet of adult-stage free-living insects (primarily aerial), its preference to nest in burned landscapes, and its variable...

Author(s): Stephen C. Abele, Victoria A. Saab, Edward O. Garton
Year Published: 2004
Type: Document
Technical Report or White Paper

Establishment of aerially seeded big sagebrush following southern Idaho wildfires

www.nrfirescience.org/resource/11412

In the western United States, big sagebrush (*Artemisia tridentata*) steppe communities dominate approximately 60 million ha (148 million acres) and comprise the largest vegetation type (Wambolt and Hoffman 2001). However, due to the invasion of exotic plants, fire has become a driving force in the ecology and management of sagebrush...

Author(s): Cindy R. Lysne, Michael L. Pellant

Year Published: 2004

Type: Document

Technical Report or White Paper

Monitoring changes in weed populations: post-fire and post-herbicide treatment

www.nrfirescience.org/resource/11040

Description not entered

Author(s): Elaine Kennedy Sutherland

Year Published: 2004

Type: Document

Conference Proceedings

The effects of postfire salvage logging on aquatic ecosystems in the American West

www.nrfirescience.org/resource/16298

Recent changes in the forest policies, regulations, and laws affecting public lands encourage postfire salvage logging, an activity that all too often delays or prevents recovery. In contrast, the 10 recommendations proposed here can improve the condition of watersheds and aquatic ecosystems.

Author(s): James R. Karr, Jonathan J. Rhodes, G. Wayne Minshall, F. Richard Hauer, Robert L. Beschta, Christopher A. Frissell, David A. Perry

Year Published: 2004

Type: Document

Book or Chapter or Journal Article

Salvage harvesting policies after natural disturbance

www.nrfirescience.org/resource/17453

The [authors][1] of this Policy Forum examine a range of issues associated with salvage harvesting policies after major natural disturbances such as fire, windstorms, and volcanic eruptions. Although natural disturbances can have important benefits for ecosystems, salvage harvesting can have major negative impacts on ecosystem...

Author(s): David B. Lindenmayer, D. R. Foster, Jerry F. Franklin, M. L. Hunter, Reed F. Noss, Fiona K. A. Schmiegelow, David A. Perry

Year Published: 2004

Type: Document

Book or Chapter or Journal Article

Postfire management on forested public lands of the western United States

www.nrfirescience.org/resource/7913

Forest ecosystems in the western United States evolved over many millennia in response to disturbances such as wildfires. Land use and management practices have altered these ecosystems, however, including fire regimes in some areas. Forest ecosystems are especially vulnerable to postfire management practices because such practices...

Author(s): Robert L. Beschta, Jonathan J. Rhodes, J. Boone Kauffman, Robert E. Gresswell, G. Wayne Minshall, James R. Karr, David A. Perry, F. Richard Hauer, Christopher A. Frissell

Year Published: 2004
Type: Document
Book or Chapter or Journal Article

Quick response small catchment monitoring techniques for comparing postfire rehabilitation treatment effectiveness

www.nrfirescience.org/resource/11000

Increased runoff and erosion commonly occur after wildfires with the onset of precipitation events. Various erosion mitigation treatments are often used after wildfires to reduce flooding and sedimentation. The effectiveness of these treatments has not been well documented in the literature; therefore we undertook a rapid response...

Author(s): Peter R. Robichaud, Robert E. Brown

Year Published: 2003

Type: Document

Conference Proceedings

On the impact of fire suppression and BAER restoration on weeds

www.nrfirescience.org/resource/11043

In 2000, wildfires burned more than 200,000 acres on the Bitterroot National Forest of Montana and nearly 1.5 million acres in the Northern and Intermountain Regions. Management activities associated with fire suppression and post-fire restoration have had the unintentional consequence of promoting invasive weeds. As part of fire...

Author(s): Elaine Kennedy Sutherland

Year Published: 2003

Type: Document

Conference Proceedings

Responses of stream benthic macroinvertebrates to fire

www.nrfirescience.org/resource/7964

Synthesis of published research on the responses of stream benthic macroinvertebrates to fire in western United States indicates a consistent pattern of response that can guide resource management and future research. Direct effects of fire generally are minor or indiscernible. Indirect effects, resulting primarily from increased...

Author(s): G. Wayne Minshall

Year Published: 2003

Type: Document

Book or Chapter or Journal Article

Effects of wildfire and post-fire salvage logging on avian communities in conifer-dominated forests of the western United States

www.nrfirescience.org/resource/7956

Description not entered

Author(s): Natasha B. Kotliar, Sallie Hejl, Richard L. Hutton, Victoria A. Saab, C. P. Melcher, Mary E. McFadzen

Year Published: 2002

Type: Document

Book or Chapter or Journal Article

Postfire logging: is it beneficial to a forest?

www.nrfirescience.org/resource/17445

Public debate on postfire logging has intensified in recent years, particularly since passage of the 'salvage rider' in 1995, directing accelerated harvest of dead trees in the western United States. Supporters of postfire logging argue that it is part of a suite of restoration techniques, and that removal of timber means reduction...

Author(s): Sally Duncan

Year Published: 2002

Type: Document

Book or Chapter or Journal Article

Effects of stand-replacement fire and salvage logging on a cavity-nesting bird community in eastern Cascades, Washington

www.nrfirescience.org/resource/17449

We monitored the response of cavity-nesting species to three snag density treatments (high = 37-80 snags/ha, medium = 15-35 snags/ha, and low = 0-12 snags/ha) during two breeding seasons 4-5 yr post-fire and logging in Douglas-fir-ponderosa pine forests in the eastern Cascades, Washington. Snag surveys were used to describe habitat...

Author(s): Maryellen Haggard, William L. Gaines

Year Published: 2001

Type: Document

Book or Chapter or Journal Article

Evaluating the effectiveness of postfire rehabilitation treatments

www.nrfirescience.org/resource/11194

Spending on postfire emergency watershed rehabilitation has increased during the past decade. A west-wide evaluation of USDA Forest Service burned area emergency rehabilitation (BAER) treatment effectiveness was undertaken as a joint project by USDA Forest Service Research and National Forest System staffs. This evaluation covers...

Author(s): Peter R. Robichaud, Jan L. Beyers, Daniel G. Neary

Year Published: 2000

Type: Document

Technical Report or White Paper

Fire and invasive species within the temperate and boreal coniferous forests of western North America

www.nrfirescience.org/resource/10966

Invasive, nonnative plant species have been a concern of land managers within the temperate and boreal coniferous forest eco-region for nearly a century. Fire management, timber harvest, grazing, mining, recreation, and agriculture have not only exacerbated invasive species establishment and spread, but have been impacted by such...

Author(s): Richy J. Harrod, Sarah Reichard

Year Published: 2000

Type: Document

Conference Proceedings, Synthesis

Responses of cavity-nesting birds to stand-replacement fire and salvage logging in ponderosa pine/douglas-fir forests of southwestern Idaho

www.nrfirescience.org/resource/11413

From 1994 to 1996, researchers monitored 695 nests of nine cavity-nesting bird species and measured vegetation at nest sites and at 90 randomly located sites in burned ponderosa pine forests of southwestern Idaho. Site treatments included two types of salvage logging, and unlogged controls. All bird species selected nest sites with...

Author(s): Victoria A. Saab, Jonathan G. Dudley
Year Published: 1998
Type: Document
Technical Report or White Paper

Length and timing of grazing on postburn productivity of two bunchgrasses in an Idaho experimental range

www.nrfirescience.org/resource/8213

Plant mortality and productivity in semiarid grasslands may be affected by the length of time grazing is excluded during the postfire regeneration period. The degree of grazing tolerance for the semiarid bunchgrass species, *Festuca idahoensis* and *Agropyron spicatum*, exposed to fire, and how the variation in grazing tolerance was...

Author(s): Stephen C. Bunting, Ronald Robberecht, Guillermo E. Defosse
Year Published: 1998
Type: Document
Book or Chapter or Journal Article

Forest Service Review of Wildfire and Salvage Logging

www.nrfirescience.org/resource/16301

This is a summary of comments by Forest Service reviewers of the Beschta, et al. paper, "Wildfire and Salvage Logging". The paper was reviewed by a diverse and highly qualified group of Forest Service researchers and managers with expertise in a broad range of disciplines pertinent to the subject presented. Thus, the reviews present...

Author(s): Susan G. Conard, Richard L. Everett, Susan Husari, Alan E. Harvey, Gordon H. Reeves, James M. Saveland, Phil Weatherspoon, Robert R. Ziemer
Year Published: 1995
Type: Document
Technical Report or White Paper

Vegetal recovery following wildfire in seeded and unseeded sagebrush steppe

www.nrfirescience.org/resource/11459

Following an August wildfire, sagebrush (*Artemisia L.*)/grass benchlands adjacent to Pocatello, Ida., were seeded with a mixture of exotic wheatgrasses and forbs by rangeland drill in November 1987. The effects of seeding on vegetation development in the immediate postfire years were evaluated by comparing plant density, vegetal...

Author(s): Teresa D. Ratzlaff, Jay E. Anderson
Year Published: 1995
Type: Document
Book or Chapter or Journal Article

Deterioration of fire-killed and fire-damaged timber in the Western United States

www.nrfirescience.org/resource/11159

Fire-killed and fire-damaged timber are an important source of fiber and are becoming more important because of a decrease in the land base available for timber harvest. Forest managers need to know the causes of deterioration and degrade, the expected losses in product volume and value, and the impact of time on deterioration. This...

Author(s): Eini C. Lowell, Susan A. Willits, Robert L. Krahmer
Year Published: 1992
Type: Document
Technical Report or White Paper

Early postfire revegetation in a western Montana Douglas-fir forest

www.nrfirescience.org/resource/11960

Development of natural vegetation and seeded grasses on a severely burned Douglas-fir forest area is described for the first 5 postfire years. Results are described separately for ravine and upland sites. Results of special studies of moss recovery and tree seedling distribution are also reported.

Author(s): Marilyn F. Crane, James R. Habeck, William C. Fischer

Year Published: 1984

Type: Document

Technical Report or White Paper

The Sleeping Child Burn - 21 years of postfire change

www.nrfirescience.org/resource/11961

In early August 1961, more than 26,000 acres (10,500 ha) of upper montane and subalpine forest on the Bitterroot National Forest burned in a lightning-caused wildfire. At the time, the Sleeping Child Burn represented the single largest forest fire in the Northern Rocky Mountains in more than 20 years.

Historically, large wildfires...

Author(s): L. Jack Lyon

Year Published: 1984

Type: Document

Technical Report or White Paper

Vegetal development on the Sleeping Child burn in western Montana, 1961 to 1973

www.nrfirescience.org/resource/11951

In the year following the 1961 Sleeping Child forest fire on the Bitterroot National Forest, Montana, 11 permanent transects were established within the burn. Vegetation development was recorded through 1973, but only four transects were considered indicative of seral forest succession independent of superimposed management...

Author(s): L. Jack Lyon

Year Published: 1976

Type: Document

Technical Report or White Paper

Climate, weather, and sagebrush seed sources: experimental insights on challenges and opportunities

www.nrfirescience.org/resource/13219

Matt Germino, Research Ecologist, USGS Snake River Field Station, Boise, ID, discusses experimental insights on challenges and opportunities regarding climate, weather, and sagebrush seed sources.

Type: Media

Webinar

Hayman fire: short- and long-term geomorphic change and recovery

www.nrfirescience.org/resource/13027

Lee MacDonald, Professor, Colorado State University, Department of Forest, Rangeland, and Watershed Stewardship, discusses geomorphic changes following the Hayman and Schoonover wildfires at the Hayman Fire Science Symposium: Lessons Learned after Ten Years of Recovery, Rehabilitation, and Restoration.

Type: Media

Webinar

The U.S. Forest Service says salvage logging, or the removal of dead trees, is needed

www.nrfirescience.org/resource/17481

This two-minute video explains salvage operations after large fire in Groveland, California.

Type: Media

Video

Post-fire tree mortality and management

www.nrfirescience.org/resource/14214

This presentation was recorded during the 2016 State of the State and Forest Health Conference in Corvallis, OR.

Type: Media

Video

10 years of post-fire treatment monitoring - Learning about soil and vegetation recovery

www.nrfirescience.org/resource/12937

Following the 2005 School Fire that burned about 50,000 acres of forests and grasslands on the Umatilla National Forest, Washington, managers wanted to limit weed spread and soil erosion in severely burned areas. Various mulch treatments (wheat straw, wood strand, and hydromulch) were used to control erosion on steep slopes above...

Type: Media

Webinar

Sierra Pacific Industries timber salvage after the Rim fire

www.nrfirescience.org/resource/17475

Sierra Pacific Industries timber salvage after the Rim fire is displayed in this 3 minute video.

Type: Media

Video

Quaking aspen: a burning desire in an 'asbestos forest'

www.nrfirescience.org/resource/13673

Speaker: Paul Rogers, Director, Western Aspen Alliance, Adjunct Associate Professor, Utah State University. Event: Restoring the West Conference 2015 - Restoration and Fire in the Interior West.

Type: Media

Video

Who's to blame? Fire management in mixed-ownership landscapes

www.nrfirescience.org/resource/15097

Fuels are the only component of the fire triangle that forest and fire managers can alter to change fire behavior. There have been numerous studies examining how fuel reduction treatments and salvage logging alter fire behavior, severity, and its' ecological impacts. However, less attention has been paid to how different forest...

Type: Media

Webinar

Quantifying Post-fire Recovery of Rangeland Productivity

www.nrfirescience.org/resource/17215

This 55 minute seminar was presented for the Firelab Seminar Series 2018. It covers ways to quantify post-fire recovery on rangelands.

Type: Media

Seminar

Burned area recovery project: a stakeholder perspective

www.nrfirescience.org/resource/13320

In this video, Larry Campbell, member of Friends of the Bitterroot, spoke about his organization's opposition to the salvage logging component of the BNF's Burned Area Recovery project following the Fires of 2000. This was filmed along Rye Creek, which was one of the stops during the Fires of 2000 field trip that was part of...

Type: Media

Video

Burned area emergency response

www.nrfirescience.org/resource/13309

In this video, Marilyn Wildey, Hydrology Technician with the Bitterroot National Forest, describes the Burned Area Emergency Response following the Bitterroot fires of 2000. This was filmed at the Bitterroot National Forest headquarters in Hamilton, MT, which was one of the stops during the Fires of 2000 field trip that was part of...

Type: Media

Video

Post-fire reforestation considerations

www.nrfirescience.org/resource/13221

Post-fire environments are dynamic and complex and trends of recent fires within the Sierra mixed conifer type include uncharacteristically large areas of high vegetation burn severity. These trends add to the complexity of opportunities and challenges for post-fire restoration efforts - a key component of which is reforestation....

Type: Media

Webinar

Patterns of Conifer Regeneration following High Severity Wildfire in Ponderosa Pine-Dominated Forests

www.nrfirescience.org/resource/15847

Wildfires in ponderosa pine - dominated forests of the southern Rocky Mountains are increasingly burning with a high severity component that is unprecedented in the available historical record. The ability of ponderosa pine and other co-occurring conifers (e.g., Douglas-fir, Rocky Mountain juniper, Colorado blue spruce) to...

Type: Media

Webinar

Post-wildfire seeding in forests of the West: effectiveness, trends over time, and fire management perspectives

www.nrfirescience.org/resource/13037

Dr. Pete Fule presented results from the Joint Fire Science Program (JFSP) project synthesizing existing information on post-wildfire seeding. The webinar covered key findings from an evidence-based systematic review conducted to examine the effectiveness and effects of post-fire seeding treatments on soil stabilization and plant...

Type: Media

Webinar

Harvest of wildfire-charred timber fraught with problems for private landowners

www.nrfirescience.org/resource/17479

From mills glutted with trees from Forest Service land to “blue stain,” a fungus that colors dead wood the longer it sits unmilled and renders it virtually worthless, it can be difficult for private landowners to salvage value from trees burned by the Canyon Creek wildfire. This two minute video explains some of the problems for...

Type: Media

Video

Post-fire restoration considerations

www.nrfirescience.org/resource/14074

Post-fire environments are dynamic and complex and trends of recent fires within the Sierra mixed conifer type include uncharacteristically large areas of high vegetation burn severity. These trends add to the complexity of opportunities and challenges for post-fire restoration efforts - a key component of which is...

Type: Media

Webinar

Linking basic and applied research, multi-resource management, public education, and enforcement: post-fire archeology on the Shoshone National Forest

www.nrfirescience.org/resource/13738

Especially in remote, Wilderness settings, fires produce a complex array of both direct and indirect impacts to heritage resources that creates a cascade of complex research and management issues and opportunities. Over the last decade we have been working to align goals of academic research programs and...

Type: Media

Video

Meet Dr. Victoria Saab, Research Wildlife Biologist

www.nrfirescience.org/resource/17473

Nesting woodpeckers, including the white-backed woodpecker, rely on snags for nest building. Dr. Saab talks about her work in the mid-1990s on snag management and a new GIS tool that helps map the suitability of the landscape for nesting woodpeckers of concern.

Type: Media

Video

Tree and Forest Restoration - Pros and Cons to Salvage Logging

www.nrfirescience.org/resource/17460

On this website are listed some pros and cons of salvage logging to aid managers or landowners in a forest treatment decision.

Type: Website

Website

Burned area recovery project: the Bitterroot National Forest experience

www.nrfirescience.org/resource/13312

In this video, Marilyn Wildey, Hydrology Technician with the Bitterroot National Forest, describes the Burned Area Recovery Project proposed after the Bitterroot fires of 2000. This was filmed at the Bitterroot National Forest headquarters in Hamilton, MT, which was one of the stops during the Fires of 2000 field trip that was part...

Type: Media

Video

Ten years of post-fire treatment monitoring - Learning about soil and vegetation recovery

www.nrfirescience.org/resource/13234

Following the 2005 School Fire that burned about 50,000 acres of forests and grasslands on the Umatilla National Forest, Washington, managers wanted to limit weed spread and soil erosion in severely burned areas. Various mulch treatments (wheat straw, wood strand, and hydromulch) were used to control erosion on steep slopes above...

Type: Media

Webinar

Bridging the Divide - Video 3: Forest Management

www.nrfirescience.org/resource/15943

This video series is a compilation of post-fire interviews, workshops, and research presentations, highlighting the special conditions of the fire and the unique community outcomes. Through collaboration and partnerships, these mountain communities are learning to live with fire in the landscape. During the summer of 2013 over 1000...

Type: Media

Webinar